This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

B 49987 7

ANNUAL REPORT

OF THE

REGISTRY DEPARTMENT

OF THE

CITY OF BOSTON

FOR THE YEAR 1908

Digitized by Google

Ref

BRIGHTON BRANCH - HOLTON LIBRARY

No. Ref.

Digitized by Google

614.179
M4
B7

A

Digitized by Google

Digitized by Google

ANNUAL REPORT

OF THE

REGISTRY DEPARTMENT

BOSTON PUBLIC LIBRARY,
BRIGHTON BRANCH.

OF THE

CITY OF BOSTON

FOR THE

YEAR 1908

CITY OF BOSTON
PRINTING DEPARTMENT
1909

Digitized by Google

Ref

Boston Registry Department
June 20. 1910

PUBLIC LIBRARY
OF THE
CITY OF BOSTON

Digitized by Google

CONTENTS.

	Page
General Statement: Births, Deaths and Marriages recorded in 1908	1
Financial Statement	2
Deaths to Population in 1908: Proportion to Certain Classes	3
" Total Mortality, Residents, Nonresidents and Unknown	3
" in Institutions	57
" Occupations of Male Decedents, 1908	114
" Occupations of Female Decedents, 1908	118
Marriages in Boston, 1908	119
" Mixed Marriages, 1908	120
" Ages of Grooms and Brides, 1908	120
" Nativities of Both Parties	120
" Number of Marriage	120
" of Divorced Persons	121
" Occupations of Grooms, 1908	126
" Occupations of Brides, 1908	130
" Out-of-Town Marriages, Recorded in Boston, 1908	136
" Out-of-Town Marriages, Occupations of Grooms	144
" Out-of-Town Marriages, Occupations of Brides	147
Births in Boston in 1908	149
" Colored Births in Boston in 1908	150
" Nativity of Fathers and Mothers	151
" Proportion of the Sexes to the Nativity of Parents	151
" Occupations of Fathers of Children Born in Boston in 1908	173
" in Institutions	178
" Plurality	178
" Nativity of Parents in Cases of Plurality Births	179
Still-births among Plural Births	181
" in Boston, 1908	181
" Nativity of Parents of	183
Appendix: Ward Statistics	185
Ward Statistics, Summary of Greatest and Least in	238
General Tables.	
Table I.— Proportion of Deaths to Population of Wards, Death Rates by Wards, Deaths of Five Years and Under, with Percentages	4
Table II.— Deaths by Wards and Age Periods	5
Table III.— Deaths of Colored Persons by Wards	8
Table IV.— Deaths: Age Period and Conjugal Condition	11
Table V.— Deaths: By Months and Wards	14
Table VI.— Deaths: By Months and Age Periods, Total Mortality	16
A. Deaths: By Months and Age Periods, Residents	18
B. Deaths: By Months and Age Periods, Nonresidents	20
C. Deaths: By Months and Age Periods, Unknown	22
Table VII.— Deaths: Age Period and Cause, Total Mortality	24
A. Deaths: Age Period and Cause, Residents	28
B. Deaths: Age Period and Cause, Nonresidents	32
C. Deaths: Age Period and Cause, Unknown	36
Table VIII.— Deaths: Principal Causes, Residents by Wards, Nonresidents and Unknown	40
Table IX.— Deaths: From External Causes, Accident	44
A. Deaths: From External Causes, Suicide and Homicide	45
Table X.— Deaths: Nativity of Decedents by Countries	46
Table XI.— Deaths: Cause of Death, Natives of Boston	50
Table XII.— Deaths: Parentage of Decedents (General)	54
Table XIII.— Deaths: Principal Causes by Age Periods, Each Ward	58

224096

Digitized by Google

GENERAL TABLES. — *Concluded.* PAGE

Table XIV.— Marriages: By Months and Quarterly Periods, Civil and Religious 122
Table XV.— Marriages: Ages of Grooms and Brides (Relative) 123
Table XVI.— Marriages: Nativity of Grooms and Brides (Relative) 124
Table XVII.— Marriages: Number of Marriage 125
Table XVIII.— Marriages: Nativity of Grooms and Brides and Number of Marriage 132
Table XIX.— Marriages: Age Period and Nativity of Grooms 133
Table XX.— Marriages: Age Period and Nativity of Brides 134
Table XXI.— Marriages: Age and Nativity of Illiterate Male Applicants for Marriage Licenses 135
Table XXII.— Out-of-Town Marriages by Months, Color, Religious and Civil 136
Table XXIII.— Out-of-Town Marriages by Months and Residence (General), 137
Table XXIV.— Out-of-Town Marriages, Ages of Grooms and Brides 138
Table XXV.— Out-of-Town Marriages, Number of Marriage (Relative) 139
Table XXVI.— Out-of-Town Marriages, Relative Nativity of Grooms and Brides 140
Table XXVII.— Out-of-Town Marriages, Nativity of Grooms and Brides and Number of Marriage 141
Table XXVIII.— Out-of-Town Marriages, Age and Nativity of Grooms 142
Table XXIX.— Out-of-Town Marriages, Age and Nativity of Brides 143
Table XXX.— Percentage of Births in Each Ward to Whole Number of Births and of Ward Population and Ratio 150
Table XXXI.— Births Recorded in Boston, 1908: By Wards, Sex, Month and Season 152
Table XXXII.— Colored Births in Boston, 1908, Wards, Months and Sex 156
Table XXXIII.— Births: Nativity of Fathers by Country of Birth, Wards and Sex 158
Table XXXIV.— Births: Nativity of Mothers by Country of Birth, Wards and Sex 163
Table XXXV.— Births: Nativity (Relative) of Fathers and Mothers, 1908 168

TABLES IN APPENDIX:

Table A.— Ward Statistics: Mortality, Mortality Rates, Births and Birth Rates 240
Table B.— Ward Statistics: Area, Dwellings, Population, Density, Sexes, Native and Foreign Born 241
Table Showing Number of Births, Deaths, Marriages and Marriage Intentions Each Year from 1849 to 1908 242

Digitized by Google

ANNUAL REPORT

OF THE

REGISTRY DEPARTMENT.

BOSTON, MASS., April 1, 1909.

HON. GEORGE A. HIBBARD,

Mayor of the City of Boston:

SIR,— In compliance with the ordinance, I beg leave to report that, according to our books there were recorded for the year 1908—

18,457 births { including 949 children of nonresident parents. Males, 9,423; females, 9,034.

6,993 marriages solemnized in this city.

1,743 marriages of residents solemnized out of this city.

1,138 residents of Boston married outside of Boston in Massachusetts.

605 residents of Boston married outside the state.

7,798 marriage licenses issued for the calendar year.

11,758 deaths in the city, including 1,243 nonresidents.

698 residents of Boston who died elsewhere.

637 stillborn infants.

MARRIAGE LICENSES ISSUED, 1908.

January	599	July	575
February	570	August	613
March	454	September	769
April	570	October	863
May	573	November	728
June	943	December	541
Total			7,798

Licenses issued 1906 8,316

Licenses issued 1907 8,654

Digitized by Google

RECEIPTS AND EXPENDITURES.

RECEIPTS.

Cash on hand February 1, 1908 (City Document No. 35)	$874 00
Received for marriage licenses from February 1, 1908, to January 31, 1909, inclusive:	
Nos. 600 to 1,538 of 1908 = 939 @ $0.50 = $469 50	
Nos. *1,539 to 7,798 of 1908 = 6,260 @ 1.00 = 6,260 00	
Nos. 1 to 551 of 1909 = 551 @ 1.00 = 551 00	
	7,280 50
	$8,154 50

EXPENDITURES.

Paid physicians for 18,038 births, at 25 cents, reported from February 1, 1908, to January 31, 1909, inclusive, as per vouchers paid in by me to the Auditor, and receipted for by him, viz.:

February . . .	1,564 births at 25c. . . .	$391 00
March	1,230 " " . . .	307 50
April	1,256 " " . . .	314 00
May	1,327 " " . . .	331 75
June	1,503 " " . . .	375 75
July	1,406 " " . . .	351 50
August	1,152 " " . . .	288 00
September . . .	1,293 " " . . .	323 25
October . . .	1,732 " " . . .	433 00
November . . .	1,541 " " . . .	385 25
December . . .	1,939 " " . . .	484 75
January, 1909 .	2,095 " " . . .	523 75
	18,038=	$4,509 50
By City Collector		2,818 00
Cash balance February 1, 1909		827 00
		$8,154 50

SPECIAL RECEIPTS AND EXPENDITURES.

Received for certificates, for court, bank, insurance and other purposes	$620 75
Paid City Collector, as per receipt	$620 75

Respectfully submitted,

E. W. McGLENEN,
City Registrar.

* License fee increased to $1 March 28, 1908.

Digitized by Google

THE MORTALITY OF THE CITY OF BOSTON IN 1908.

There were 11,756* deaths recorded by this department in 1908, or 48 more than in 1907, or about .41 per cent.

The following table, based upon estimates of the population of the city furnished by the State Bureau of the Statistics of Labor for the year 1908, will show the mortality in different classes of the population, and the death rate of each.

The death rate, based upon the whole number of deaths occurring in the city was 18.70; if the death rate be based upon the mortality of *residents* only, it was 16.033 per thousand of population.

APPROPRIATION 1908–09.

Dr.		*Cr.*	
To Appropriation	$37,000 00	By Salaries	$27,143 53
		Printing and Binding	3,908 62
		Collecting Births and Tabulating	1,715 95
		Stationery	1,711 52
		Sundries	509 32
		Balance	2,011 06
	$37,000 00		$37,000 00

* All population figures are estimated.

† Two deaths were added to the number after some of the tables had been compiled, making the total, 11,758. One was an unknown man, whose body was found in Charles river, about forty-five years old, a case of accidental drowning. The other was a female child, eleven months and twenty-one days old, born in Boston of native parents; cause of death, convulsions, etc.

TOTAL MORTALITY: RESIDENTS, NONRESIDENTS AND UNKNOWN.

Sex.—Decedents were divided as to sex as follows: Males, 6,198; females, 5,558.

The whole number of deaths of residents was 10,077; there were 5,214 males and 4,863 females.

The nonresident deaths were 1,243; 718 males and 525 females.

There were 436 decedents of unknown residence; 266 males and 170 females.

There were 637 stillborn infants, which are not included in the total number of deaths as given above.

Table I. shows the total population of each ward, the number of deaths in each, the per cent of deaths to total mortality

Digitized by Google

of residents, the per cent of mortality to the population of the ward, number of deaths under one year in each ward and the number of deaths under five years; also the percentage of these deaths in each ward to the total mortality of the city in these classes.

TABLE I.

[Estimated Population 628,483.]

WARDS.	Population, 1908.	Deaths, 1908.	Per cent of Whole Number of Deaths.*	Per cent of Ward Population.	One in Every.	Deaths under One Year.	Per cent of Whole Number of Deaths under One Year.*	Deaths under Five Years.	Per cent of Whole Number of Deaths under Five Years.
1	26,836	424	4.2	1.5	63	115	5+	160	4.8
2	27,339	430	4.2	1.5	63	130	5.6	185	5.6
3	15,649	280	2.7	1.7	55	56	2.4	91	2.7
4	13,198	225	2.2	1.7	58	42	1.8	70	2.1
5	13,387	254	2.5	1.8	52	54	2.3	78	2.3
6	31,676	655	6.5	2+	48	234	10.2	369	11.1
7	16,466	354	3.5	2.1	46	78	3.4	126	3.7
8	32,493	409	4.0	1.2	79	94	4.1	156	4.6
9	23,317	455	4.5	1.9	51	104	4.5	142	4.2
10	25,139	307	3.0	1.2	81	46	2+	70	2.1
11	23,568	280	2.7	1.1	84	30	1.3	49	1.4
12	22,940	354	3.5	1.5	64	48	2+	74	2.2
13	22,877	486	4.8	2.1	47	150	6.5	212	6.3
14	23,380	389	3.8	1.6	60	92	4.0	137	4.1
15	21,431	357	3.5	1.6	60	93	4.0	124	3.7
16	23,128	334	3.3	1.4	69	70	3.0	102	3.0
17	25,642	499	4.9	1.9	51	117	5.1	170	5.1
18	23,380	444	4.4	1.9	52	125	5.4	176	5.3
19	30,859	477	4.7	1.5	64	103	4.4	146	4.4
20	44,119	579	5.7	1.3	76	100	4.3	129	3.8
21	28,030	431	4.2	1.5	65	72	3.1	95	2.8
22	29,287	460	4.5	1.5	63	94	4.5	138	4.1
23	27,905	390	3.8	1.4	71	66	2.9	98	2.9
24	33,435	446	4.4	1.3	68	102	4.0	130	3.9
25	23,002	302	2.9	1.3	76	62	2.7	88	2.6

* Of residents only.

Digitized by Google

TABLE II.— DEATHS RECORDED IN BOSTON, BY WARDS AND AGE PERIODS: RESIDENTS, NONRESIDENTS AND UNKNOWN.

Wards.	Total, Both Sexes.	Total, Each Sex.		Under 1 Year.		1 to 2.		2 to 5.		Total Under 5 Years.		5 to 9.		10 to 14.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	424	220	204	64	51	8	13	12	12	84	76	7	5	1	4
2	430	235	195	77	53	16	15	11	13	104	81	8	6	9	4
3	280	140	140	31	25	8	7	7	13	46	45	6	3	1	4
4	225	118	107	21	21	9	3	4	12	34	36	8	4	3	...
5	254	138	116	31	23	7	8	5	4	43	35	3	2	3	4
6	655	359	296	127	107	44	47	24	20	195	174	6	12	4	4
7	354	196	158	35	43	13	9	12	14	60	66	2	2	1	2
8	409	232	177	61	33	18	20	16	8	95	61	8	5	2	...
9	455	263	192	68	36	12	6	11	9	91	51	4	4	4	...
10	307	139	168	26	20	5	4	4	1	35	25	2	2	...	3
11	280	119	161	18	12	6	2	7	4	31	18	6	3	2	1
12	354	182	172	31	17	11	6	3	6	45	29	2	1	...	...
13	486	267	219	88	70	17	12	12	13	117	95	7	3	3	3
14	389	206	183	49	43	14	11	10	10	73	64	4	1	3	...
15	357	170	187	47	46	9	7	8	7	64	60	5	4	1	2
16	334	170	164	36	34	6	6	10	10	52	50	2	2	...	1
17	499	248	251	64	53	14	16	9	14	87	83	6	7	2	5
18	444	242	202	68	57	14	16	11	10	93	83	9	4	7	2
19	477	221	256	52	51	11	8	10	14	73	73	12	3	...	6
20	579	284	295	60	40	8	7	9	5	77	52	9	6	4	...
21	431	230	201	42	30	9	5	6	3	57	38	4	2	1	2
22	460	237	223	53	41	8	11	16	9	77	61	6	6	2	7
23	390	195	195	40	26	3	8	14	7	57	41	4	3	6	1
24	446	223	223	66	36	5	11	11	1	82	48	5	5	3	5
25	302	152	150	32	30	3	3	12	8	47	41	6	4	2	2
Ward unknown	56	28	28	7	.....	1	1	3	1	11	2	....	....	...	...
Total residents, each sex	.....	5,214	4,863	1,294	998	279	262	257	228	1,830	1,488	141	99	64	62
Both sexes	10,077	10,077		2,292		541		485		3,318		240		126	
Nonresidents	1,243	718	525	118	93	23	26	19	20	160	139	15	15	10	6
Unknown	436	266	170	132	100	17	14	8	6	157	120	....	1	...	1
Totals, each sex,	.....	6,198	5,558	1,544	1,191	319	302	284	254	2,147	1,747	156	115	74	69
Totals, both sexes,	11,756	11,756		2,735		621		538		3,894		271		143	

Digitized by Google

TABLE II., *Continued.*— DEATHS RECORDED IN BOSTON, BY WARDS AND AGE PERIODS: RESIDENTS, NONRESIDENTS AND UNKNOWN.

Wards.	15 to 19.		20 to 24.		25 to 29.		30 to 34.		35 to 39.		40 to 44.		45 to 49.		50 to 54.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	6	2	10	8	12	7	8	8	3	6	4	7	14	9	7	12
2	5	....	2	9	4	8	12	4	13	10	9	8	5	5	14	8
3	2	3	1	5	8	5	6	3	4	6	12	9	9	8	6	5
4	4	1	4	4	3	2	4	4	3	7	7	7	6	2	12	5
5	1	6	3	4	6	3	6	3	9	7	8	8	13	4	6	10
6	11	9	13	9	10	5	9	12	10	6	20	4	12	8	12	7
7	4	2	8	4	12	6	8	3	13	6	15	4	16	4	12	8
8	4	3	7	7	11	11	7	10	11	5	11	9	9	16	13	4
9	4	3	6	6	12	6	14	12	18	9	14	20	19	7	20	9
10	2	2	5	9	4	11	12	5	11	13	3	5	15	13	5	9
11	1	2	4	2	3	10	1	7	3	10	6	9	1	8	7	12
12	4	2	5	4	11	9	5	8	17	9	12	10	10	9	9	3
13	4	6	13	6	7	6	17	11	17	12	10	12	19	5	15	9
14	5	5	7	1	7	3	9	4	14	6	16	11	8	16	12	13
15	6	4	7	7	9	5	4	4	7	11	13	8	11	9	8	7
16	2	3	5	4	3	5	7	5	8	6	10	7	12	10	13	9
17	6	7	10	8	7	10	15	21	12	12	13	15	14	11	15	7
18	4	3	7	4	6	5	9	7	16	8	11	13	10	12	15	10
19	4	1	3	8	7	12	13	12	17	1	16	10	10	15	14	18
20	5	9	5	5	13	24	8	6	13	15	12	18	12	12	12	21
21	1	3	7	3	11	4	5	6	3	7	5	7	16	11	8	14
22	8	4	12	5	5	10	11	9	9	7	13	13	12	11	10	10
23	4	6	11	5	8	5	5	8	12	11	7	9	6	8	7	10
24	5	4	10	9	7	11	10	9	4	11	5	10	12	7	6	13
25	8	2	6	2	3	9	9	5	6	4	8	9	11	7	5	7
Ward unknown	....	....	1	1	....	....	....	....	1	1	5	1	1	....	1	....
Total residents, each sex	110	92	172	139	189	192	214	186	254	206	265	243	283	227	264	240
Both sexes	202		311		381		400		460		508		510		504	
Nonresidents	20	17	30	34	34	26	45	32	53	26	44	27	48	33	50	34
Unknown	3	1	3	1	12	8	14	4	11	6	15	5	16	3	9	3
Totals, each sex	133	110	205	174	235	226	273	222	318	238	324	275	347	263	323	277
Totals, both sexes	243		379		461		495		556		599		610		600	

Digitized by Google

TABLE II., *Concluded.*— DEATHS RECORDED IN BOSTON, BY WARDS AND AGE PERIODS: RESIDENTS, NONRESIDENTS AND UNKNOWN.

Wards.	55 to 59.		60 to 64.		65 to 69.		70 to 74.		75 to 79.		80 to 84.		85 to 89.		90 to 94.		95 and over.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	14	9	12	10	14	5	9	16	12	7	3	10	...	2	...	1	...	...
2	11	7	13	11	9	14	6	8	7	4	1	3	2	3	1	2	...	...
3	9	5	4	13	8	7	10	7	4	9	2	2	2	...	...	1	...	...
4	6	4	5	6	7	5	7	8	2	8	2	1	...	2	1	1	...	...
5	4	7	13	6	5	4	3	4	4	5	2	2	4	1	1	1	1	...
6	14	9	8	9	14	11	10	8	6	5	5	2	...	2	...	...	...	...
7	10	7	6	11	9	12	10	13	3	4	6	1	1	3	...	...	...	...
8	11	14	11	13	13	8	12	2	2	4	3	5	2	...	...	...	...	...
9	13	13	14	12	11	10	6	12	6	7	6	6	...	4	1	1	...	...
10	6	13	9	10	10	13	7	8	9	15	2	6	1	4	...	2	1	...
11	10	8	7	10	13	12	10	13	4	18	5	8	3	7	2	1	...	2
12	9	14	21	17	11	13	9	14	4	18	3	8	2	3	3	1	...	...
13	9	7	9	15	8	4	6	12	....	7	2	3	2	2	2	1	...	...
14	11	10	9	10	13	13	7	7	2	6	5	8	1	5	...	...	...	...
15	8	13	8	8	7	20	5	11	2	9	5	4	...	1	...	...	...	...
16	13	9	9	10	11	4	13	15	4	7	5	10	1	6	...	1	...	...
17	14	9	15	12	18	10	9	9	2	6	3	11	...	8	...	...	...	...
18	15	4	8	15	5	8	11	11	8	4	4	3	2	5	2	1	...	...
19	7	22	19	18	10	19	5	13	5	12	3	10	3	3	...	...	...	...
20	24	20	19	18	19	18	13	21	18	17	11	13	6	14	3	6	1	...
21	23	14	13	15	22	21	17	15	16	13	14	9	7	13	...	2	...	2
22	17	15	14	18	13	15	12	7	13	10	2	9	1	4	...	2	...	...
23	8	8	13	21	11	12	10	10	17	12	6	12	2	9	1	3	...	1
24	9	14	10	17	17	13	19	15	13	15	3	11	3	4	...	1	...	1
25	8	7	9	10	8	6	7	9	4	12	3	7	2	6	...	1	...	...
Ward unknown	2	2	....	1	3	6	....	3	1	4	...	3	...	2	2	2	...	...
Total residents, each sex	285	264	278	316	289	283	233	271	168	238	106	167	47	113	19	31	3	6
Both sexes	**549**		**594**		**572**		**504**		**406**		**273**		**160**		**50**		**9**	
Nonresidents	56	32	39	38	38	21	35	20	29	10	8	10	4	3	...	1	...	1
Unknown	7	2	5	2	8	2	3	2	....	2	3	3	...	3	...	...	...	1
Totals, each sex	348	298	322	356	335	306	271	293	197	250	117	180	51	119	19	32	3	8
Totals, both sexes	**646**		**678**		**641**		**564**		**447**		**297**		**170**		**51**		**11**	

Digitized by Google

TABLE III.— DEATHS OF COLORED PERSONS (ALL OTHER THAN WHITE) RECORDED IN BOSTON: RESIDENTS BY WARDS, NON-RESIDENTS AND UNKNOWN, BY AGE PERIODS, 1908.

Wards.	Total, Both Sexes.	Total, Each Sex.		Under 1 Year.		1 to 2.		2 to 5.		5 to 9.		10 to 14.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	....	....	....	....	....	....	....	....	....	....	....	....	....
2	....	....	....	....	....	....	....	....	....	....	....	....	....
3	....	....	....	....	....	....	....	....	....	....	....	....	....
4	2	1	1	1	....	....	....	....	....	....	....	....	....
5	1	1	....	....	....	....	....	....	....	....	....	....	....
6	....	....	....	....	....	....	....	....	....	....	....	....	....
7	26	*16 7	3	3	1	....	....	*1 1	1	....	....	....	....
8	10	7	3	2	....	1	1	....	....	1	....	....	....
9	26	15	11	4	2	1	....	2	2	....	1	....	....
10	31	10	21	1	2	....	1	....	....	....	....	....	....
11	34	*2 18	14	4	....	1	....	1	1	1	....	....	....
12	46	*1 18	27	3	5	3	1	1	2	....	....	....	....
13	....	....	....	....	....	....	....	....	....	....	....	....	....
14	....	....	....	....	....	....	....	....	....	....	....	....	....
15	....	....	....	....	....	....	....	....	....	....	....	....	....
16	1	1	....	....	....	....	....	....	....	....	....	....	....
17	27	9	18	1	4	1	5	....	1	....	1	....	1
18	108	60	48	19	14	8	7	4	4	2	1	3	....
19	3	....	3	....	1	....	....	....	....	....	....	....	1
20	1	....	1	....	....	....	....	....	....	....	....	....	....
21	....	....	....	....	....	....	....	....	....	....	....	....	....
22	6	2	4	1	1	1	....	....	....	....	....	....	1
23	....	....	....	....	....	....	....	....	....	....	....	....	....
24	2	....	2	....	1	....	....	....	....	....	....	....	....
25	5	1	4	....	....	....	....	....	1	....	1	....	....
Ward unknown	....	....	....	....	....	....	....	....	....	....	....	....	....
Total residents, each sex	329	*19 150	160	39	31	16	15	*1 9	12	4	4	3	3
Both sexes	....	329		70		31		22		8		6	
Nonresidents	28	12	16	5	3	....	1	....	....	....	2	....	1
Unknown	10	*1 3	6	1	2	....	....	....	....	....	....	....	....
Totals, each sex	....	*20 165	182	45	36	16	16	*1 9	12	4	6	3	4
Totals, both sexes	367	367		81		32		22		10		7	

* Chinese.

Digitized by Google

TABLE III., *Continued.*— DEATHS OF COLORED PERSONS (ALL OTHER THAN WHITE) RECORDED IN BOSTON: RESIDENTS, BY WARDS, NONRESIDENTS AND UNKNOWN, BY AGE PERIODS, 1908.

Wards.	15 to 19.		20 to 24.		25 to 29.		30 to 34.		35 to 39.		40 to 44.		45 to 49.		50 to 54.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7	{*1, 1}	...	*2	...	*4	...	*1	...	{*1, 2}	...	*1	...	*3	1	...	...
8	...	...	...	...	1	...	...	...	...	...	...	1	1	1	...	...
9	...	...	2	...	1	...	...	...	2	1	1	1	...	...	...	...
10	2	1	...	3	...	3	2	1	2	2	...	1	1	3	...	...
11	...	...	*1	1	*1	3	1	2	2	...	1	...	1	1	...	...
12	...	...	1	2	{*1, 1}	3	2	3	1	1	1	1	...	1	...	...
13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
17	...	...	1	1	...	1	3	1	...	...	...	2	...	...	...	...
18	1	1	1	2	2	...	1	2	1	2	2	4	2	1	...	...
19	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
20	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
22	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
Ward unknown	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Total residents, each sex	{*1, 5}	3	{*3, 5}	10	{*6, 5}	10	{*1, 9}	10	{*1, 10}	6	{*1, 5}	10	{*3, 6}	10	...	...
Both sexes	9		18		21		20		17		16		19		...	...
Nonresidents	...	...	...	...	{*1, 1}	1	2	1	...	1	...	1	1	...	...	...
Unknown	...	...	...	...		1	...	...	...	...	...	...	...	...	...	...
Totals, each sex	{*1, 5}	3	{*3, 5}	10	{*7, 6}	12	{*1, 11}	11	{*1, 10}	7	{*1, 5}	11	{*3, 7}	10	...	...
Totals, both sexes	9		18		25		23		18		17		20			

* Chinese.

Digitized by Google

TABLE III., *Concluded.*— DEATHS OF COLORED PERSONS (ALL OTHER THAN WHITE) RECORDED IN BOSTON: RESIDENTS BY WARDS, NONRESIDENTS AND UNKNOWN, BY AGE PERIODS, 1908.

Wards.	55 to 59.		60 to 64.		65 to 69.		70 to 74.		75 to 79.		80 to 84.		85 to 89.		90 to 94.		95 and over.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7	*1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9	...	1	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...
10	...	1	...	...	...	...	1	...	...	1	...	...	...	1	...	...	...	...
11	1	...	...	1	4	1	1	1	...	...	...	...	...	...	...	...	...	1
12	1	4	3	1	...	2	...	...	...	1	...	...	...	...	...	...	...	...
13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
16	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
17	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
18	6	3	1	...	...	...	1	3	1	...	...	...	...	1	...	...	...	...
19	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
Ward unknown	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Total residents, each sex	*1 9	11	6	3	7	3	4	6	1	3	...	...	...	2	...	...	...	1
Both sexes	21		9		10		10		4				2				1	
Nonresidents	1	1	1	...	2	2	...	2	...	...	...	...	...	...	...	...	...	...
Unknown	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	1
Totals, each sex	*1 10	12	7	3	9	6	4	8	1	3	...	1	...	2	...	...	...	2
Totals, both sexes	23		10		15		12		4		1		2				2	

Digitized by Google

TABLE IV.—DEATHS: CONJUGAL CONDITION OF DECEDENTS BY AGE PERIODS. RESIDENTS OF BOSTON.

Age Period.	Single.		Married.		Widowed.		Divorced.		Unknown.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	1,294	998	.....	.....	.....	.....	.....	.....	.....	.....
1 to 2 years	279	262	.....	.....	.....	.....	.....	.....	.....	.....
2 to 4 "	257	228	.....	.....	.....	.....	.....	.....	.....	.....
5 to 9 "	141	99	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 "	64	62	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 "	108	82	1	10	.....	.....	.....	.....	1	.....
20 to 24 "	149	82	22	53	.....	2	.....	.....	1	2
25 to 29 "	126	84	60	101	3	5	.....	1	.....	1
30 to 34 "	107	47	94	120	10	17	3	.....	.....	2
35 to 39 "	106	43	136	148	9	13	2	2	1	.....
40 to 44 "	74	43	178	164	10	34	2	1	1	1
45 to 49 "	61	45	197	127	23	50	1	3	1	2
50 to 54 "	56	43	169	128	35	66	2	2	2	1
55 to 59 "	48	43	185	126	49	92	3	2	.....	1
60 to 64 "	26	55	189	108	58	148	2	4	3	1
65 to 69 "	19	51	170	64	96	164	2	2	2	2
70 to 74 "	26	37	141	50	65	182	1	.....	.....	2
75 to 79 "	11	33	82	33	73	172	2	.....	.....	.....
80 to 84 "	4	24	50	16	50	126	2	1	.....	.....
85 to 89 "	1	16	18	3	28	94	.....	.....	.....	.....
90 to 94 "	1	5	7	.....	11	26	.....	.....	.....	.....
95 and over	.....	.....	1	1	2	5	.....	.....	.....	.....
Totals, each sex	2,958	2,382	1,700	1,252	522	1,196	22	18	12	15
Totals, both sexes	5,340		2,952		1,718		40		27	

Digitized by Google

TABLE IV., *Continued.*— DEATHS: CONJUGAL CONDITION OF DECEDENTS BY AGE PERIODS. NONRESIDENTS.

Age Period.	Single.		Married.		Widowed.		Divorced.		Unknown.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	118	93	.....	.....	.....	.....	.....	.....	.....	.....
1 to 2 years.....	23	26	.....	.....	.....	.....	.....	.....	.....	.....
2 to 4 "	19	20	.....	.....	.....	.....	.....	.....	.....	.....
5 to 9 "	15	15	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 "	10	6	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 "	20	17	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 "	24	22	5	11	.....	1	.....	.....	.....	.....
25 to 29 "	25	12	9	14	.....	.....	.....	.....	.....	.....
30 to 34 "	23	8	21	21	1	3	.....	.....	.....	.....
35 to 39 "	27	6	22	17	2	3	1	.....	1	.....
40 to 44 "	5	5	32	18	6	3	.....	1	1	.....
45 to 49 "	6	5	37	19	4	8	1	1	.....	.....
50 to 54 "	9	6	36	21	5	7	.....	.....	.....	.....
55 to 59 "	7	4	44	17	5	10	.....	1	.....	.....
60 to 64 "	2	7	30	23	6	8	.....	.....	1	.....
65 to 69 "	3	3	25	6	8	11	.....	1	2	.....
70 to 74 "	5	1	20	5	9	14	.....	.....	1	.....
75 to 79 "	6	1	10	.....	13	9	.....	.....	.....	.....
80 to 84 "	.....	1	3	.....	5	9	.....	.....	.....	.....
85 to 89 "	1	.....	1	.....	2	3	.....	.....	.....	.....
90 to 94 "	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
95 and over.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Totals, each sex...	348	258	295	172	66	91	2	4	6	
Totals, both sexes..	606		467		157		6		6	

Digitized by Google

TABLE IV., *Concluded.*—DEATHS: CONJUGAL CONDITION OF DECEDENTS BY AGE PERIODS. RESIDENCE UNKNOWN.

Age Period.	Single.		Married.		Widowed.		Divorced.		Unknown.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	132	100	.....	.....	.....	.....	.....	.....	.....	.....
1 to 2 years	17	14	.....	.....	.....	.....	.....	.....	.....	.....
2 to 4 "	8	6	.....	.....	.....	.....	.....	.....	.....	.....
5 to 9 "	.....	1	.....	.....	.....	.....	.....	.....	.....	....
10 to 14 "	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 "	1	.....	.....	1	.....	.....	.....	.....	2	.....
20 to 24 "	.....	.....	.....	.....	.....	.....	.....	.....	3	1
25 to 29 "	2	.....	.....	.....	.....	.....	.....	.....	10	8
30 to 34 "	2	.....	.....	1	.....	.....	.....	.....	12	3
35 to 39 "	.....	.....	.....	1	.....	1	.....	.....	11	4
40 to 44 "	2	1	.....	.....	.....	.....	1	.....	12	4
45 to 49 "	1	1	1	.....	2	.....	.....	.....	12	2
50 to 54 "	1	2	1	.....	.....	.....	.....	.....	7	1
55 to 59 "	1	.....	.....	1	.....	.....	.....	.....	6	1
60 to 64 "	.....	.....	.....	.....	.....	.....	.....	.....	5	2
65 to 69 "	1	1	.....	.....	1	1	.....	.....	6	.....
70 to 74 "	.....	.....	.....	.....	.....	2	1	.....	2	.....
75 to 79 "	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
80 to 84 "	.....	.....	1	.....	.....	2	.....	.....	2	1
85 to 89 "	.....	.....	.....	.....	.....	3	.....	.....	.....	.....
90 to 94 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Totals, each sex	168	127	3	4	3	12	2	.....	90	27
Totals, both sexes	295		7		15		2		117	

Digitized by Google

TABLE V.— DEATHS BY MONTHS, RESIDENTS BY WARDS: NONRESIDENTS AND UNKNOWN.

Wards.	January.		February.		March.		April.		May.		June.		July.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	15	20	17	10	11	18	29	19	30	24	12	13	28	12
2	28	16	15	21	16	13	24	23	18	14	10	13	26	19
3	9	16	10	7	10	11	15	11	16	14	9	11	9	9
4	13	10	8	5	11	8	9	8	15	5	8	8	7	13
5	13	12	14	13	14	5	5	12	8	9	11	7	14	15
6	34	19	39	24	35	18	30	28	31	36	25	29	29	16
7	16	12	18	14	25	19	26	12	18	15	8	9	12	8
8	22	12	11	11	26	13	20	23	26	21	13	15	21	10
9	33	15	22	14	22	19	22	17	26	14	23	17	20	19
10	13	9	24	10	13	18	13	14	9	11	11	9	7	16
11	8	21	7	16	14	16	12	16	12	14	11	7	9	8
12	21	16	18	12	25	21	18	13	16	15	11	17	10	12
13	20	17	18	25	26	17	17	14	23	19	14	13	30	26
14	19	18	26	16	18	9	18	23	18	14	14	5	20	18
15	18	18	13	20	12	13	11	18	10	17	7	4	20	13
16	12	11	7	16	14	13	23	14	9	17	16	6	15	15
17	25	26	21	24	23	20	16	24	27	14	13	21	33	16
18	21	18	18	15	25	14	15	24	18	27	19	11	22	11
19	19	30	18	24	21	16	22	17	16	20	17	16	14	18
20	27	36	29	25	27	28	23	27	22	27	27	26	18	14
21	21	10	19	23	28	30	24	15	12	19	10	15	17	16
22	22	24	21	12	21	24	23	21	18	18	15	13	16	24
23	13	12	19	17	12	26	29	19	14	16	22	12	15	16
24	24	17	26	17	20	16	22	21	17	21	10	20	10	17
25	15	12	14	18	21	13	13	8	10	20	4	6	8	10
Ward unknown	2	7	2	1	3	2	4	1	3	1	1	4	3	2
Total residents, each sex	483	434	454	410	493	420	483	442	442	442	341	327	433	373
Both sexes	917		864		913		925		884		668		706	
Nonresidents	65	42	48	32	62	53	57	44	57	54	43	42	59	51
Unknown	21	13	22	11	26	13	24	14	31	22	22	14	29	20
Totals, each sex	569	489	524	453	581	486	564	500	530	518	406	383	521	444
Both sexes	1,058		977		1,067		1,064		1,048		789		965	

Digitized by Google

TABLE V., *Concluded.*—DEATHS BY MONTHS, RESIDENTS BY WARDS: NONRESIDENTS AND UNKNOWN.

WARDS.	August.		September.		October.		November.		December.		Total, Each Sex.		TOTAL, BOTH SEXES.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
1	15	17	20	21	13	16	15	12	15	22	220	204	424
2	24	20	17	15	22	13	16	8	19	20	235	195	430
3	11	13	21	17	9	9	11	13	10	9	140	140	280
4	5	12	16	10	11	7	3	11	12	10	118	107	225
5	13	6	9	18	11	8	15	5	11	6	138	116	254
6	40	35	28	30	22	17	23	20	23	24	359	296	655
7	21	11	15	14	7	11	7	15	23	18	196	158	354
8	17	11	16	16	25	14	18	13	17	18	232	177	409
9	17	16	28	15	15	15	11	18	24	13	263	192	455
10	10	15	9	12	11	22	8	19	11	13	139	168	307
11	10	10	11	4	5	10	13	17	7	22	119	161	280
12	10	15	18	11	8	15	10	13	17	12	182	172	354
13	25	19	16	14	33	24	24	9	21	22	267	219	486
14	14	16	16	20	16	13	16	10	11	21	206	183	389
15	16	19	18	14	11	15	17	18	17	18	170	187	357
16	13	17	8	13	18	14	15	14	20	14	170	164	334
17	20	21	14	16	13	23	18	18	25	28	248	251	499
18	26	17	10	18	23	18	16	17	29	12	242	202	444
19	19	28	24	26	19	16	13	25	19	20	221	256	477
20	22	27	25	22	19	20	21	19	24	24	284	295	579
21	24	20	22	10	21	13	13	14	19	16	230	201	431
22	21	22	16	15	19	17	18	15	27	18	237	223	460
23	18	17	11	11	11	19	12	14	19	16	195	195	390
24	18	25	20	14	17	17	24	20	15	18	223	223	446
25	11	8	14	9	15	13	14	14	13	19	152	150	303
Ward unknown	4	3	2	2	.....	3	3	2	1	.....	28	28	56
Total residents, each sex	444	440	424	387	394	382	374	373	449	433	5,214	4,863	.....
Both sexes	884		811		776		747		882		10,077		10,077
Nonresidents	65	59	71	31	67	42	56	31	68	44	718	525	1,243
Unknown	30	20	25	5	16	13	10	14	10	11	266	170	436
Totals, each sex	539	519	520	423	477	437	440	418	527	488	6,198	5,558	.....
Both sexes	1,058		943		914		858		1,015		11,756		11,756

Digitized by Google

TABLE VI.—DEATHS: BY MONTHS AND AGE PERIODS. TOTAL MORTALITY.

Age Period.	Totals.		January.		February.		March.		April.		May.		June.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year....	1,544	1,191	118	82	114	83	128	79	117	85	92	84	81	67
1 to 2 years...	319	302	32	26	25	23	25	24	26	27	32	34	22	21
2 to 4 " ..	284	254	28	21	20	15	23	24	35	27	34	33	19	22
5 to 9 " ..	156	115	6	7	16	5	17	10	14	10	13	17	16	9
10 to 14 " ..	74	69	6	5	5	6	7	10	11	7	6	9	6	1
15 to 19 " ..	133	110	12	10	5	10	10	13	17	12	16	10	13	9
20 to 24 " ..	205	174	17	11	19	10	18	11	27	29	17	23	7	15
25 to 29 " ..	235	226	35	19	24	13	16	25	20	23	22	30	14	23
30 to 34 " ..	273	222	18	28	25	14	28	23	19	17	42	21	23	20
35 to 39 " ..	318	238	33	23	26	24	24	28	23	26	29	26	28	7
40 to 44 " ..	324	275	39	27	29	25	33	20	34	34	24	32	17	16
45 to 49 " ..	347	263	32	25	36	21	35	23	42	21	27	18	25	21
50 to 54 " ..	323	277	29	28	28	35	36	32	27	23	28	17	19	17
55 to 59 " ..	348	298	29	25	31	33	53	18	28	19	25	29	23	24
60 to 64 " ..	322	356	25	27	31	35	31	36	32	34	30	29	26	24
65 to 69 " ..	335	306	45	27	27	30	24	26	27	37	41	26	24	24
70 to 74 " ..	271	293	22	32	24	22	34	26	29	26	26	32	22	16
75 to 79 " ..	197	250	26	27	19	29	17	22	18	16	15	22	13	24
80 to 84 " ..	117	180	7	24	14	11	13	25	14	9	8	13	5	11
85 to 89 " ..	51	119	8	9	5	7	7	9	1	14	3	11	2	7
90 to 94 " ..	19	32	2	5	....	2	2	2	2	2	....	....	1	5
95 and over.....	3	8	....	1	1	....	....	....	1	2	....	2	....	....
Totals, each sex,	6,198	5,558	569	489	524	453	581	486	564	500	530	518	406	383
Both sexes.....	11,756		1,058		977		1,067		1,064		1,048		789	

Digitized by Google

TABLE VI., *Concluded.*— DEATHS: BY MONTHS AND AGE PERIODS. TOTAL MORTALITY.

AGE PERIOD.	July.		August.		September.		October.		November.		December.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	173	133	237	175	171	123	116	101	99	89	98	90
1 to 2 years....	26	23	32	29	28	20	24	30	21	15	26	30
2 to 4 "	30	21	17	23	24	13	16	12	14	18	24	25
5 to 9 "	18	11	13	10	9	15	12	11	9	5	13	5
10 to 14 "	8	7	3	5	6	2	4	5	6	5	6	7
15 to 19 "	8	8	9	7	9	7	12	7	7	7	15	10
20 to 24 "	21	13	9	12	21	13	13	13	19	6	17	18
25 to 29 "	21	18	17	19	19	10	16	10	12	17	19	19
30 to 34 "	23	16	23	17	21	18	16	18	19	13	16	17
35 to 39 "	21	13	17	17	26	16	29	12	37	22	25	24
40 to 44 "	31	14	22	18	19	18	24	27	21	17	31	27
45 to 49 "	16	13	23	27	23	20	25	22	30	24	33	28
50 to 54 "	24	19	23	13	28	18	27	23	31	22	23	30
55 to 59 "	22	27	19	23	28	26	27	22	22	28	41	24
60 to 64 "	24	24	16	25	21	24	26	29	26	29	34	40
65 to 69 "	18	18	23	26	19	22	35	28	21	23	31	19
70 to 74 "	17	22	11	19	15	19	23	25	16	24	32	30
75 to 79 "	8	23	15	19	14	16	14	12	15	23	23	17
80 to 84 "	7	12	4	17	11	15	14	16	8	14	12	13
85 to 89 "	3	7	3	15	7	7	3	8	5	14	4	11
90 to 94 "	2	2	3	3	1	1	1	4	2	2	3	4
95 and over.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....
Totals, each sex..	521	444	539	519	520	423	477	437	440	418	527	488
Totals, both sexes,	965		1,058		943		914		858		1,015	

Digitized by Google

TABLE VI. A.— DEATHS: BY MONTHS AND AGE PERIODS. RESIDENTS OF BOSTON.

Age Period.	Totals.		January.		February.		March.		April.		May.		June.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year....	1,294	998	101	69	94	78	108	63	100	73	74	64	66	54
1 to 2 years...	279	262	28	26	24	23	19	21	24	25	24	26	20	17
2 to 4 " ...	257	228	23	20	19	15	21	21	32	23	30	30	16	21
5 to 9 " ...	141	99	6	6	15	4	17	8	13	10	11	16	16	6
10 to 14 " ...	64	62	4	4	5	5	7	8	9	7	5	8	5	1
15 to 19 " ...	110	92	9	8	4	7	8	9	15	10	13	9	7	8
20 to 24 " ...	172	139	13	7	19	9	13	11	26	24	16	18	6	10
25 to 29 " ...	189	192	31	13	20	10	11	23	14	19	17	24	13	20
30 to 34 " ...	214	186	16	25	18	14	23	19	17	13	31	15	20	15
35 to 39 " ...	254	206	28	20	23	22	18	24	16	21	28	24	24	4
40 to 44 " ...	265	243	33	25	25	23	31	18	29	29	19	29	15	14
45 to 49 " ...	283	227	23	20	33	18	28	22	37	19	23	15	20	16
50 to 54 " ...	264	240	26	25	24	30	30	26	21	21	25	15	14	14
55 to 59 " ...	285	264	27	24	24	28	44	16	24	18	21	25	17	24
60 to 64 " ...	278	316	19	24	27	32	27	29	27	31	28	25	23	21
65 to 69 " ...	289	283	39	26	24	26	23	26	22	33	36	23	20	23
70 to 74 " ...	233	271	18	31	21	22	30	25	25	25	19	29	20	14
75 to 79 " ...	168	238	22	25	18	25	15	21	16	16	12	22	11	22
80 to 84 " ...	106	167	7	22	12	11	12	20	12	8	7	13	5	11
85 to 89 " ...	47	113	8	8	4	6	6	8	1	14	3	11	2	7
90 to 94 " ...	19	31	2	5	....	2	2	2	2	1	....	....	1	5
95 and over.....	3	6	....	1	1	....	....	....	1	2	....	1	....	....
Totals, each sex.	5,214	4,863	483	434	454	410	493	420	483	442	442	442	341	327
Both sexes.....	10,077		917		864		913		925		884		668	

Digitized by Google

TABLE VI. A., *Concluded.*—DEATHS: BY MONTHS AND AGE PERIODS. RESIDENTS OF BOSTON.

Age Period.	July.		August.		September.		October.		November.		December.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	149	107	185	138	139	112	98	83	89	76	91	81
1 to 2 years....	24	21	30	25	22	15	22	29	17	12	25	22
2 to 4 "	30	16	16	21	22	12	16	11	13	16	19	22
5 to 9 "	16	7	11	10	7	14	11	9	9	4	9	5
10 to 14 "	8	7	2	5	6	2	3	5	5	5	5	5
15 to 19 "	6	8	9	6	8	7	10	6	6	5	15	9
20 to 24 "	17	9	7	10	16	11	9	12	16	5	14	13
25 to 29 "	19	15	15	17	13	9	11	9	12	15	13	18
30 to 34 "	15	13	18	15	14	15	13	14	15	12	14	16
35 to 39 "	10	11	14	14	21	13	24	10	29	21	19	22
40 to 44 "	24	13	18	17	18	17	16	22	15	15	22	21
45 to 49 "	12	12	20	21	17	17	21	21	22	21	27	25
50 to 54 "	20	14	20	9	21	18	19	22	25	20	19	26
55 to 59 "	15	24	16	18	23	24	20	16	17	24	37	23
60 to 64 "	21	21	11	22	20	23	22	25	24	27	29	36
65 to 69 "	14	14	22	24	15	22	30	26	18	21	26	19
70 to 74 " ...	14	20	8	17	14	17	20	22	16	21	28	28
75 to 79 "	7	22	12	19	12	16	11	11	13	23	19	16
80 to 84 ".....	7	10	4	16	9	15	14	16	6	13	11	12
85 to 89 "	3	7	3	13	6	7	3	8	5	14	3	10
90 to 94 "	2	2	3	3	1	1	1	4	2	2	3	4
95 and over.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....
Totals, each sex...	333	373	344	440	324	387	404	382	374	373	449	433
Totals, both sexes,	706		784		711		792		747		882	

Digitized by Google

TABLE VI. B.—DEATHS: BY MONTHS AND AGE PERIODS. NONRESIDENTS.

Age Period.	January.		February.		March.		April.		May.		June.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	4	6	9	1	7	12	6	3	7	6	3	5
1 to 2 years....	3	.....	1	.....	1	.....	2	2	3	7	1	.....
2 to 4 "	5	.....	1	.....	2	3	.....	3	2	1	1	1
5 to 9 "	.....	1	1	1	.....	2	1	.....	2	1	.....	3
10 to 14 "	2	1	.....	1	.....	2	2	.....	1	1	1	.....
15 to 19 "	3	2	.....	2	2	4	2	2	2	1	5	1
20 to 24 "	4	4	.....	1	5	.....	1	5	1	5	.....	4
25 to 29 "	2	4	2	3	4	1	5	3	5	5	1	3
30 to 34 "	1	3	6	.....	4	3	2	4	8	5	2	4
35 to 39 "	5	2	3	2	5	4	5	4	1	2	3	3
40 to 44 "	6	2	4	1	1	2	3	4	4	2	2	2
45 to 49 "	6	5	2	3	6	.....	2	2	3	3	4	5
50 to 54 "	3	3	4	4	4	5	5	2	2	2	5	3
55 to 59 "	2	1	6	4	9	2	3	1	3	4	6	.....
60 to 64 "	5	3	3	2	4	7	5	3	.....	4	3	3
65 to 69 "	6	1	2	4	.....	.....	5	3	4	3	2	1
70 to 74 "	4	1	2	.....	4	1	4	1	6	2	2	2
75 to 79 "	4	1	1	3	2	1	2	.....	3	.....	2	2
80 to 84 "	.....	1	.....	.....	1	4	2	1	.....	.....	.....	.....
85 to 89 "	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
90 to 94 "	.....	....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
95 and over.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Totals, each sex..	65	42	48	32	62	53	57	44	57	54	43	42
Totals, both sexes,	107		80		115		101		111		85	

Digitized by Google

TABLE VI. B, *Concluded.*— DEATHS: BY MONTHS AND AGE PERIODS. NONRESIDENTS.

AGE PERIOD.	July.		August.		September.		October.		November.		December.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	13	12	30	22	18	8	10	8	5	3	6	7
1 to 2 years....	2	2	2	3	3	4	2	.....	3	2	.....	6
2 to 4 "	.....	4	.....	2	2	1	.....	1	1	2	5	2
5 to 9 "	2	3	2	.....	2	1	1	2	.....	1	4	.....
10 to 14 "	.....	.....	1	.....	.....	.....	1	.....	1	.....	1	1
15 to 19 "	2	.....	.....	1	1	.....	2	1	1	2	.....	1
20 to 24 "	2	4	2	2	5	2	4	1	3	1	3	5
25 to 29 "	.....	1	2	1	4	1	5	1	.....	2	4	1
30 to 34 "	5	3	4	2	5	2	3	4	4	1	1	1
35 to 39 "	8	2	2	1	4	3	4	1	8	1	5	1
40 to 44 "	4	1	3	1	1	1	6	5	4	2	6	4
45 to 49 "	3	.....	3	6	4	3	3	1	7	2	5	3
50 to 54 "	3	5	2	4	6	.....	7	1	5	2	4	3
55 to 59 "	6	2	2	5	5	2	5	6	5	4	4	1
60 to 64 "	3	3	4	3	1	1	4	3	2	2	5	4
65 to 69 "	2	4	1	2	4	.....	4	2	3	1	5	.....
70 to 74 "	3	2	2	2	1	2	3	3	.....	2	4	2
75 to 79 "	1	1	3	.....	2	.....	3	1	2	.....	4	1
80 to 84 "	.....	2	.....	1	2	.....	.....	.....	2	1	1	.....
85 to 89 "	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	1
90 to 94 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Totals, each sex..	59	51	65	59	71	31	67	42	56	31	68	44
Totals, both sexes,	110		124		102		109		87		112	

Digitized by Google

TABLE VI. C.— DEATHS: BY MONTHS AND AGE PERIODS. RESIDENCE UNKNOWN.

Age Period.	January.		February.		March.		April.		May.		June.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	13	7	11	4	13	4	11	9	11	14	12	8
1 to 2 years	1	.....	.....	.....	5	3	.....	.....	5	1	1	4
2 to 4 "	.....	.....	.....	.....	.....	.....	3	1	2	2	2	.....
5 to 9 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 "	.....	.....	1	1	.....	.....	.....	.....	1	.....	1	.....
20 to 24 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
25 to 29 "	2	2	2	.....	1	1	1	1	.....	1	.....	.....
30 to 34 "	1	.....	1	.....	1	1	.....	.....	3	1	1	1
35 to 39 "	.....	1	.....	.....	1	.....	2	1	.....	.....	1	.....
40 to 44 "	.....	.....	.....	1	1	.....	2	1	1	1	.....	.....
45 to 49 "	3	.....	1	.....	1	1	3	.....	1	.....	1	.....
50 to 54 "	.....	.....	.....	1	2	1	1	.....	1	.....	.....	.....
55 to 59 "	.....	.....	1	1	.....	.....	1	.....	1	.....	.....	.....
60 to 64 "	1	.....	1	1	.....	.....	.....	.....	2	.....	.....	.....
65 to 69 "	.....	.....	1	.....	1	.....	.....	1	1	.....	2	.....
70 to 74 "	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....
75 to 79 "	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 "	.....	1	2	.....	.....	1	.....	.....	1	.....	.....	.....
85 to 89 "	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
90 to 94 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Totals, each sex	21	12	22	11	26	13	24	14	31	22	22	14
Totals, both sexes,	33		33		39		38		53		36	

Digitized by Google

TABLE VI. C, *Concluded.*— DEATHS: BY MONTHS AND AGE PERIODS. RESIDENCE UNKNOWN.

Age Period.	July.		August.		September.		October.		November.		December.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	11	14	22	15	14	3	8	10	5	10	1	2
1 to 2 years....	.....	.....	.....	1	3	1	.....	1	1	1	1	2
2 to 4 "	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1
5 to 9 "	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
15 to 19 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 "	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 "	2	2	.....	1	2	.....	.....	.....	.....	.....	2	.....
30 to 34 "	3	.....	1	.....	2	1	.....	.....	.....	.....	1	.....
35 to 39 "	3	.....	1	2	1	.....	1	1	.....	.....	1	1
40 to 44 "	3	.....	1	.....	.....	.....	2	.....	2	.....	3	2
45 to 49 "	1	1	.....	.....	2	.....	1	.....	1	1	1	.....
50 to 54 "	1	.....	1	.....	1	.....	1	.....	1	.....	.....	1
55 to 59 "	1	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....
60 to 64 "	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
65 to 69 "	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
70 to 74 "	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....
75 to 79 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
85 to 89 "	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Totals, each sex..	29	20	30	20	25	5	16	13	10	14	10	11
Totals, both sexes,	49		50		30		29		24		21	

Digitized by Google

TABLE VII.—DEATHS: AGE PERIOD AND CAUSE. TOTAL MORTALITY.

Age Period.	Total Deaths.	Total, Each Sex.		Phthisis and Tuberculosis, Pulmonary.		Pneumonia.		Bronchitis.		Diseases of Heart and Adnexa.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	2,735	1,544	1,191	10	9	213	194	54	45	37	31
1 to 2 years.....	621	319	302	9	21	129	121	9	8	5	2
2 to 4 "	538	284	254	13	7	75	73	5	7	2	5
5 to 9 "	271	156	115	13	8	15	24	.....	2	15	7
10 to 14 "	143	74	69	5	7	2	8	.....	....	11	16
15 to 19 "	243	133	110	33	40	7	6	.....	1	18	16
20 to 24 "	379	205	174	73	60	16	8	.....	1	11	16
25 to 29 "	461	235	226	62	73	25	14	1	.....	25	20
30 to 34 "	495	273	222	88	73	31	20	.....	1	23	19
35 to 39 "	556	318	238	94	49	32	25	2	2	24	27
40 to 44 "	599	324	275	61	52	42	14	.....	1	52	33
45 to 49 "	610	347	263	54	31	39	23	2	7	40	42
50 to 54 "	600	323	277	42	21	36	23	3	2	58	42
55 to 59 "	646	348	298	30	21	30	33	4	7	76	40
60 to 64 "	678	322	356	22	10	30	46	7	12	70	67
65 to 69 "	641	335	306	7	10	35	42	5	9	76	57
70 to 74 "	564	271	293	7	5	23	34	4	14	55	55
75 to 79 "	447	197	250	3	4	23	35	9	11	36	41
80 to 84 "	297	117	180	.....	2	13	30	3	9	25	29
85 to 89 "	170	51	119	.....	1	6	8	2	7	5	22
90 to 94 "	51	19	32	.....	.....	.....	3	2	2	.....	7
95 and over.....	11	3	8	.....	.....	.....	1	1	1	2	2
Totals, each sex....	.....	6,198	5,558	626	504	822	795	113	149	666	596
Totals, both sexes..	11,756	11,756		1,130		1,617		262		1,262	

Digitized by Google

TABLE VII., *Continued.*—DEATHS: AGE PERIOD AND CAUSE. TOTAL MORTALITY.

Age Period.	Typhoid and Typhus Fever.		Apoplexy and Cerebral Hemorrhage.		Congenital Debility, Marasmus.*		Diseases of the Kidneys.		Cancer, Uterine.		Cancer of Vital Organs.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	.....	.....	7	5	370	258	5	9	....	....	.....	.....
1 to 2 years	2	1	.....	.....	29	22	2	1	....	....	.....	.....
2 to 4 "	2	6	.....	2	9	3	3	2	....	....	.....	.....
5 to 9 "	1	3	.....	.....	2	1	4	5	....	....	.....	.....
10 to 14 "	4	3	.....	.....	.....	.....	1	4	....	....	.....	.....
15 to 19 "	15	4	.....	.....	.....	.....	2	3	....	....	.....	.....
20 to 24 "	20	12	1	.....	1	.....	5	9	....	1	.....	.....
25 to 29 "	8	10	3	2	.....	1	10	13	....	1	1	2
30 to 34 "	8	10	3	2	.....	.....	19	18	....	4	.....	.....
35 to 39 "	9	3	5	3	.....	1	16	15	....	9	7	5
40 to 44 "	6	5	14	7	.....	.....	14	26	....	9	10	16
45 to 49 "	8	1	16	19	.....	.....	17	25	....	15	19	18
50 to 54 "	3	.....	19	29	.....	.....	26	35	....	13	20	23
55 to 59 "	2	1	29	35	2	1	38	28	....	10	25	33
60 to 64 "	.....	.....	42	43	2	1	25	26	....	12	24	27
65 to 69 "	.....	1	52	34	1	.....	32	30	....	5	26	26
70 to 74 "	.....	1	36	42	.....	.....	19	32	....	1	26	17
75 to 79 "	.....	.....	28	46	.....	.....	12	13	....	3	13	12
80 to 84 "	.....	.....	18	16	.....	1	4	10	....	1	3	4
85 to 89 "	.....	.....	8	18	.....	1	1	2	....	....	1	3
90 to 94 "	.....	.....	1	3	.....	1	1	.....	....	....	.....	.....
95 and over	.....	.....	.....	.....	.....	.....	.....	.....	....	....	.....	.....
Totals, each sex	88	61	282	306	416	291	256	306	....	84	175	186
Both sexes	149		588		707		562		84		361	

* Marasmus applies to all over two years.

Digitized by Google

TABLE VII., *Continued.*— DEATHS: AGE PERIOD AND CAUSE. TOTAL MORTALITY.

Age Period.	Cancer of Non-vital Organs and Tissues.		Diphtheria.		Cholera Infantum.		Scarlet Fever.		Meningitis.		Premature Birth.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	.....	.....	12	5	70	42	3	.....	63	44	208	153
1 to 2 years	.....	.....	12	17	12	4	6	9	41	32	.....	.....
2 to 4 "	.....	.....	40	39	.....	.....	21	24	43	30	.....	.....
5 to 9 "	.....	.....	32	19	.....	.....	10	9	17	8	.....	.....
10 to 14 "	.....	.....	4	3	.....	.....	4	3	6	7	.....	.....
15 to 19 "	.....	.....	3	.....	.....	.....	1	1	9	3	.....	.....
20 to 24 "	.....	.....	.....	3	.....	.....	1	1	12	3	.....	.....
25 to 29 "	.....	.....	.....	4	.....	.....	1	1	3	6	.....	.....
30 to 34 "	.....	.....	3	1	.....	.....	.....	.....	4	5	.....	.....
35 to 39 "	.....	6	1	1	.....	.....	1	.....	7	1	.....	.....
40 to 44 "	2	8	1	.....	.....	.....	.....	.....	4	4	.....	.....
45 to 49 "	2	5	.....	1	.....	.....	.....	.....	1	2	.....	.....
50 to 54 "	4	10	1	.....	.....	.....	.....	.....	4	3	.....	.....
55 to 59 "	5	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 "	5	10	.....	1	.....	.....	.....	.....	1	.....	.....	.....
65 to 69 "	7	9	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
70 to 74 "	4	8	.....	1	.....	.....	.....	.....	2	.....	.....	.....
75 to 79 "	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 "	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 "	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 "	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Totals, each sex	32	79	109	95	82	46	48	48	217	149	208	153
Totals, both sexes,	111		204		128		96		366		361	

Digitized by Google

TABLE VII., *Concluded.*— DEATHS: AGE PERIOD AND CAUSE. TOTAL MORTALITY.

Age Period.	Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year....	106	104	.....	.....	360	271	7	6	....	....	....	1	19	14
1 to 2 years...	16	22	.....	.....	39	31	6	8	....	....	....	....	2	3
2 to 4 " ...	7	8	.....	.....	40	33	22	14	....	....	....	....	2	1
5 to 9 " ...	1	2	.....	.....	24	20	21	6	....	....	....	1	1	....
10 to 14 " ...	1	.....	.....	.....	19	13	16	4	1	....	....	1	....	....
15 to 19 " ...	.....	.....	.....	.....	21	33	21	3	2	....	....	....	1	....
20 to 24 " ...	.....	.....	.....	.....	28	47	25	7	10	3	1	....	1	3
25 to 29 " ...	.....	1	.....	.....	35	65	42	8	15	3	3	2	1	....
30 to 34 " ...	3	.....	.....	.....	31	53	41	7	14	7	3	1	2	1
35 to 39 " ...	.....	2	.....	.....	67	69	36	13	13	4	2	2	2	1
40 to 44 " ...	1	1	.....	.....	58	75	39	11	11	....	1	1	8	2
45 to 49 " ...	.....	2	.....	.....	83	54	50	12	9	4	4	....	3	2
50 to 54 " ...	2	1	.....	.....	62	54	26	12	10	4	2	....	5	5
55 to 59 " ...	1	1	.....	2	65	60	30	15	7	....	....	....	4	....
60 to 64 " ...	3	3	1	2	58	79	23	14	6	2	....	....	3	1
65 to 69 " ...	4	9	4	7	64	55	17	9	....	....	....	....	5	2
70 to 74 " ...	4	8	6	11	66	55	12	7	2	....	....	1	5	1
75 to 79 " ...	.....	5	9	18	52	47	9	9	1	....	....	....	1	1
80 to 84 " ...	1	9	26	26	18	31	4	8	1	....	....	....	1	....
85 to 89 " ...	.....	2	17	17	9	32	.....	3	1	....	....	....	....	....
90 to 94 " ...	.....	1	6	8	7	5	1	1	....	....	....	....	....	1
95 and over.....	.....	.....	.....	2	.....	2	.....	.....	....	....	....	....	....	....
Totals, each sex..	150	181	69	93	1,206	1,184	448	177	103	27	16	10	66	38
Both sexes.....	331		162		2,390		625		130		26		104	

Digitized by Google

TABLE VII. A.—DEATHS: AGE PERIOD AND CAUSE. RESIDENTS OF BOSTON.

Age Period.	Total Deaths.	Total, Each Sex.		Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Diseases of Heart and Adnexa.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	2,292	1,294	998	8	6	198	177	52	44	35	28
1 to 2 years	541	279	262	6	15	116	112	9	8	5	2
2 to 4 "	485	257	228	9	5	67	65	5	7	2	5
5 to 9 "	240	141	99	11	7	13	21	.....	2	13	7
10 to 14 "	126	64	62	5	5	2	8	.....	.....	8	15
15 to 19 "	202	110	92	30	34	7	6	.....	1	16	15
20 to 24 "	311	172	139	65	49	14	8	.....	1	10	13
25 to 29 "	381	189	192	57	67	21	12	.....	.....	21	19
30 to 34 "	400	214	186	76	66	26	17	.....	1	18	17
35 to 39 "	460	254	206	86	44	24	21	2	2	20	24
40 to 44 "	508	265	243	53	49	35	19	.....	1	47	30
45 to 49 "	510	283	227	51	30	36	19	2	7	34	39
50 to 54 "	504	264	240	38	21	30	18	3	2	52	40
55 to 59 "	549	285	264	28	21	25	30	4	7	61	37
60 to 64 "	594	278	316	22	10	24	40	7	12	63	63
65 to 69 "	572	289	283	6	8	33	41	5	9	63	51
70 to 74 "	504	233	271	7	4	17	34	4	14	48	51
75 to 79 "	406	168	238	2	3	19	32	9	10	32	39
80 to 84 "	273	106	167	.....	2	12	25	3	8	22	28
85 to 89 "	160	47	113	.....	1	6	8	2	7	5	22
90 to 94 "	50	19	31	.....	.....	.....	3	2	2	.....	6
95 and over	9	3	6	.....	.....	.....	1	1	.....	2	2
Totals, each sex	.....	5,214	4,863	560	447	725	717	110	145	577	
Totals, both sexes	10,077	10,077		1,007		1,432		255		1,130	

Digitized by Google

TABLE VII. A, *Continued.*—DEATHS: AGE PERIOD AND CAUSE. RESIDENTS OF BOSTON.

Age Period.	Typhoid and Typhus Fever.		Apoplexy and Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.*		Diseases of the Kidneys.		Cancer, Uterine.		Cancer of Vital Organs.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	.....	.....	5	4	258	174	3	5	....	....	.....	.....
1 to 2 years	2	1	.....	.....	18	14	1	1	....	....	.....	.....
2 to 4 "	2	6	.....	2	9	3	2	2	....	....	.....	.....
5 to 9 "	1	3	.....	.....	2	1	4	5	....	....	.....	.....
10 to 14 "	3	3	.....	.....	.....	.....	1	3	....	....	.....	.....
15 to 19 "	15	3	.....	.....	.....	.....	2	3	....	....	.....	.....
20 to 24 "	19	11	.....	.....	1	.....	5	8	....	1	.....	.....
25 to 29 "	8	9	3	1	.....	1	9	10	....	1	1	2
30 to 34 "	6	9	3	1	.....	.....	16	13	....	2	.....	.....
35 to 39 "	6	2	4	3	.....	1	13	13	....	8	6	3
40 to 44 "	6	5	12	7	.....	.....	12	25	....	9	8	14
45 to 49 "	8	1	14	16	.....	.....	15	19	....	14	14	14
50 to 54 "	3	.....	15	26	.....	.....	23	35	....	8	13	19
55 to 59 "	2	1	28	32	2	1	33	23	....	9	19	28
60 to 64 "	.....	.....	39	41	2	1	23	24	....	9	21	19
65 to 69 "	.....	1	47	33	1	.....	25	28	....	4	22	23
70 to 74 "	.....	1	34	39	.....	.....	16	30	....	1	23	14
75 to 79 "	.....	.....	24	45	.....	.....	11	12	....	3	11	12
80 to 84 "	.....	.....	16	14	.....	1	4	9	....	1	2	4
85 to 89 "	.....	.....	8	18	.....	1	1	2	....	....	.....	3
90 to 94 "	.....	.....	1	3	.....	1	1	.....	....	....	.....	.....
95 and over	.....	.....	.....	.....	.....	.....	.....	.....	....	....	.....	.....
Totals, each sex	81	56	253	285	293	199	220	270	....	70	140	155
Both sexes	137		538		492		490		70		295	

* Marasmus applies to all over two years.

Digitized by Google

TABLE VII. A, *Continued.*— DEATHS: AGE PERIOD AND CAUSE. RESIDENTS OF BOSTON.

Age Period.	Cancer of Tissues and Non-vital Organs.		Diphtheria.		Cholera Infantum.		Scarlet Fever.		Meningitis.		Premature Birth.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	.....	.....	10	3	67	42	2	.....	59	39	185	134
1 to 2 years	.....	.....	12	16	12	4	6	9	37	27	.....	.....
2 to 4 "	.....	.....	39	33	.....	.....	19	23	37	27	.....	.....
5 to 9 "	.....	.....	32	18	.....	.....	9	8	15	7	.....	.....
10 to 14 "	.....	.....	4	3	.....	.....	4	3	6	7	.....	.....
15 to 19 "	.....	.....	2	.....	.....	.....	1	.....	7	3	.....	.....
20 to 24 "	.....	.....	.....	3	.....	.....	.....	1	9	3	.....	.....
25 to 29 "	.....	.....	.....	3	.....	.....	1	1	2	4	.....	.....
30 to 34 "	.....	.....	3	1	.....	.....	.....	.....	3	5	.....	.....
35 to 39 "	.....	6	1	.....	.....	.....	1	.....	5	1	.....	.....
40 to 44 "	2	8	1	.....	.....	.....	.....	.....	4	4	.....	.....
45 to 49 "	2	5	.....	1	.....	.....	.....	.....	1	2	.....	.....
50 to 54 "	2	9	.....	.....	.....	.....	.....	.....	4	3	.....	.....
55 to 59 "	5	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 "	5	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 "	6	8	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
70 to 74 "	4	8	.....	1	.....	.....	.....	.....	1	.....	.....	.....
75 to 79 "	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 "	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 "	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 "	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Totals, each sex	28	75	104	83	79	46	43	45	190	133	185	134
Totals, both sexes,	103		187		125		88		323		319	

Digitized by Google

TABLE VII. A, *Concluded.*— DEATHS: AGE PERIOD AND CAUSE. RESIDENTS OF BOSTON.

Age Period.	Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	101	101	....	....	291	222	7	5	....	....	....	....	13	14
1 to 2 years	14	20	....	....	35	24	4	7	....	....	....	....	2	2
2 to 4 "	7	8	....	....	36	28	21	13	....	....	....	....	2	1
5 to 9 "	1	2	....	....	20	12	19	5	....	....	....	1	1	....
10 to 14 "	1	....	....	....	15	10	14	4	1	....	....	1	....	....
15 to 19 "	....	....	....	....	15	25	13	2	1	....	....	....	1	....
20 to 24 "	....	....	....	....	23	33	16	4	8	1	1	....	1	3
25 to 29 "	....	1	....	....	29	53	23	5	11	3	3	....	....	....
30 to 34 "	3	....	....	....	23	39	22	6	11	7	3	1	1	1
35 to 39 "	....	2	....	....	53	58	22	11	9	4	....	2	2	1
40 to 44 "	1	1	....	....	42	61	26	7	8	....	1	1	7	2
45 to 49 "	....	2	....	....	64	47	32	5	4	4	4	....	2	2
50 to 54 "	2	....	....	....	47	45	17	7	8	3	2	....	5	4
55 to 59 "	1	1	....	2	50	51	18	10	6	....	....	....	3	....
60 to 64 "	3	3	1	2	47	69	16	11	2	2	....	....	3	1
65 to 69 "	4	9	4	7	57	50	12	8	....	....	....	....	4	2
70 to 74 "	4	8	5	11	57	49	9	4	1	....	....	1	3	1
75 to 79 "	....	5	9	17	45	45	4	9	1	....	....	....	....	1
80 to 84 "	1	9	25	24	17	31	2	7	1	....	....	....	1	....
85 to 89 "	....	2	17	17	7	27	....	2	1	....	....	....	....	....
90 to 94 "	....	1	6	8	7	5	1	1	....	....	....	....	....	1
95 and over	....	....	....	2	....	1	....	....	....	....	....	....	....	....
Totals, each sex	143	175	67	90	980	985	298	133	73	24	14	7	51	36
Totals, both sexes	318		157		1,966		431		97		21		87	

Digitized by Google

TABLE VII. B.— DEATHS: AGE PERIOD AND CAUSE. NON-RESIDENTS.

Age Period.	Total Deaths.	Total, Each Sex.		Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Diseases of Heart and Adnexa.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	211	118	93	1	2	7	8	2	1	1	1
1 to 2 years.....	49	23	26	2	2	8	5	.....	.....	.....	.....
2 to 4 "	39	19	20	4	2	4	6	.....	.....	.....	.....
5 to 9 "	30	15	15	2	1	2	2	.....	.....	2	.....
10 to 14 "	16	10	6	.....	2	.....	.....	.....	.....	3	1
15 to 19 "	37	20	17	2	6	.....	.....	.....	.....	2	1
20 to 24 "	64	30	34	8	10	1	.....	.....	.....	1	3
25 to 29 "	60	34	26	4	5	4	1	1	.....	3	1
30 to 34 "	77	45	32	10	6	3	2	.....	.....	5	1
35 to 39 "	79	53	26	8	4	8	2	.....	.....	4	2
40 to 44 "	71	44	27	6	2	3	3	.....	.....	2	1
45 to 49 "	81	48	33	2	.....	1	2	.....	.....	4	3
50 to 54 "	84	50	34	4	.....	5	4	.....	.....	4	2
55 to 59 "	88	56	32	2	.....	3	2	.....	.....	15	2
60 to 64 "	77	39	38	.....	.....	5	5	.....	.....	6	3
65 to 69 "	59	38	21	1	2	1	1	.....	.....	10	4
70 to 74 "	55	35	20	.....	1	6	.....	.....	.....	6	3
75 to 79 "	39	29	10	1	1	4	3	.....	.....	4	2
80 to 84 "	18	8	10	.....	.....	1	4	.....	1	2	.....
85 to 89 "	7	4	3	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 "	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1
95 and over.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....
Totals, each sex....	.....	718	525	57	46	66	50	3	3	74	31
Totals, both sexes...	1,243	1,243		103		123		6		105	

Digitized by Google

TABLE VII. B, *Continued.*—DEATHS: AGE PERIOD AND CAUSE. NONRESIDENTS.

Age Period.	Typhoid and Typhus Fever.		Apoplexy and Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Diseases of the Kidneys.		Cancer, Uterine.		Cancer of Vital Organs.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	.....	.....	2	1	22	15	1	2	....	....	.....	.....
1 to 2 years	.....	.....	.....	.....	4	4	.....	.....	....	....	.....	.....
2 to 4 "	.....	.....	.....	.....	.....	.....	1	.....	....	....	.....	.....
5 to 9 "	.....	.....	.....	.....	.....	.....	.....	.....	....	....	.....	.....
10 to 14 "	1	.....	.....	.....	.....	.....	.....	.....	....	....	.....	.....
15 to 19 "	.....	1	.....	.....	.....	.....	.....	.....	....	....	.....	.....
20 to 24 "	.....	1	1	.....	.....	.....	.....	1	....	....	.....	.....
25 to 29 "	.....	.....	.....	.....	.....	.....	1	3	....	....	.....	.....
30 to 34 "	1	1	.....	1	.....	.....	2	5	....	2	.....	.....
35 to 39 "	3	1	1	.....	.....	.....	2	2	....	1	1	2
40 to 44 "	.....	.....	.....	.....	.....	.....	2	1	....	....	2	2
45 to 49 "	.....	.....	1	3	.....	.....	2	6	....	1	5	4
50 to 54 "	.....	.....	3	2	.....	.....	3	.....	....	5	7	4
55 to 59 "	.....	.....	1	3	.....	.....	5	5	....	1	6	5
60 to 64 "	.....	.....	1	2	.....	.....	2	2	....	3	3	8
65 to 69 "	.....	.....	4	1	.....	.....	7	2	....	1	4	3
70 to 74 "	.....	.....	2	3	.....	.....	3	2	....	....	3	3
75 to 79 "	.....	.....	4	1	.....	.....	1	1	....	....	2	.....
80 to 84 "	.....	.....	1	1	.....	.....	.....	1	....	....	1	.....
85 to 89 "	.....	.....	.....	.....	.....	.....	.....	.....	....	....	1	.....
90 to 94 "	.....	.....	.....	.....	.....	.....	.....	.....	....	....	.....	.....
95 and over	.....	.....	.....	.....	.....	.....	.....	.....	....	....	.....	.....
Totals, each sex	5	4	21	18	26	19	32	33	....	14	35	31
Totals, both sexes,	9		39		45		65		14		66	

Digitized by Google

TABLE VII. B, *Continued.*— DEATHS: AGE PERIOD AND CAUSE. NONRESIDENTS.

Age Period.	Cancer of Non-vital Organs and Tissues.		Diphtheria.		Cholera Infantum.		Scarlet Fever.		Meningitis.		Premature Birth.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	....	....	2	1	1	....	....	....	2	5	14	15
1 to 2 years	....	....	....	1	....	....	....	....	3	5	....	....
2 to 4 "	....	....	1	4	....	....	1	....	4	3	....	....
5 to 9 "	....	....	....	1	....	....	1	1	2	1	....	....
10 to 14 "	....	....	....	....	....	....	....	....	....	....	....	....
15 to 19 "	....	....	....	....	....	....	....	1	2	....	....	....
20 to 24 "	....	....	....	....	....	....	1	....	2	....	....	....
25 to 29 "	....	....	....	....	....	....	....	....	1	2	....	....
30 to 34 "	....	....	....	....	....	....	....	....	1	....	....	....
35 to 39 "	....	....	....	....	....	....	....	....	1	....	....	....
40 to 44 "	....	....	....	....	....	....	....	....	....	....	....	....
45 to 49 "	....	....	....	....	....	....	....	....	....	....	....	....
50 to 54 "	2	1	1	....	....	....	....	....	....	....	....	....
55 to 59 "	....	....	....	....	....	....	....	....	....	....	....	....
60 to 64 "	....	2	....	....	....	....	....	....	1	....	....	....
65 to 69 "	1	1	....	....	....	....	....	....	....	....	....	....
70 to 74 "	....	....	....	....	....	....	....	....	1	....	....	....
75 to 79 "	....	....	....	....	....	....	....	....	....	....	....	....
80 to 84 "	....	....	....	....	....	....	....	....	....	....	....	....
85 to 89 "	1	....	....	....	....	....	....	....	....	....	....	....
90 to 94 "	....	....	....	....	....	....	....	....	....	....	....	....
95 and over	....	....	....	....	....	....	....	....	....	....	....	....
Totals, each sex	4	4	4	7	1	....	3	2	20	16	14	15
Totals, both sexes,	8		11		1		5		36		29	

Digitized by Google

TABLE VII. B, *Concluded.*— DEATHS: AGE PERIOD AND CAUSE. NONRESIDENTS.

Age Period.	Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	4	1	....	....	56	40	....	1	....	....	....	....	3	....
1 to 2 years	2	1	....	....	2	6	2	1	....	....	....	....	....	1
2 to 4 "	....	....	....	....	3	4	1	1	....	....	....	....	....	....
5 to 9 "	....	....	....	....	4	8	2	1	....	....	....	....	....	....
10 to 14 "	....	....	....	....	4	3	2	....	....	....	....	....	....	....
15 to 19 "	....	....	....	....	6	7	7	1	1	....	....	....	....	....
20 to 24 "	....	....	....	....	5	14	9	3	2	2	....	....	....	....
25 to 29 "	....	....	....	....	6	11	12	3	2	....	....	....	....	....
30 to 34 "	....	....	....	....	6	13	15	1	2	....	....	....	....	....
35 to 39 "	....	....	....	....	12	10	10	2	2	....	1	....	....	....
40 to 44 "	....	....	....	....	14	14	11	4	3	....	....	....	1	....
45 to 49 "	....	....	....	....	16	7	13	7	4	....	....	....	....	....
50 to 54 "	....	1	....	....	12	9	8	5	1	1	....	....	....	....
55 to 59 "	....	....	....	....	14	9	9	5	1	....	....	....	....	....
60 to 64 "	....	....	....	....	11	10	6	3	4	....	....	....	....	....
65 to 69 "	....	....	....	....	6	5	4	1	....	....	....	....	....	....
70 to 74 "	....	....	1	....	7	5	3	3	1	....	....	....	2	....
75 to 79 "	....	....	....	....	7	2	5	....	....	....	....	....	1	....
80 to 84 "	....	....	1	2	1	....	1	1	....	....	....	....	....	....
85 to 89 "	....	....	....	....	2	2	....	1	....	....	....	....	....	....
90 to 94 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....
95 and over	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Totals, each sex	6	3	2	2	194	179	120	44	23	3	1	....	7	1
Totals, both sexes	9		4		373		164		26		1		8	

Digitized by Google

TABLE VII. C.—DEATHS: AGE PERIOD AND CAUSE. RESIDENCE UNKNOWN.

Age Period.	Total Deaths.	Total, Each Sex.		Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Diseases of Heart and Adnexa.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	232	132	100	1	1	8	9	.....	.....	1	2
1 to 2 years	31	17	14	1	4	5	4	.....	.....	.....	.....
2 to 4 "	14	8	6	.....	.....	4	2	.....	.....	.....	.....
5 to 9 "	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
10 to 14 "	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 "	4	3	1	1	.....	.....	.....	.....	.....	.....	.....
20 to 24 "	4	3	1	.....	1	1	.....	.....	.....	.....	.....
25 to 29 "	20	12	8	1	1	.....	1	.....	.....	1	.....
30 to 34 "	18	14	4	2	1	2	1	.....	.....	.....	1
35 to 39 "	17	11	6	.....	1	.....	2	.....	.....	.....	1
40 to 44 "	20	15	5	2	1	4	2	.....	.....	3	2
45 to 49 "	19	16	3	1	1	2	2	.....	.....	2	.....
50 to 54 "	12	9	3	.....	.....	1	1	.....	.....	2	.....
55 to 59 "	9	7	2	.....	.....	2	1	.....	.....	.....	1
60 to 64 "	7	5	2	.....	.....	1	1	.....	.....	1	1
65 to 69 "	10	8	2	.....	.....	1	.....	.....	.....	3	2
70 to 74 "	5	3	2	.....	.....	.....	.....	.....	.....	1	1
75 to 79 "	2	.....	2	.....	.....	.....	.....	.....	1	.....	.....
80 to 84 "	6	3	3	.....	.....	.....	1	.....	.....	1	1
85 to 89 "	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Totals, each sex	.....	266	170	9	11	31	28	.....	1	15	12
Totals, both sexes	436	436		20		59		1		27	

Digitized by Google

TABLE VII. C, *Continued.*— DEATHS: AGE PERIOD AND CAUSE. RESIDENCE UNKNOWN.

Age Period.	Typhoid and Typhus Fever.		Apoplexy and Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Diseases of the Kidneys.		Diphtheria.		Cholera Infantum.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	.....	.....	.....	.....	90	69	1	2	.....	1	2	.....
1 to 2 years	.....	.....	.....	.....	7	4	1	.....	.....	.....	.....	.....
2 to 4 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
5 to 9 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 "	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
15 to 19 "	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
20 to 24 "	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 "	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....
30 to 34 "	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
35 to 39 "	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
40 to 44 "	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
45 to 49 "	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 "	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
55 to 59 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 "	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 "	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
70 to 74 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 "	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Totals, each sex	2	1	8	3	97	73	4	3	1	5	2	.....
Totals, both sexes.	3		11		170		7		6		2	

Digitized by Google

TABLE VII. C, *Continued.*— DEATHS: AGE PERIOD AND CAUSE. RESIDENCE UNKNOWN.

Age Period.	Scarlet Fever.		Meningitis.		Premature Birth.		Enteritis.		Senile Debility.		All Other Diseases.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	1	.....	2	.....	9	4	1	2	.....	.....	13	9
1 to 2 years	.....	.....	1	.....	.....	.....	.....	1	.....	.....	2	1
2 to 4 "	1	1	2	.....	.....	.....	.....	.....	.....	.....	1	1
5 to 9 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
20 to 24 "	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
30 to 34 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1
35 to 39 "	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	1
40 to 44 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
45 to 49 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....
50 to 54 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....
55 to 59 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
60 to 64 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
70 to 74 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1
75 to 79 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
80 to 84 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
90 to 94 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Totals, each sex	2	1	7	.....	9	4	1	3	.....	1	32	20
Totals, both sexes,	3		7		13		4		1		52	

Digitized by Google

TABLE VII. C, *Concluded.*—DEATHS: AGE PERIOD AND CAUSE. RESIDENCE UNKNOWN.

Age Period.	Accidental.		Suicide.		Homicide.		Unknown.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year	....	....	....	....	....	1	3	....
1 to 2 years	....	....	....	....	....	....	....	....
2 to 4 "	....	....	....	....	....	....	....	....
5 to 9 "	....	....	....	....	....	....	....	....
10 to 14 "	....	....	....	....	....	....	....	....
15 to 19 "	1	....	....	....	....	....	....	....
20 to 24 "	....	....	....	....	....	....	....	....
25 to 29 "	7	....	2	....	....	2	1	....
30 to 34 "	4	....	1	....	....	....	1	....
35 to 39 "	4	....	2	....	1	....	....	....
40 to 44 "	2	....	....	....	....	....	....	....
45 to 49 "	5	....	1	....	....	....	1	....
50 to 54 "	1	....	1	....	....	....	....	1
55 to 59 "	3	....	....	....	....	....	1	....
60 to 64 "	1	....	....	....	....	....	....	....
65 to 69 "	1	....	....	....	....	....	1	....
70 to 74 "	....	....	....	....	....	....	....	....
75 to 79 "	....	....	....	....	....	....	....	....
80 to 84 "	1	....	....	....	....	....	....	....
85 to 89 "	....	....	....	....	....	....	....	....
90 to 94 "	....	....	....	....	....	....	....	....
95 and over	....	....	....	....	....	....	....	....
Totals, each sex	30	....	7	....	1	3	8	1
Totals, both sexes	30		7		4		9	

Digitized by Google

TABLE VIII.—DEATHS: PRINCIPAL CAUSES. RESIDENTS BY WARDS, NONRESIDENTS AND UNKNOWN.

Wards.	Total Deaths.	Total, Each Sex.		Phthisis and Tuberculosis, Pulmonary.		Pneumonia.		Bronchitis.		Diseases of Heart and Adnexa.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	424	220	204	20	19	28	36	4	8	22	19
2	430	235	195	20	10	28	35	6	7	24	26
3	280	140	140	10	13	22	19	4	7	17	18
4	225	118	107	17	11	14	16	3	2	13	13
5	254	138	116	18	18	22	16	5	1	13	13
6	655	359	296	23	20	94	80	20	16	30	15
7	354	196	158	25	12	31	33	4	3	30	17
8	409	232	177	26	14	46	33	3	7	19	19
9	455	263	192	28	18	36	26	1	2	19	20
10	307	139	168	16	11	13	19	1	3	16	18
11	280	119	161	6	11	11	27	2	4	17	21
12	354	182	172	20	18	17	19	3	7	15	19
13	486	267	219	28	22	42	33	8	9	28	18
14	389	206	183	32	10	27	26	8	3	21	18
15	357	170	187	25	25	23	21	4	5	19	15
16	334	170	164	23	6	29	17	3	4	17	23
17	499	248	251	34	39	37	37	3	9	27	22
18	444	242	202	36	24	24	37	6	9	30	22
19	477	221	256	22	31	40	28	5	6	28	23
20	579	284	295	18	25	24	36	1	9	39	39
21	431	230	201	18	11	25	29	3	3	38	32
22	460	237	223	27	20	28	26	3	6	28	35
23	390	195	195	23	26	16	28	5	1	22	23
24	446	223	223	19	15	23	17	4	5	27	36
25	302	152	150	24	14	18	19	1	9	16	24
Ward unknown	56	28	28	2	4	7	4	.....	.....	2	5
Residents, each sex	.....	5,214	4,863	560	447	725	717	110	145	577	553
Both sexes	10,077	10,077		1,007		1,442		255		1,130	
Nonresidents	1,243	718	525	57	46	66	50	3	3	74	31
Unknown	436	266	170	9	11	31	28	.....	1	15	12
Totals, each sex	.....	6,198	5,558	626	504	822	795	113	149	666	596
Totals, both sexes	11,756	11,756		1,130		1,617		262		1,262	

Digitized by Google

TABLE VIII., *Continued.*—DEATHS: PRINCIPAL CAUSES. RESIDENTS BY WARDS, NONRESIDENTS AND UNKNOWN.

Wards.	Typhoid and Typhus Fever.		Apoplexy and Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.*		Kidney Diseases.		Cancer, Uterine.		Cancer of Vital Organs.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	3	5	17	12	18	7	8	10	....	4	6	6
2	6	5	6	4	19	9	7	11	....	3	11	8
3	1	.....	7	11	9	8	7	10	....	1	6	3
4	.....	.....	4	4	8	7	3	2	....	....	4	2
5	2	2	8	6	9	1	11	5	....	4	3	4
6	3	3	11	6	21	11	9	8	....	2	4	2
7	3	.....	7	7	11	10	13	7	....	3	5	3
8	4	2	9	4	14	6	8	13	....	2	4	4
9	2	1	9	19	13	7	18	16	....	2	8	6
10	2	1	6	9	8	4	10	7	....	9	1	6
11	1	2	13	9	7	2	2	17	....	2	4	2
12	5	1	5	11	6	1	13	13	....	2	10	4
13	1	2	4	8	22	17	6	10	....	3	8	4
14	2	1	13	16	7	12	4	9	....	3	2	10
15	2	1	8	15	17	12	2	12	....	3	2	7
16	2	1	9	5	9	9	14	9	....	2	4	8
17	1	1	8	18	13	13	9	10	....	2	5	6
18	3	.....	10	10	13	8	6	10	....	3	4	5
19	3	3	5	21	9	11	8	11	....	2	5	9
20	1	4	25	24	20	9	20	19	....	8	9	11
21	2	.....	24	21	7	5	9	9	....	2	7	7
22	10	14	14	4	10	8	9	7	....	3	9	14
23	15	4	10	12	6	8	11	13	....	3	8	11
24	3	.....	15	16	11	10	7	19	....	2	8	8
25	4	3	6	8	6	4	6	13	....	....	3	4
Ward unknown	.....	.....	.....	5	.....	.....	.....	.....	....	....	.....	1
Residents, each sex	81	56	253	285	293	199	220	270	....	70	140	155
Both sexes	137		538		492		490		70		295	
Nonresidents	5	4	21	18	26	19	32	33	....	14	35	31
Unknown	2	1	8	3	97	73	4	3	....	....	.....	.....
Totals, each sex	88	61	282	306	416	291	256	306	....	84	175	186
Totals, both sexes	149		588		707		561		84		361	

* After the age of two years.

Digitized by Google

TABLE VIII., *Continued.*— DEATHS: PRINCIPAL CAUSES. RESIDENTS BY WARDS, NONRESIDENTS AND UNKNOWN.

Wards.	Cancer of Non-vital Organs and Tissues.		Diphtheria.		Cholera Infantum.		Scarlet Fever.		Meningitis.		Premature Birth.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	1	5	2	2	6	2	1	....	11	6	7	6
2	2	2	3	3	3	5	1	1	7	6	8	2
3	1	1	3	8	1	1	1	2	8	3	2	5
4	1	3	7	5	1	.....	2	1	4	1	1	2
5	.....	.....	1	2	.....	2	1	4	3	4	2	4
6	.....	2	5	7	20	9	2	3	21	13	6	12
7	1	.....	6	4	1	.....	2	3	4	6	3	5
8	.....	1	2	1	2	1	1	10	13	5	7	3
9	.....	3	3	2	2	1	1	2	9	4	20	5
10	1	4	6	5	.....	.....	1	1	2	3	6	6
11	2	2	2	1	1	.....	4	3	3	3	1	3
12	3	8	3	1	2	2	2	1	6	6	8	6
13	.....	1	9	5	7	1	....	....	9	8	7	8
14	2	3	2	2	3	2	5	4	6	6	5	3
15	.....	2	3	1	1	3	1	3	7	5	4	5
16	1	2	2	2	1	5	....	1	3	3	5	7
17	1	5	3	8	4	1	1	....	11	6	10	5
18	.....	.....	4	2	7	3	2	....	10	6	10	7
19	1	4	9	4	.....	3	2	2	12	12	12	4
20	1	6	7	2	4	.....	4	1	6	5	11	9
21	2	8	5	1	2	2	....	....	4	3	11	3
22	4	4	7	7	1	1	2	....	10	9	10	5
23	3	1	3	1	2	1	1	....	8	3	7	5
24	.....	6	5	4	4	1	3	2	8	3	12	5
25	1	2	2	3	4	.....	3	1	5	4	6	9
Ward unknown	.....	.....	.....	.....	.....	.....	....	....	.....	.....	4	.....
Residents, each sex	28	75	104	83	79	46	43	45	190	133	185	134
Both sexes	103		187		125		88		323		319	
Nonresidents	4	4	4	7	1	.....	3	2	20	16	14	15
Unknown	.....	.....	1	5	2	.....	2	1	7	.....	9	4
Totals, each sex	32	79	109	95	82	46	48	48	217	149	208	153
Totals, both sexes	111		204		128		96		366		361	

Digitized by Google

TABLE VIII., *Concluded.*— DEATHS: PRINCIPAL CAUSES. RESIDENTS BY WARDS, NONRESIDENTS AND UNKNOWN.

Wards.	Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	6	10	....	4	43	36	9	4	4	2	1	....	3	1
2	21	16	1	4	45	33	14	3	....	....	....	....	3	2
3	2	2	....	....	28	18	7	5	....	....	....	....	4	5
4	5	9	2	5	16	22	10	2	....	....	....	....	3	....
5	6	4	5	....	15	20	11	2	2	1	....	....	1	3
6	11	16	2	2	37	51	27	15	4	....	3	1	6	2
7	1	4	2	1	32	29	10	8	5	1	....	....	....	2
8	7	1	1	3	42	38	17	7	3	1	....	....	4	2
9	6	8	2	2	58	36	18	7	5	2	1	1	4	2
10	1	2	....	6	36	44	6	7	6	2	....	1	1	....
11	1	2	4	1	24	35	10	7	3	3	....	1	1	3
12	1	3	3	6	45	35	10	5	4	3	1	....	....	1
13	12	16	3	6	37	43	25	3	6	....	3	....	2	2
14	7	6	....	2	45	40	13	3	1	1	....	....	1	3
15	4	10	1	1	37	36	7	5	2	....	....	....	1	....
16	3	5	5	4	27	45	9	5	1	....	....	....	3	1
17	13	9	3	5	48	48	9	4	4	1	....	1	4	1
18	5	9	7	3	48	36	13	6	2	....	....	....	2	2
19	4	15	1	6	46	48	7	8	....	3	....	....	2	2
20	3	8	8	6	61	69	12	5	8	....	....	....	2	....
21	6	5	10	9	41	44	10	3	3	3	1	....	2	1
22	5	4	1	3	44	50	10	3	2	....	2	....	1	....
23	4	3	2	6	37	40	7	6	4	....	1	....	....	....
24	5	3	3	4	49	56	12	7	3	1	1	2	1	1
25	2	3	....	1	33	26	12	3	....	....	....	....	....	....
Ward unknown	2	2	1	....	6	7	3	....	1	....	....	....	....	....
Residents, each sex	143	175	67	90	980	985	298	133	73	24	14	7	51	36
Both sexes	318		157		1,965		431		97		21		87	
Nonresidents	6	3	2	2	194	179	120	44	23	3	1	...	7	1
Unknown	1	3	....	1	32	20	20	....	7	....	1	3	8	1
Totals, each sex	150	181	69	93	1,206	1,184	438	177	102	27	16	10	66	38
Totals, both sexes,	331		162		2,390		615		129		26		104	

Digitized by Google

TABLE IX.—DEATHS FROM EXTERNAL CAUSES. ACCIDENTAL.

Manner of Accident.	Total Mortality.	Each Sex.		Residents.		Nonresidents.		Unknown.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Drowning	47	47	.....	28	.....	9	....	10	....
Falls	184	133	51	91	46	34	5	8	....
Burns and scalds	64	23	41	19	35	4	6	.....	....
Poison, chemical	15	11	4	9	4	2	....	.....	....
" illuminating gas	18	12	6	9	6	1	....	.....	....
Run over by vehicle*	20	17	3	15	3	2	....	2	....
" " ?	2	2	.....	2	.....	....	....	.....	....
Automobile accidents	11	6	5	3	4	2	1	1	....
Railroad (steam)	48	47	1	24	1	22	....	1	....
" (electric)	27	21	6	14	4	7	2	.....	....
" (not stated)	29	25	4	13	3	11	1	1	....
Elevator accidents	16	15	1	11	1	3	....	1	....
Firearms	3	3	.....	3	.....	.....	...	.....	....
Strangulation†	9	8	1	7	1	1	....	.....	....
Crushed by falling body	11	10	1	9	1	1	....	.....	....
Suffocation (overlaying)	2	.....	2	.....	2	.....	....	.....	....
" (fire smoke)	1	1	.....	1	.....	.....	....	.....	....
" other causes	3	2	1	2	1	.....	....	.....	....
Fractures, ruptures, etc.	7	4	3	3	3	.....	....	1	....
Explosion	7	7	.....	3	.....	4	....	.....	....
Following surgical operation	68	25	43	16	14	9	29	.....	....
Machinery accidents	6	6	.....	5	.....	1	....	.....	....
Miscellaneous	14	12	2	6	2	6	....	.....	....
Unknown, or not stated	13	11	2	5	2	1	....	5	....
Totals, each sex	.....	448	177	298	133	120	44	30	....
Totals, both sexes	625	625		431		164		30	

* Except automobiles and railroad cars.
† In most cases by lodgment of foreign body in the œsophagus.

Digitized by Google

TABLE IX. A.—DEATHS FROM EXTERNAL CAUSES. SUICIDE AND HOMICIDE.

MANNER.	TOTAL NUMBER.	Each Sex.		Residents.		Nonresidents.		Unknown.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
SUICIDE.									
Drowning	8	6	2	2	2	2	....	2	....
Hanging	15	14	1	13	1	1	....	....	....
By firearms	39	37	2	23	2	12	....	2	....
Poison, chemical	33	25	8	18	6	5	2	2	....
" illuminating gas	23	13	10	12	10	1	....	....	....
Cutting or stabbing	8	7	1	5	1	1	....	1	....
Leap from height	2	1	1	....	1	1	....	....	....
Manner unknown or not stated	2	....	2	....	1	....	1	....	....
Totals, each sex	....	103	27	73	24	23	3	7	....
Totals, both sexes	130	130		97		26		7	
HOMICIDE.									
By firearms	13	8	5	6	3	1	....	1	2
" cutting or stabbing	2	2	....	2	....	....	....	....	....
" illuminating gas	2	....	2	....	2	....	....	....	....
" violent blow or push	6	4	2	4	2	....	....	....	....
" strangulation	1	....	1	....	....	....	....	....	1
Manner unknown or not stated	2	2	....	2	....	....	....	....	....
Totals, each sex	....	16	10	14	7	1	....	1	3
Totals, both sexes	26	26		21		1		4	

Digitized by Google

TABLE X.—NATIVITY OF DECEDENTS BY COUNTRIES.

Wards.	Total, Both Sexes.	Total, Each Sex.		Boston.		United States.*		Ireland.		British-American Province.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	424	220	204	116	100	35	30	17	27	32	22
2	430	235	195	144	99	12	13	26	35	12	15
3	280	140	140	76	72	19	17	34	41	6	5
4	225	118	107	57	49	25	18	30	29	3	6
5	254	138	116	65	59	24	14	36	32	5	8
6	655	359	296	198	191	26	11	18	31	4	6
7	354	196	158	83	68	40	18	30	42	8	5
8	409	232	177	111	69	29	30	21	28	7	11
9	455	263	192	130	67	46	38	31	40	19	22
10	307	139	168	50	41	50	79	13	21	8	11
11	280	119	161	53	48	33	57	7	24	7	14
12	354	182	172	62	46	66	65	17	28	18	15
13	486	267	219	162	121	12	3	65	73	11	14
14	389	206	183	113	98	24	10	30	54	19	11
15	357	170	187	101	87	16	16	32	54	5	17
16	334	170	164	80	74	32	29	27	27	9	16
17	499	248	251	121	123	38	32	56	60	18	21
18	444	242	202	122	104	45	36	36	31	10	14
19	477	221	256	121	106	23	25	48	84	4	17
20	579	284	295	133	119	71	77	29	41	21	36
21	431	230	201	98	83	60	56	23	29	19	17
22	460	237	223	122	102	28	30	45	38	9	15
23	390	195	195	93	83	40	41	22	25	7	17
24	446	223	223	114	103	59	53	21	30	13	26
25	302	152	150	82	57	35	41	16	26	9	11
Ward unknown	56	28	28	16	6	8	10	2	6	2	2
Total residents, each sex	.....	5,214	4,863	2,623	2,175	896	849	732	956	285	374
Both sexes	10,077	10,077		4,798		1,745		1,688		659	
Nonresidents	1,243	718	525	90	62	419	299	78	49	44	55
Unknown	436	266	170	121	96	33	24	6	5	1	3
Totals, each sex	.....	6,198	5,558	2,834	2,333	1,348	1,172	816	1,010	330	432
Totals, both sexes	11,756	11,756		5,167		2,520		1,826		762	

* Except Boston.

Digitized by Google

TABLE X., *Continued.*— NATIVITY OF DECEDENTS BY COUNTRIES.

WARDS.	Great Britain.		Germany.		Italy.		Russia.		Norway and Sweden.		China.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	5	12	.....	1	4	2	5	2	2	4	.....	.....
2	10	10	.....	2	12	9	9	9	5	1	.....	.....
3	4	2	.....	1	.....	.....	1	.....	.....	1	.....	.....
4	1	3	1	.....	1	.....	.....	.....	.....	1	.....	.....
5	3	2	1	.....	.....	.....	1	.....	1	.....	.....	.....
6	2	1	.....	.....	83	39	13	12	1	.....	.....	.....
7	3	4	1	2	3	2	.....	.....	6	.....	10	.....
8	6	2	.....	.....	10	6	41	29	1	.....	.....	.....
9	4	8	4	3	7	1	14	10	2	.....	.....	.....
10	4	4	7	3	.....	2	.....	1	2	.....	.....	.....
11	3	5	1	2	.....	.....	5	5	2	.....	.....	1
12	7	6	3	3	.....	2	1	.....	3		1	.....
13	2	.....	4	3	.....	1	8	3	2	.....	.....	.....
14	11	3	.....	4	.....	.....	1	1	3	.....	.....	.....
15	6	2	3	5	1	2	2	.....	2	.....	.....	.....
16	9	6	5	2	1	1	2	5	1	2	.....	.....
17	6	4	3	1	1	.....	2	2	1	3	.....	.....
18	10	7	6	2	1	.....	5	4	3	1	.....	.....
19	6	4	9	14	.....	.....	1	2	3	.....	.....	.....
20	15	8	5	6	.....	.....	8	4	2	1	.....	.....
21	10	6	8	5	.....	.....	3	2	2	.....	.....	.....
22	4	6	22	21	.....	.....	2	2	2	5	.....	.....
23	8	3	16	15	2	1	2	.....	3	6	1	.....
24	4	7	3	1	1	.....	.....	.....	6	2	1	.....
25	4	6	2	.....	1	1	1	2	2	1	.....	.....
Ward unknown	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Total residents, each sex	147	123	104	97	128	70	127	95	57	29	13	1
Both sexes	270		201		298		222		86		14	
Nonresidents	26	21	6	6	11	1	10	13	11	7	1	.....
Unknown	4	1	.....	.....	1	.....	.....	.....	1	1	1	.....
Totals, each sex	177	144	110	103	140	71	137	108	69	37	15	1
Totals, both sexes,	321		213		211		245		106		16	

Digitized by Google

TABLE X., *Continued.*—NATIVITY OF DECEDENTS BY COUNTRIES.

Wards.	France.		Turkey.		Austria.		Portugal.		Holland.		Belgium.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....
2	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....
3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
6	.....	.....	1	.....	1	2	3	2	.....	.....	.....	.....
7	2	1	2	8	1	.....	.....	.....	.....	.....	.....	1
8	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
12	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
14	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
15	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2
16	.....	1	.....	.....	1	.....	.....	.....	1	1	.....	.....
17	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
18	.....	1	1	.....	.....	2	.....	.....	.....	1	.....	.....
19	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
20	.....	.....	.....	1	.....	1	.....	.....	1	1	.....	.....
21	.....	.....	.....	.....	1	1	.....	.....	.....	2	.....	.....
22	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
23	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ward unknown	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total residents, each sex	7	10	5	9	7	12	6	11	4	5	1	3
Both sexes	17		14		19		17		9		4	
Nonresidents	3	1	2	.....	2	1	1	.....	1	.....	.....	.....
Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Totals, each sex	10	11	7	9	9	13	7	11	5	5	1	3
Totals, both sexes	21		16		22		18		10		4	

Digitized by Google

TABLE X., *Concluded.*— NATIVITY OF DECEDENTS BY COUNTRIES.

WARDS.	Switzerland.		Greece.		Denmark.		Cuba and West Indies.		All Other Countries.		Unknown.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1
2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....
3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
6	.....	.....	3	.....	.....	.....	.....	.....	1	.....	5	1
7	1	.....	4	.....	.....	.....	1	2	.....	1	1	4
8	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	4	1
9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	3
10	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	5
11	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	4	3
12	1	1	.....	.....	.....	.....	1	1	.....	.....	1	3
13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	1
15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1
17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
18	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....
19	.....	.....	1	.....	1	.....	.....	.....	.....	.....	3	1
20	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
21	.....	.....	.....	.....	1	1	.....	.....	1	.....	3	.....
22	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
23	.....	2	.....	.....	.....	1	.....	.....	.....	.....	1	1
24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
25	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2
Ward unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total residents, each sex	4	3	9	.....	5	2	5	6	6	1	43	33
Both sexes	7		9		7		11		7		76	
Nonresidents	.....	1	.....	.....	2	.....	1	.....	3	1	7	8
Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	98	40
Totals, each sex	4	4	9	.....	7	2	6	6	9	2	148	81
Totals, both sexes	8		9		9		12		11		229	

Digitized by Google

TABLE XI.—CAUSE OF DEATH. NATIVES OF BOSTON.

Wards.	Total, Both Sexes.	Total, Each Sex.		Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1	216	116	100	12	7	20	24	3	4	7	8	2	1
2	243	144	99	10	7	25	20	1	5	6	7	4	4
3	148	76	72	6	7	16	12	2	1	7	10	...	...
4	106	57	49	5	5	7	9	2	2	6	3	...	...
5	124	65	59	11	6	12	7	4	1	1	5	...	2
6	389	198	191	13	8	64	68	14	9	7	2	...	2
7	151	83	68	6	2	20	20	3	2	2	....	1	...
8	180	111	69	10	4	26	16	3	4	3	3	2	1
9	197	130	67	13	5	21	11	...	2	3	7	...	1
10	91	50	41	6	2	4	6	...	...	4	3	...	...
11	101	53	48	1	5	7	7	2	1	4	8	...	...
12	108	62	46	5	7	7	7	2	2	1	2	...	1
13	283	162	121	9	13	29	20	8	5	10	2	...	...
14	211	113	98	19	5	17	17	3	1	10	6	...	1
15	188	101	87	16	13	13	11	2	2	7	4	2	1
16	154	80	74	8	4	18	6	1	2	4	6	1	...
17	244	121	123	12	16	15	22	2	4	8	8	1	...
18	226	122	104	13	11	17	23	4	7	10	4	1	...
19	227	121	106	10	11	19	16	1	1	12	6	2	3
20	252	133	119	9	10	12	19	...	5	10	10	1	2
21	181	98	83	7	8	8	11	3	1	9	10	...	...
22	224	122	102	13	8	16	13	2	2	13	11	5	7
23	176	93	83	13	16	6	13	4	...	9	9	8	1
24	217	114	103	10	11	13	12	4	3	11	13	1	...
25	139	82	57	12	4	9	6	1	7	2	6	2	2
Ward unknown	22	16	6	1	....	5	1	...	...	1	1	...	...
Total residents, each sex	.....	2,623	2,175	250	195	426	397	71	73	167	154	33	29
Both sexes	4,798	4,798		445		823		144		321		62	
Nonresidents	.....	90	62	8	2	7	5	...	...	4	5	2	...
Unknown	.....	121	96	1	6	10	13	...	...	1	2	...	...
Totals, each sex	.....	2,834	2,333	259	203	443	415	71	73	172	161	35	29
Totals, both sexes	5,167	5,167		462		858		144		333		64	

Digitized by Google

TABLE XI., *Continued.*—CAUSE OF DEATH. NATIVES OF BOSTON.

WARDS.	Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1	5	3	16	7	1	2	...	1	2	...	...	1
2	1	...	19	8	2	2	...	1	...	1	1	...
3	1	1	9	8	2	5	...	1	1	1	...	...
4	...	...	7	7	2	...	...	...	...	...	...	1
5	2	...	8	1	4	2	...	1	1	1	...	...
6	...	1	20	10	2	3	...	1	...	...	...	...
7	1	...	11	10	2	...	...	...	1	1	...	...
8	2	...	12	6	1	4	...	...	...	1	...	...
9	2	2	13	6	2	2	...	...	1	1	...	...
10	...	...	8	3	...	2	...	2	...	...	...	1
11	3	2	5	2	...	3	...	...	2	1	...	...
12	...	1	6	1	3	2	...	...	2	1	1	1
13	1	...	22	16	1	4	...	...	...	...	...	...
14	1	4	7	12	2	2	...	...	...	4	1	...
15	2	2	17	12	1	2	...	1	...	1	...	...
16	3	1	9	9	1	3	...	1	1	1	1	...
17	2	2	12	12	4	1	...	...	...	1	...	3
18	...	1	13	7	1	1	...	2	...	...	...	...
19	...	2	6	11	4	4	...	...	1	1	...	...
20	4	7	19	8	6	5	...	2	2	2	...	1
21	6	5	6	5	3	3	...	1	1	...	...	3
22	1	1	10	7	3	3	...	1	2	3	...	1
23	1	...	5	7	1	2	...	1	1	2	...	...
24	2	2	10	9	2	4	...	1	...	1	...	1
25	2	1	6	1	2	1	...	...	...	1	...	...
Ward unknown	...	1	...	...	...	...	...	...	...	...	...	...
Total residents, each sex	42	39	276	185	52	62	...	17	18	25	4	13
Both sexes	81		461		114		17		43		17	
Nonresidents	2	3	5	1	2	7	...	1	...	1	...	...
Unknown	1	...	76	59	1	2	...	...	...	...	...	...
Totals, each sex	45	42	357	245	55	71	...	18	19	26	4	13
Totals, both sexes	87		602		126		18		45		17	

Digitized by Google

TABLE XI., *Continued.*—CAUSE OF DEATH. NATIVES OF BOSTON.

Wards.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1	2	2	5	2	1	...	10	5	7	6	5	7
2	3	3	3	4	1	1	6	3	8	2	18	15
3	1	7	1	1	1	2	7	2	2	5	2	1
4	6	4	1	...	2	...	3	1	1	2	3	6
5	1	1	...	1	1	4	2	3	2	4	5	3
6	3	6	18	9	1	3	12	11	6	12	9	14
7	6	2	1	...	2	3	3	5	3	5	1	2
8	2	1	2	1	1	6	11	1	7	3	4	1
9	3	2	2	1	1	2	5	2	20	5	3	5
10	4	3	...	...	1	...	1	1	6	6	1	2
11	2	1	1	...	4	2	1	2	1	3	....	1
12	1	...	1	1	1	1	6	4	8	5	1	....
13	9	5	7	1	...	...	8	7	7	8	10	16
14	1	1	3	2	5	4	4	6	5	3	4	5
15	2	1	...	3	1	3	5	3	4	5	3	7
16	2	2	1	5	...	...	1	2	5	7	3	3
17	3	6	3	1	1	...	10	6	10	5	13	8
18	...	1	7	2	1	...	5	6	10	7	4	7
19	8	3	...	2	2	2	11	11	12	4	3	8
20	6	1	4	...	3	1	4	3	11	9	3	3
21	3	...	2	1	...	...	4	3	11	3	6	5
22	7	4	1	1	2	...	6	4	10	5	5	4
23	2	...	2	...	1	...	5	2	7	5	4	3
24	4	3	3	1	2	1	7	3	12	5	5	2
25	2	2	4	...	3	1	4	2	6	9	2	1
Ward unknown	...	...	...	...	...	...	....	...	4	....	1	....
Total residents, each sex	83	61	72	39	38	36	141	98	185	133	118	129
Both sexes	144		111		72		239		318		247	
Nonresidents	2	2	...	...	...	...	2	1	12	14	1	....
Unknown	...	2	2	...	1	1	4	...	7	4	1	1
Totals, each sex	85	65	74	39	39	37	147	99	204	151	120	130
Totals, both sexes	150		113		76		246		355		250	

Digitized by Google

TABLE XI., *Concluded.*—CAUSE OF DEATH. NATIVES OF BOSTON.

Wards.	Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1	...	...	15	16	...	3	3	...	...	...	...	1
2	...	...	30	13	4	2	...	...	...	...	2	1
3	...	...	14	5	2	2	...	...	...	...	2	1
4	...	...	8	9	2	...	...	...	...	...	2	...
5	1	...	5	14	5	1	...	...	...	...	...	2
6	...	...	20	24	7	8	...	...	...	...	2	...
7	...	...	15	14	4	1	1	...	...	...	...	1
8	...	1	18	12	5	2	1	1	...	...	1	1
9	2	...	26	13	10	...	...	...	...	...	3	...
10	...	...	11	9	3	1	...	...	...	...	1	...
11	2	...	13	10	5	...	...	...	...	...	...	...
12	...	...	17	8	...	1	...	...	...	...	...	1
13	...	...	26	21	11	2	1	...	1	...	2	1
14	...	...	26	20	4	1	...	1	...	...	1	3
15	...	...	24	15	1	1	...	...	...	...	1	...
16	2	2	13	18	5	1	...	...	...	...	1	1
17	...	1	23	23	1	3	...	...	...	...	1	1
18	...	1	32	20	3	2	...	...	...	...	1	2
19	...	...	28	17	1	3	...	...	...	...	1	1
20	1	...	29	29	5	2	3	...	...	...	1	...
21	1	1	23	21	2	1	1	...	1	...	1	1
22	1	...	18	26	3	1	1	...	2	...	1	...
23	...	...	18	19	5	3	1	...	...	...	...	...
24	...	1	20	23	5	3	1	1	1	2	1	1
25	...	...	19	13	6	...	...	...	...	...	...	...
Ward unknown	...	...	2	3	2	...	...	...	...	...	...	...
Total residents, each sex	10	7	493	415	101	44	13	3	5	2	25	19
Both sexes	17		908		145		16		7		44	
Nonresidents	1	1	30	17	6	2	3	...	...	...	2	...
Unknown	...	...	12	6	1	...	1	...	...	...	2	...
Totals, each sex	11	8	535	438	108	46	17	3	5	2	29	19
Totals, both sexes	19		973		154		20		7		48	

Digitized by Google

TABLE XII.— DEATHS: PARENTAGE OF DECEDENTS (GENERAL). RESIDENTS BY WARDS, NONRESIDENTS AND UNKNOWN.

Wards.	Total, Both Sexes.	Total, Each Sex.		Both Parents Native.		Father Native, Mother Foreign.		Mother Native, Father Foreign.	
		M.	F.	M.	F.	M.	F.	M.	F.
1	424	220	204	52	44	17	7	11	10
2	430	235	195	28	17	12	5	14	7
3	280	140	140	34	28	8	5	7	4
4	225	118	107	23	21	10	8	7	4
5	254	138	116	27	17	7	4	7	5
6	655	359	296	10	12	2	.....	4	3
7	354	196	158	36	18	8	7	9	3
8	409	232	177	14	18	2	1	8	5
9	455	263	192	57	35	12	7	8	6
10	307	139	168	44	61	8	6	7	7
11	280	119	161	54	67	2	3	3	2
12	354	182	172	67	60	14	4	5	1
13	486	267	219	30	15	9	5	13	9
14	389	206	183	46	29	8	12	6	6
15	357	170	187	30	34	13	12	11	8
16	334	170	164	43	39	12	10	8	8
17	499	248	251	46	51	13	11	12	14
18	444	242	202	62	45	12	16	15	8
19	477	221	256	40	35	14	6	14	8
20	579	284	295	103	85	14	18	14	11
21	431	230	201	77	72	10	3	14	8
22	460	237	223	52	45	8	9	11	12
23	390	195	195	58	49	12	7	11	7
24	446	223	223	81	71	23	6	8	15
25	302	152	150	45	49	7	2	14	5
Ward unknown	56	28	28	2	8	.....	.....	1	1
Total residents, each sex	.....	5,214	4,863	1,161	1,025	257	174	242	177
Both sexes	10,077	10,077		2,186		431		419	
Nonresidents	1,243	718	525	253	166	25	26	30	18
Unknown	436	266	170	10	10	1	3	3	.....
Totals, each sex	.....	6,198	5,558	1,424	1,201	283	203	275	195
Totals, both sexes	11,756	11,756		2,625		486		470	

Digitized by Google

TABLE XII., *Continued.*— DEATHS: PARENTAGE OF DECEDENTS (GENERAL). RESIDENTS BY WARDS, NONRESIDENTS AND UNKNOWN.

WARDS.	Both Parents Foreign, Same Country.		Both Parents Foreign, Different Countries.		Father Native, Mother Unknown.		Mother Native, Father Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.
1	98	120	9	11	2	2	5	1
2	159	142	10	8	2	.....	1	1
3	72	83	11	8	2	.....	.....	2
4	64	56	7	5	1	.....	1	1
5	84	80	3	3	1	2	1	1
6	322	268	4	4	1	1	.....	.....
7	104	105	5	6	3	1	2	1
8	181	130	8	6	1	.....	.....	1
9	141	112	14	5	.....	1	4	4
10	52	58	3	5	2	1	4	5
11	41	61	4	2	.....	3	1	5
12	81	67	2	7	.....	4	1	3
13	196	174	9	5	3	1	.....	.....
14	125	111	9	4	1	.....	3	1
15	102	111	10	8	.....	2	.....	.....
16	78	77	13	11	1	.....	3	6
17	150	125	15	16	1	2	3	5
18	112	95	12	11	3	1	3	12
19	134	169	7	10	1	.....	.....	5
20	122	134	8	13	6	4	2	7
21	99	87	11	13	1	3	3	3
22	148	134	9	4	.....	2	.....	3
23	97	103	5	7	2	6	1	4
24	82	96	5	8	4	3	5	4
25	68	78	8	6	.....	.....	5	.....
Ward unknown	12	15	.....	.....	.....	.....	2	.....
Total residents, each sex	2,924	2,791	201	186	38	39	50	75
Both sexes	5,715		387		77		125	
Nonresidents	273	228	26	13	16	11	16	7
Unknown	15	11	6	8	1	.....	57	53
Totals, each sex	3,212	3,030	233	207	55	50	123	135
Totals, both sexes	6,242		440		105		258	

Digitized by Google

TABLE XII., *Concluded.*— DEATHS: PARENTAGE OF DECEDENTS (GENERAL). RESIDENTS BY WARDS, NONRESIDENTS AND UNKNOWN.

WARDS.	Father Foreign, Mother Unknown.		Mother Foreign, Father Unknown.		Both Unknown.	
	M.	F.	M.	F.	M.	F.
1	4	2	2	2	20	5
2	5	5	.....	2	4	8
3	.....	1	.....	1	6	8
4	2	3	1	1	2	8
5	2	.....	1	.....	5	4
6	2	2	.....	2	14	4
7	4	4	5	2	20	11
8	2	5	1	3	15	8
9	3	3	.....	2	24	17
10	2	2	1	3	16	20
11	.....	2	1	1	13	15
12	2	3	1	2	9	21
13	1	4	2	3	4	3
14	.....	7	.....	3	8	10
15	.....	1	1	2	3	9
16	6	2	1	1	5	10
17	4	7	.....	.....	4	20
18	3	2	1	1	19	11
19	.....	6	2	2	9	15
20	3	7	2	2	10	14
21	2	4	.....	.....	13	8
22	2	4	.....	.....	7	10
23	1	4	.....	1	8	7
24	5	7	.....	.....	10	13
25	2	2	.....	.....	3	8
Ward unknown	2	.....	2	1	7	3
Total residents, each sex	59	89	24	37	258	270
Both sexes	148		61		528	
Nonresidents	13	16	4	11	62	29
Unknown	.....	1	47	29	126	55
Totals, each sex	72	106	75	77	446	354
Totals, both sexes	178		152		800	

Digitized by Google

DEATHS IN INSTITUTIONS IN 1908.

The total number of deaths in hospitals, homes and other institutions for the care of the sick and infirm in 1908 was 4,412; of these 2,451 were males and 1,961 females; 2,990 were residents of this city, 1,654 males and 1,336 females; 1,031 were nonresidents, 571 males, 460 females; and of 391 the residence was unknown, 226 were males and 165 were females. The number of residents of each ward who died in the various institutions of the city is given below:

Ward.	Males.	Females.	Total.	Ward.	Males.	Females.	Total.
1	45	30	75	16	49	45	94
2	70	46	116	17	81	77	158
3	40	34	74	18	82	53	135
4	41	27	68	19	60	62	122
5	42	34	76	20	69	58	127
6	105	77	182	21	50	31	81
7	96	69	165	22	71	67	138
8	95	85	180	23	62	38	100
9	105	82	187	24	46	39	85
10	53	63	116	25	41	21	62
11	46	58	104	Unknown	27	26	53
12	80	66	146				
13	94	66	160	Totals	1,654	1,336	2,990
14	56	41	97				
15	48	41	89				

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	1	10	13	3	3	2	...	...	...	1	...	17	6	...	...	...	...	...	...	...	...	...	...
1 year	...	...	5	5	...	1	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	1
2 to 4 years	...	...	4	6	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
5 to 9 "	1	...	1	...	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...
10 to 14 "	...	...	...	1	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	1	1	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	5	4	...	...	...	...	1	2	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	2	2	...	...	...	...	1	...	...	2	1	...	...	...	...	...	...	...	...	1	...	...	...	...
30 to 34 "	3	3	...	1	...	...	...	1	...	2	...	1	...	...	1	...	...	...	...	...	...	...	...	...
35 to 39 "	1	1	...	2	...	...	1	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...
40 to 44 "	...	5	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
45 to 49 "	4	2	1	2	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	1	...	...	...	...
50 to 54 "	1	...	1	...	...	...	...	1	...	...	2	3	...	...	...	1	...	1	...	...	...	2	...	...
55 to 59 "	2	...	2	1	...	...	4	1	1	...	...	1	...	...	2	1	...	1	...	1	...	...	...	...
60 to 64 "	...	...	...	1	...	1	1	...	...	...	4	4	...	...	1	1	...	...	1	...	...	1	...	...
65 to 69 "	...	...	2	...	...	...	2	3	...	...	1	1	...	...	3	...	...	...	3	1	...	...	...	...
70 to 74 "	...	...	...	1	...	1	1	5	...	...	4	1	...	...	...	3	...	...	...	1	1	1	...	...
75 to 79 "	...	...	...	1	1	...	4	1	...	...	2	1	...	...	...	1	...	...	1	1	...	...	...	...
80 to 84 "	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	20	19	28	36	4	8	22	19	3	5	17	12	18	7	8	10	...	4	6	6	1	5	2	2

Digitized by Google

AGE PERIODS AND WARDS. WARD I.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	6	2	....	...	3	5	7	6	3	5	...	...	10	10	1	...	....	...	....	..	1	...
1 year.....	....	...	...	...	1	..	....	...	1	2	....	...	....	1	....	1	...	...	....	...	....	..
2 to 4 years.	....	...	....	...	5	1	....	...	1	...	....	...	1	3	...	...	....	...	....	...	....	...
5 to 9 " ..	....	...	1	...	1	...	....	...	...	...	...	...	....	3	....	1	....	...	....	...	....	..
10 to 14 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	...	...	...	....	...	..	...	....	...
15 to 19 " ..	....	...	....	...	1	...	....	...	....	...	...	...	1	1	....	...	....	..	...	...	....	...
20 to 24 " ..	....	...	....	...	....	...	....	...	...	...	....	...	1	...	1	...	....	...	...	...	....	1
25 to 29 " ..	...	...	...	...	....	...	....	...	....	...	....	...	2	2	3	...	2	...	1	..	...	...
30 to 34 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	...	1	...	2	...	...	...	....	...
35 to 39 " ..	....	..	.	...	....	...	....	...	....	...	...	...	....	...	....	1	...	...	....	.	....	...
40 to 44 " ..	. ..	...	....	...	....	...	....	...	....	1	....	...	....	...	1	...	....	...	...	...	....	...
45 to 49 " ..	...	...	...	...	....	...	....	...	....	1	...	...	6	1	1	...	..	1	..	...	....	...
50 to 54 " ..	....	...	....	...	....	...	....	...	1	...	....	...	2	3	....	...	....	1	....	...	....	...
55 to 59 " ..	....	..	...	...	....	...	. ..	...	....	...	...	...	2	3	....	...	....	...	....	...	1	...
60 to 64 " ..	....	...	....	...	...	..	....	...	....	...	....	...	4	2	...	...	....	...	....	...	1	...
65 to 69 " ..	....	...	....	...	....	...	..	...	....	...	...	...	3	...	....	...	....	...	....	...	....	..
70 to 74 " ..	...	..	..	...	...	...	....	...	....	...	....	...	2	3	1	...	....	...	....	...	....	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	....	...	4	2	....	...	....	...	....	...	..	...
80 to 84 " ..	....	..	...	...	....	...	....	..	....	1	....	3	3	1	....	1	....	...	....	...	...	...
85 to 89 " ..	....	...	....	...	...	...	....	...	....	...	....	...	....	1	....	...	...	...	....	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	...	...	....	1	....	...	....	...	...	..	....	...	....	...
95 and over...	....	...	....	...	....	...	..	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
	6	2	1	...	11	6	7	6	6	10	....	4	43	36	9	4	4	2	1	...	3	1

Digitized by Google

TABLE XIII. — DEATHS: CAUSE BY

Age Period.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	...	8	9	1	5	...	3	...	...	...	...	17	7	...	...	...	...	...	...	...	...	...	...
1 year	...	1	9	6	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	1
2 to 4 years	...	2	4	5	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	2
5 to 9 "	1	1	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	...
10 to 14 "	...	...	1	1	...	...	2	1	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	1	1	...	...	...	...	...	3	1	1	...	...	...	...	...	1	...	1	...	...	...	...	...	...
25 to 29 "	3	...	...	2	...	...	...	3	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...
30 to 34 "	4	...	1	1	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
35 to 39 "	5	1	...	1	...	...	1	3	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...
40 to 44 "	...	1	2	...	...	...	3	...	1	1	...	...	...	...	...	2	...	...	...	1	...	...	...	...
45 to 49 "	2	...	...	1	...	...	...	1	1	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...
50 to 54 "	1	1	...	1	...	...	4	2	...	...	...	...	...	...	2	1	...	...	2	...	1	...	...	...
55 to 59 "	...	...	...	...	3	...	3	1	...	...	...	1	...	...	1	1	...	1	2	2	1	...	...	...
60 to 64 "	3	1	1	2	...	1	4	3	...	...	2	1	...	...	1	...	...	...	2	1	...	1	...	...
65 to 69 "	...	...	1	2	...	1	2	2	...	...	2	...	...	...	1	2	...	...	2	2	1	...	...	...
70 to 74 "	...	1	...	...	1	...	1	2	...	...	...	1	...	...	...	1	...	...	2	1	...	...	...	...
75 to 79 "	...	...	...	...	...	...	2	1	...	...	2	1	...	...	...	...	...	...	1	...	...	...	...	...
80 to 84 "	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	20	10	28	35	6	7	24	26	6	5	6	4	19	9	7	11	...	3	11	8	3	2	3	3

Digitized by Google

AGE PERIODS AND WARDS. WARD II.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	3	4	....	...	4	2	8	2	16	8	....	...	19	12	....	...	....	...	....	...	1	1
1 year.....	....	1	....	...	1	1	....	...	2	4	....	...	2	...	....	...	....	...	....	...	....	...
2 to 4 years.	....	...	....	...	2	...	....	...	....	3	....	...	3	...	....	...	....	...	....	..	....	...
5 to 9 " ..	....	...	1	1	....	...	....	...	....	1	....	...	2	...	1	1	....	...	....	...	1	...
10 to 14 " ..	....	...	....	...	....	...	....	...	1	...	....	...	3	...	1	...	....	...	....	...	....	...
15 to 19 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	...	1	...	....	...	....	...	....	...
20 to 24 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	2	....	...	....	...	....	...	....	...
25 to 29 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	1	...	....	...	....	...	....	...
30 to 34 " ..	....	...	....	...	....	...	....	..	....	...	....	...	2	2	4	...	....	...	....	...	....	...
35 to 39 " ..	....	...	....	...	....	...	....	...	....	...	....	...	5	3	1	1	....	...	....	...	....	...
40 to 44 " ..	....	...	....	...	....	1	....	...	....	...	....	...	1	2	2	...	....	..	....	...	....	...
45 to 49 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	...	...	...	....	...	....	...	....	...
50 to 54 " ..	....	...	....	...	....	2	....	...	1	...	....	...	1	...	1	1	....	...	....	...	1	...
55 to 59 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	1	...	....	...	....	...	....	...
60 to 64 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	....	...	....	...	....	...	....	...
65 to 69 " ..	....	...	....	...	....	...	....	...	....	...	....	...	...	4	....	...	....	...	....	...	....	1
70 to 74 " ..	....	...	....	...	....	...	....	...	1	...	....	...	....	2	1	...	....	...	....	...	....	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	....	1	2	1	...	...	....	...	....	...	....	...
80 to 84 " ..	....	...	....	...	....	...	....	...	....	...	....	1	1	...	....	...	....	...	....	...	....	...
85 to 89 " ..	....	...	....	...	....	...	....	...	....	...	1	1	....	1	....	...	....	...	....	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	...	....	1	....	1	....	...	....	...	....	...	....	...
95 and over....	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
	3	5	1	1	7	6	8	2	21	16	1	4	44	33	14	3	....	...	....	...	3	2

Digitized by Google

TABLE XIII. — DEATHS: CAUSE BY

Age Period.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	...	4	4	2	1	...	...	...	...	1	...	8	8	...	...	...	...	...	...	...	...	...	...
1 year	1	1	3	2	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	2
2 to 4 years	...	...	5	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5
5 to 9 "	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	1
10 to 14 "	...	...	...	1	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	1	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
25 to 29 "	2	2	...	...	...	...	5	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	1	1	1	...	...	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...
35 to 39 "	...	2	1	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 "	2	1	2	...	...	...	1	3	1	...	...	...	...	...	1	1	...	...	1	1	...	...	...	...
45 to 49 "	...	1	2	...	...	...	2	1	...	...	...	1	...	...	1	2	...	...	...	...	...	1	...	...
50 to 54 "	1	...	...	...	...	...	1	1	...	...	...	...	...	...	1	2	...	...	1	1	1	...	...	...
55 to 59 "	1	...	...	1	...	...	3	1	...	...	1	1	...	...	1	...	...	...	1	...	...	...	...	...
60 to 64 "	...	...	...	3	1	...	1	3	...	...	...	3	...	...	...	1	...	...	1	...	...	...	...	...
65 to 69 "	...	...	2	1	...	...	...	1	...	...	3	2	...	...	1	1	...	...	1	1	...	...	...	...
70 to 74 "	...	...	...	1	...	1	1	2	...	...	1	2	...	...	1	...	...	...	1	...	...	...	...	...
75 to 79 "	...	...	...	...	...	1	1	5	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	10	13	22	18	3	3	18	23	1	...	7	11	9	8	7	10	...	1	6	3	1	1	3	8

Digitized by Google

AGE PERIODS AND WARDS. WARD III.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	1	....	...	3	1	2	5	2	2	....	...	8	3	....	...	....	...	....	...	....	...
1 year.....	....	...	1	...	1	1	....	...	....	...	....	...	1	...	....	...	....	...	....	...	....	...
2 to 4 years.	....	...	....	2	1	...	....	...	....	...	....	...	....	1	...	2	....	...	....	...	1	...
5 to 9 " ..	....	...	....	...	1	1	....	...	....	...	....	...	....	...	....	..	....	...	....	...	....	...
10 to 14 " ..	....	...	....	...	1	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
15 to 19 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	....	...	....	...	....	...	....	...
20 to 24 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	1
25 to 29 " ..	....	...	....	...	....	...	....	..	....	...	....	...	....	2	1	...	....	...	....	...	....	...
30 to 34 " ..	....	...	....	...	....	...	....	...	....	...	....	..	1	...	2	...	....	...	....	...	....	...
35 to 39 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	...	1	..	....	...	....	...	1	1
40 to 44 " ..	....	...	....	...	1	...	....	..	....	...	....	...	1	1	1	...	....	...	....	...	1	2
45 to 49 " ..	....	...	....	...	....	...	....	..	....	...	....	...	3	2	1	..	....	...	....	...	....	...
50 to 54 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	...	....	1	....	...	....	...	....	...
55 to 59 " ..	....	...	....	...	....	...	...	...	....	...	....	...	2	2	....	...	....	...	....	...	....	...
60 to 64 " ..	....	...	....	...	....	...	...	...	...	...	....	...	....	2	....	1	....	...	....	...	1	...
65 to 69 " ..	....	...	...	...	....	...	....	...	....	...	....	...	1	1	....	...	....	...	....	...	....	...
70 to 74 " ..	....	...	....	...	...	...	....	...	....	...	....	...	6	1	....	...	...	..	....	...	....	...
75 to 79 " ..	....	...	...	...	....	...	....	...	....	...	....	...	2	...	....	1	....	...	....	...	....	1
80 to 84 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	1	...	....	...	....	...	....	...
85 to 89 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	...	....	...	...	...	....	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	..	...	....	...	....	...	....	...
95 and over....	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
	1	1	1	2	8	3	2	5	2	2	....	...	28	18	7	5	....	...	....	...	4	5

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	...	1	2	1	...	3	2	...	...	...	...	6	5	...	...	...	...	...	...	...	...	...	...
1 year	...	...	3	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	2	1
2 to 4 years	1	...	1	3	...	1	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	2
5 to 9 "	...	...	1	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	2
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
15 to 19 "	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	2	3	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	1	2	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
40 to 44 "	...	1	2	1	...	...	2	1	...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...
45 to 49 "	2	...	...	...	1	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...
50 to 54 "	3	...	1	...	...	...	2	...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...
55 to 59 "	1	...	1	3	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
60 to 64 "	...	...	...	1	...	1	1	1	...	...	2	1	...	...	...	...	...	...	2	...	...	1	...	...
65 to 69 "	1	...	2	...	...	...	...	2	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	1	1	2	1	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...
75 to 79 "	...	...	...	1	...	...	1	3	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	...
80 to 84 "	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	17	11	14	16	3	2	13	13	...	...	4	4	8	7	3	1	...	1	4	2	1	3	7	5

Digitized by Google

AGE PERIODS AND WARDS. WARD IV.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	...	....	...	1	...	1	2	3	5	....	...	4	5	....	...	....	...	....	...	....	...
1 year.....	....	...	....	...	1	1	....	...	1	1	....	...	....	...	....	...	....	...	....	...	....	...
2 to 4 years.	....	...	1	1	....	...	....	...	....	1	....	...	....	...	....	1	....	...	....	...	....	...
5 to 9 " ..	....	...	....	...	....	...	....	...	...	...	...	...	1	...	2	...	....	...	....	...	....	...
10 to 14 " ..	....	...	1	...	1	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
15 to 19 " ..	....	...	....	...	1	...	....	...	....	...	...	...	....	...	1	...	...	...	....	...	....	...
20 to 24 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	...	....	...	....	...	....	...	...	...
25 to 29 " ..	...	...	....	...	....	...	....	...	....	...	....	...	....	2	....	...	....	...	....	...	....	...
30 to 34 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	2	...	....	...	....	...	....	...
35 to 39 " ..	....	...	....	...	....	...	....	...	...	1	....	...	....	2	1	...	....	...	....	...	....	...
40 to 44 " ..	....	...	....	...	....	...	....	...	....	...	...	...	2	1	....	1	....	...	....	...	....	...
45 to 49 " ..	....	...	....	...	....	...	....	...	...	...	....	...	....	1	1	...	....	...	....	...	1	...
50 to 54 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	4	2	...	....	...	....	...	....	...
55 to 59 " ..	....	...	....	...	....	...	...	...	....	...	....	...	2	...	....	...	....	...	....	...	1	...
60 to 64 " ..	....	...	....	...	....	...	....	...	...	...	....	...	....	1	....	...	....	...	....	...	....	...
65 to 69 " ..	....	...	....	...	....	...	....	...	1	...	....	...	1	3	....	...	....	...	....	...	....	...
70 to 74 " ..	....	...	....	...	....	...	...	...	....	1	....	1	1	1	1	...	....	...	....	...	1	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	....	1	....	1	....	...	....	...	....	...	....	...
80 to 84 " ..	....	...	....	...	....	...	....	...	....	...	2	...	....	...	....	...	....	...	....	...	....	...
85 to 89 " ..	....	...	....	...	....	...	....	...	....	...	....	2	....	...	....	...	....	...	....	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	...	....	1	1	...	....	...	....	...	....	...	....	...
95 and over...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
	1	...	2	1	4	1	1	2	5	9	2	5	16	22	10	2	....	...	....	...	3	...

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	2	...	7	2	1	...	...	...	...	...	...	...	8	1	...	...	...	...	...	...	...	...	1	...
1 year	1	...	3	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1
2 to 4 years	...	...	2	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
5 to 9 "	1	...	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
10 to 14 "	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	3	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	2	1	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	2	3	1	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
30 to 34 "	...	2	...	...	...	...	...	...	1	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...
35 to 39 "	4	1	1	1	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 "	3	2	1	...	...	...	1	4	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
45 to 49 "	5	1	1	...	...	...	3	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...
50 to 54 "	...	1	1	3	...	...	...	...	...	...	...	3	...	...	3	...	...	1	...	1	...	...	...	...
55 to 59 "	...	1	...	...	...	1	2	1	...	...	...	1	...	...	...	1	...	1	1	1	...	...	...	...
60 to 64 "	...	...	2	3	2	...	3	1	...	...	1	...	...	...	2	1	...	...	2	...	...	...	...	...
65 to 69 "	...	...	1	...	...	...	1	1	...	...	3	1	...	...	...	1	...	...	...	1	...	...	...	...
70 to 74 "	...	1	...	2	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	1	...	...	2	1	...	...	...	...	...	1	...	...	...	...	...	...
80 to 84 "	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	18	18	22	16	5	1	13	13	2	2	8	6	9	1	11	5	...	4	3	4	...	...	1	2

Digitized by Google

AGE PERIODS AND WARDS. WARD V.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	....	2	....	....	....	2	2	4	5	1	....	....	5	9	....	....	....	....	....	....	....	2
1 year	....	....	....	2	1	....	....	....	1	2	....	....	....	1	....	....	....	....	....	....	....	....
2 to 4 years.	....	....	....	1	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
5 to 9 " ..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
10 to 14 " ..	....	....	1	1	....	2	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
15 to 19 " ..	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
20 to 24 " ..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
25 to 29 " ..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
30 to 34 " ..	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
35 to 39 " ..	....	....	....	....	1	....	....	....	....	....	....	....	2	2	1	....	....	....	....	....	....	....
40 to 44 " ..	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	....
45 to 49 " ..	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	....	1	....	....	....	....
50 to 54 " ..	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....
55 to 59 " ..	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
60 to 64 " ..	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
65 to 69 " ..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
70 to 74 " ..	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
75 to 79 " ..	....	....	....	....	....	....	....	....	....	1	....	....	2	....	....	1	....	....	....	....	....	....
80 to 84 " ..	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
85 to 89 " ..	....	....	....	....	....	....	....	....	....	....	3	....	1	1	....	....	....	....	....	....	....	....
90 to 94 " ..	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1
95 and over...	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	....	2	1	4	3	4	2	4	6	4	5	....	15	20	11	2	2	1	....	....	1	3

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	1	...	38	37	13	9	2	1	...	...	...	...	19	10	1	...	...	...	...	...	...	...	1	2
1 year.....	1	1	24	25	3	...	1	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	2	2
2 to 4 years....	2	1	6	6	1	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	2	2
5 to 9 "	1	1	1	1	...	1	...	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	1
10 to 14 "	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
15 to 19 "	2	1	...	1	...	...	1	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	3	1	3	1	...	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...
25 to 29 "	1	2	...	...	...	...	2	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
30 to 34 "	2	4	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
35 to 39 "	2	...	1	...	...	1	1	2	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...
40 to 44 "	1	2	5	...	...	1	7	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 " ...	2	2	2	...	...	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
50 to 54 "	2	1	3	2	1	...	...	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
55 to 59 "	2	2	2	...	1	...	2	...	...	...	3	1	...	...	2	...	...	1	...	...	...	2	...	...
60 to 64 "	...	1	1	...	...	1	3	2	...	...	...	2	...	...	2	...	...	...	...	1	...	...	...	...
65 to 69 " ..	...	...	1	...	...	1	2	4	...	...	2	...	...	...	1	1	...	...	2	...	...	...	...	...
70 to 74 "	...	...	2	1	...	1	1	1	...	...	3	1	...	...	...	...	...	...	1	1	...	...	...	...
75 to 79 "	...	1	2	...	1	...	...	1	...	...	2	1	...	...	...	1	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	2	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	23	20	94	80	20	16	30	15	3	3	11	6	21	11	9	8	...	1	4	3	...	2	5	7

Digitized by Google

AGE PERIODS AND WARDS. WARD VI.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	16	7	....	...	6	3	6	12	7	11	...	...	16	15	...	...	....	...	....	...	1	...
1 year.....	4	2	....	1	4	4	...	...	1	2	...	...	3	6	....	2	....	...	....	...	...	...
2 to 4 years.	....	...	1	2	5	4	...	...	1	...	....	...	3	...	2	3	....	...	...	...	....	...
5 to 9 " ..	....	...	..	...	....	1	....	...	....	1	....	...	1	1	3	2	....	...	....	...	....	...
10 to 14 " ..	....	...	....	...	1	...	....	...	....	...	...	..	....	3	1	...	....	...	....	...	....	...
15 to 19 " ..	...	...	1	...	2	...	...	...	....	..	....	...	....	5	3	...	....	...	....	...	....	..
20 to 24 " ..	....	...	....	...	2	...	....	...	....	...	....	...	1	4	3	...	....	...	1	...	....	...
25 to 29 " ..	....	...	....	...	....	...	..	...	....	...	....	...	....	2	2	1	2	...	1	...	....	...
30 to 34 " ..	....	...	....	...	....	1	....	...	1	...	....	...	2	1	1	1	....	...	....	1	....	...
35 to 39 " ..	....	...	....	...	....	...	....	...	....	..	...	...	1	1	2	2	1	...	....	...	....	...
40 to 44 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	1	2	...	1	..	....	...	1	...
45 to 49 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	2	1	1	....	...	1	...	....	2
50 to 54 " ..	....	...	....	...	1	...	....	...	..	...	....	...	3	2	1	...	...	...	....	...	...	...
55 to 59 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	2	2	....	...	....	...	...	...
60 to 64 " ..	....	...	....	...	....	...	...	...	...	...	...	...	....	2	2	...	....	...	....	...	....	...
65 to 69 " ..	....	...	....	...	....	...	....	...	1	2	....	...	1	2	1	1	....	...	....	...	3	...
70 to 74 " ..	....	...	....	...	....	...	....	...	...	...	....	1	2	2	....	...	...	...	....	...	1	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	. .	...	....	1	1	...	....	...	....	...	....	...
80 to 84 " ..	....	...	. ..	...	....	...	....	...	...	...	2	...	....	...	....	...	....	...	....	...	....	...
85 to 89 " ..	.. .	...	....	...	....	...	....	...	...	...	....	1	....	...	....	...	....	...	..	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	...	...	....	...	....	...	....	...	....	...	....	...	....	. .
95 and over...	....	...	....	...	...	...	....	...	....	...	....	...	....	...	....	...	....	...	...	...	....	...
	20	9	2	3	21	13	6	12	11	16	2	2	37	51	27	15	4	...	3	1	6	2

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

Age Period.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital.)		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	1	1	8	11	3	2	1						9	9										
1 year			7	6									1	1									1	
2 to 4 years			5	4									1										4	3
5 to 9 "				1																			1	
10 to 14 "			1	1																				
15 to 19 "	2	1		1					1															
20 to 24 "	4	1					1	1																
25 to 29 "	4	3	1				3		2															1
30 to 34 "	2	2	1				2				1				1									
35 to 39 "	3	1	2												2	1								
40 to 44 "	4		1				2								1					2				
45 to 49 "	2		3		1		2	2							1	1			1					
50 to 54 "			1				5	3							2	1								
55 to 59 "	3	1		1			2	1			2	2				1		1	1		1			
60 to 64 "		2		1		1	1	1			1				2	1		1	1					
65 to 69 "			1	3			3	2			2	3			1			1	1					
70 to 74 "				3			4	3				1			1	2			1	1				
75 to 79 "							1	2				1												
80 to 84 "							2				1				2									
85 to 89 "				1			1	2																
90 to 94 "																								
95 and over																								
	25	12	31	33	4	3	30	17	3		7	7	11	10	13	7		3	5	3	1		6	4

Digitized by Google

AGE PERIODS AND WARDS. WARD VII.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	...	1	...	....	2	3	5	1	2	....	...	7	9	....	1	....	...	....	..	....	1
1 year.....	....	...	1	...	2	1	...	...	....	...	....	...	1	1	....	...	....	...	....	...	....	...
2 to 4 years.	....	...	....	3	1	1	...	...	....	...	....	...	1	...	....	2	....	...	....	...	....	1
5 to 9 " ..	....	...	....	...	....	1	....	...	....	...	....	...	....	...	1	...	....	...	....	...	....	...
10 to 14 " ..	....	...	....	...	...	...	....	...	....	...	....	...	....	...	....	1	....	...	...	...	....	...
15 to 19 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	1	...	....	...	....	...	....	...
20 to 24 " ..	....	...	....	...	....	..	....	...	....	...	....	...	3	2	....	...	....	...	...	...	...	...
25 to 29 " ..	....	...	....	...	...	...	...	...	...	...	....	...	2	1	....	1	....	...	...	...	....	...
30 to 34 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	1	...	....	...	....	...	....	...
35 to 39 " ..	....	...	...	...	...	1	....	...	...	...	....	...	4	2	....	1	2	...	....	...	....	...
40 to 44 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	1	3	1	2	...	....	...	....	...
45 to 49 " ..	....	...	....	...	....	...	....	...	....	...	....	...	3	1	3	...	..	...	....	...	....	...
50 to 54 " ..	....	...	....	...	1	...	...	...	....	...	....	...	2	3	1	...	....	...	....	1	....	...
55 to 59 " ..	....	...	....	...	....	..	....	...	....	...	...	...	1	...	....	...	....	...	....	...	....	...
60 to 64 " ..	....	...	....	...	....	...	..	...	....	1	....	...	1	3	....	...	....	...	....	...	....	...
65 to 69 " ..	....	...	....	...	....	...	...	...	....	1	....	...	1	2	....	...	....	...	....	...	....	...
70 to 74 " ..	....	...	...	...	....	...	....	...	....	...	....	...	3	2	....	1	1	...	....	...	....	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	2	...	....	1	....	...	....	...	....	...	...	...
80 to 84 " ..	....	...	....	...	....	...	....	...	....	...	...	1	1	...	...	...	....	...	....	...	....	...
85 to 89 " ..	....	...	. .	...	....	. .	....	...	...	...	....	...	....	...	....	...	....	...	....	...	....	...
90 to 94 " ..	....	. .	....	...	....	...	....	...	...	...	....	...	....	...	....	...	....	...	....	...	....	...
95 and over...	....	...	...	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
	1	...	2	3	4	6	3	5	1	4	2	1	32	29	10	8	5	...	....	1	....	2

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	...	16	11	2	3	...	2	...	...	1	...	11	5	...	1	...	...	...	...	...	...	...	...
1 year	...	1	10	6	...	...	1	...	1	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...
2 to 4 years	...	...	3	...	1	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	2	1
5 to 9 "	2	1	1	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	1	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	3	2	1	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...
25 to 29 "	1	1	1	...	...	...	...	1	1	1	...	...	...	...	1	3	...	...	...	...	...	...	...	...
30 to 34 "	2	2	1	...	...	1	...	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	4	1	...	...	...	...	2	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
40 to 44 "	3	2	2	2	...	...	3	2	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...
45 to 49 "	2	1	...	4	...	1	...	2	...	...	...	2	...	...	...	1	...	...	3	1	...	...	...	...
50 to 54 "	3	...	1	...	...	...	4	3	...	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...
55 to 59 "	1	...	2	4	...	2	1	3	...	...	1	...	...	...	2	2	...	...	...	...	...	...	...	...
60 to 64 "	1	2	...	1	...	...	3	1	...	...	2	...	...	...	...	2	...	1	...	1	...	...	...	...
65 to 69 "	...	1	3	3	...	...	2	1	...	...	...	2	...	...	1	...	...	...	...	...	...	1	...	...
70 to 74 "	3	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...	...	...	...
75 to 79 "	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...
85 to 89 "	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	26	14	46	33	3	7	19	19	4	2	9	4	14	6	8	13	...	2	4	4	...	1	2	1

Digitized by Google

AGE PERIODS AND WARDS. WARD VIII.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	1	....	...	8	1	7	3	3	...	....	...	12	5	....	...	....	...	....	...	....	1
1 year.....	1	...	....	4	1	1	....	...	....	1	....	...	2	6	....	...	....	...	....	...	....	...
2 to 4 years.	....	...	1	3	2	..	....	...	1	...	....	...	3	1	1	2	....	...	....	...	....	...
5 to 9 " ..	....	...	....	3	....	...	....	...	....	...	....	...	1	...	2	...	....	...	....	...	....	...
10 to 14 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	...	1	...	....	...	....	...	....	...
15 to 19 " .	....	...	....	...	....	1	....	...	....	...	....	...	1	2	....	...	....	...	....	...	....	...
20 to 24 " ..	....	...	....	...	1	2	....	...	....	...	....	...	....	2	1	...	....	...	....	...	....	...
25 to 29 " ..	....	...	....	...	1	...	....	...	....	...	....	...	3	5	2	...	1	...	....	...	....	...
30 to 34 " ..	...	...	....	...	....	...	....	...	....	...	....	...	1	2	1	...	....	1	....	...	....	1
35 to 39 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	2	1	1	1	...	....	...	..	...
40 to 44 " ..	....	...	...	...	....	...	....	...	....	...	....	...	2	1	....	...	....	...	....	...	1	...
45 to 49 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	4	3	...	....	...	....	...	....	...
50 to 54 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....		1	...	1	...	....	...	1	...
55 to 59 " ..	....	...	....	...	....	...	...	...	....	...	....	1	4	2	....	...	....	...	....	...	....	...
60 to 64 " ..	....	...	....	...	....	...	....	...	2	...	....	...	1	3	1	2	....	...	....	...	1	...
65 to 69 " ..	....	...	....	...	....	...	....	...	1	...	...	...	3	...	2	...	....	...	....	...	1	...
70 to 74 " ..	....	...	....	...	....	...	....	...	....	...	....	...	4	1	1	...	....	...	....	...	....	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	....	1	1	1	....	1	....	..	....	...	....	...
80 to 84 " ..	....	...	....	...	....	...	...	...	....	...	1	1	....	1	....	1	....	...	....	..	....	...
85 to 89 " ..	....	...	....	...	...	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
90 to 94 " ..	...	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
95 and over...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
	2	1	1	10	13	5	7	3	7	1	1	3	42	38	17	7	3	1	....	...	4	2

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

Age Period.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	...	8	5	...	1	1	4	...	...	...	1	13	7	...	...	...	...	...	...	...	...	...	...
1 year	...	...	6	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
2 to 4 years	...	...	4	3	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1
5 to 9 "	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
20 to 24 "	1	1	1	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
25 to 29 "	2	3	2	...	...	...	1	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	...	...
30 to 34 "	5	4	1	2	...	...	1	...	2	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...
35 to 39 "	8	1	2	1	...	...	1	...	...	...	1	...	...	...	2	2	...	1	...	...	...	...	...	...
40 to 44 "	3	3	...	1	...	...	2	1	...	...	1	2	...	...	...	3	...	...	...	1	...	1	...	...
45 to 49 "	3	2	1	1	...	...	2	1	...	...	2	...	...	...	...	1	...	1	2	...	...	...	...	...
50 to 54 "	3	...	4	...	...	...	2	2	...	...	...	1	...	...	4	1	...	...	1	2	...	1	...	...
55 to 59 "	...	2	1	2	...	...	2	1	...	...	...	3	...	...	2	1	...	...	2	1	...	...	...	...
60 to 64 "	1	...	1	1	...	...	2	3	...	...	1	4	...	...	1	...	...	...	2	...	...	...	...	...
65 to 69 "	1	1	1	3	...	...	...	...	...	...	...	1	...	...	3	1	...	...	1	...	...	...	...	...
70 to 74 "	...	...	1	1	1	...	1	3	...	...	2	1	...	...	1	2	...	...	...	...	...	...	...	...
75 to 79 "	1	...	...	1	...	...	1	...	...	...	...	3	...	...	1	...	...	...	...	2	...	...	...	...
80 to 84 "	...	...	2	...	...	...	1	2	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...
85 to 89 "	...	...	...	1	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	28	18	36	26	1	2	19	20	2	1	9	19	13	7	18	16	...	2	8	6	...	3	3	2

Digitized by Google

AGE PERIODS AND WARDS. WARD IX.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	2	1	...	...	3	1	20	5	3	4	...	...	15	7	1	...	...	...	...	...	2	...
1 year.....	...	...	...	...	1	2	...	...	1	...	...	...	1	...	2	...	...	...	...	...	...	...
2 to 4 years.	...	...	1	2	...	...	...	...	...	1	...	...	3	...	2	...	...	...	...	...	...	...
5 to 9 " ..	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 " ..	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...
15 to 19 " ..	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
20 to 24 " ..	...	...	...	...	...	...	...	...	...	...	...	...	2	3	1	1	...	...	...	...	...	...
25 to 29 " ..	...	...	...	...	...	...	...	...	...	...	...	...	2	2	2	...	...	1	...	...	...	...
30 to 34 " ..	...	...	...	...	1	...	...	...	...	...	...	...	1	3	1	1	...	1	...	...	...	...
35 to 39 " ..	...	...	...	...	1	...	...	...	...	...	...	...	3	3	...	1	...	...	...	...	...	...
40 to 44 " ..	...	...	...	...	...	...	...	...	...	...	...	...	5	8	2	...	1	...	...	...	...	...
45 to 49 " ..	...	...	...	...	...	...	...	...	...	...	...	...	4	1	1	...	2	...	1	...	1	...
50 to 54 " ..	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	...	1	...	...	...	1	2
55 to 59 " ..	...	...	...	...	...	...	...	...	1	...	...	...	4	2	...	1	1	...	...	...	...	...
60 to 64 " ..	...	...	...	...	...	...	...	...	1	1	...	...	5	1	...	2	...	...	...	...	...	...
65 to 69 " ..	...	...	...	...	...	...	...	...	...	1	1	...	4	2	...	1	...	...	...	...	...	...
70 to 74 " ..	...	...	...	...	...	...	...	...	...	1	...	2	...	1	...	...	...	...	...	1	...	...
75 to 79 " ..	...	...	...	...	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	...
80 to 84 " ..	...	...	...	...	...	...	...	...	...	...	1	...	2	2	...	...	...	...	...	...	...	...
85 to 89 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " ..	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		...
	2	1	1	2	9	4	20	5	6	8	2	2	58	36	18	7	5	2	1	1	4	2

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

Age Period.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.	...	...	4	2	...	...	...	...	...	...	...	...	7	3	...	...	...	...	...	...	...	...	...	...
1 year	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1
2 to 4 years	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
10 to 14 "	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
15 to 19 "	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	2	2	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
25 to 29 "	...	4	2	1	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	5	1	1	...	...	...	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...
35 to 39 "	4	1	1	1	...	...	1	...	1	...	1	...	...	1	...	1	...	1	...	...	...	1	...	...
40 to 44 "	1	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
45 to 49 "	2	...	1	1	...	...	1	...	...	...	1	...	...	...	2	1	...	1	...	1	...	1	...	1
50 to 54 "	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	3	...	2	...	...	...	...
55 to 59 "	...	2	1	2	...	...	1	1	...	...	...	1	...	...	2	1	...	1	1	1	...	...	...	...
60 to 64 "	...	...	1	1	...	...	3	2	...	...	1	4	...	...	1	...	...	...	...	1	...	...	...	...
65 to 69 "	...	...	...	3	...	...	2	3	...	...	1	2	...	...	4	...	...	...	...	1	...	...	...	...
70 to 74 "	...	...	...	1	...	1	2	2	...	...	1	...	...	...	1	...	...	1	...	...	1	...	...	...
75 to 79 "	1	...	...	...	...	1	1	4	...	...	1	2	...	...	...	1	...	...	...	...	...	2	...	...
80 to 84 "	...	...	1	...	...	1	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
85 to 89 "	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	16	11	13	19	1	3	16	18	2	1	6	9	8	4	10	7	...	9	1	6	1	4	6	5

Digitized by Google

AGE PERIODS AND WARDS. WARD X.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	....	...	...	...	....	1	6	6	....	2	....	...	8	6	....	...	....	...	....	...	1	...
1 year.....	....	...	....	...	1	...	....	...	1	...	....	...	1	1	....	...	....	...	....	...	....	...
2 to 4 years.	....	...	1	...	....	...	....	...	...	...	....	...	....	...	1	...	....	...	....	...	....	...
5 to 9 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
10 to 14 " ..	....	...	....	1	....	...	....	...	....	...	....	..	....	...	....	...	....	..	...	...	....	...
15 to 19 " ..	...	...	....	...	...	...	....	...	....	...	....	...	1	1	....	1	....	...	....	...	....	...
20 to 24 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	5	....	...	1	...	...	...	....	...
25 to 29 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	2	....	...	...	1	....	...	....	...
30 to 34 " ..	....	...	....	...	....	1	....	...	....	...	....	...	2	...	....	1	1	1	....	...	....	...
35 to 39 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	6	1	...	....	...	....	1	....	...
40 to 44 " ..	....	...	...	...	....	...	....	...	....	...	....	...	....	2	....	...	1	...	....	...	....	...
45 to 49 " ..	....	...	....	...	1	1	....	...	....	...	....	...	5	5	1	1	1	...	....	...	....	...
50 to 54 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	1	1	1	1	...	....	...	....	...
55 to 59 " ..	....	...	....	...	....	...	....	...	....	...	....	1	1	3	....	...	....	...	....	...	....	...
60 to 64 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	1	1	1	1	...	....	...	....	...
65 to 69 " ..	....	...	....	...	....	...	....	...	....	...	....	...	3	4	....	...	....	...	....	...	....	...
70 to 74 " ..	....	...	....	...	....	...	....	...	...	...	....	...	2	3	....	...	....	...	....	...	....	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	....	1	5	3	1	1	....	...	....	...	....	...
80 to 84 " ..	....	...	....	...	....	...	....	...	....	...	....	3	....	...	...	...	....	...	...	...	....	...
85 to 89 " ..	....	...	....	...	....	...	....	...	....	...	....	1	1	1	....	1	....	...	....	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
95 and over...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
	....	...	1	1	2	3	6	6	1	2	....	6	36	44	6	7	6	2	...	1	1	...

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

Age Period.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	...	3	3	1	...	...	...	...	...	...	...	5	2	...	...	...	...	...	...	...	...	1	...
1 year	...	...	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	1
2 to 4 years	...	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 "	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
10 to 14 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	2	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	3	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	1	1	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
35 to 39 "	...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
40 to 44 "	3	1	...	2	...	...	1	2	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	4	...	2	...	...	...	...	...	...
50 to 54 "	...	2	1	1	...	...	...	1	...	...	2	...	...	...	...	1	...	...	1	1	...	1	...	...
55 to 59 "	...	1	1	1	...	1	2	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...
60 to 64 "	...	...	1	1	...	...	2	2	...	...	...	1	...	...	...	2	...	...	1	...	...	...	...	...
65 to 69 "	...	...	1	4	...	...	3	2	...	...	6	3	...	...	...	1	...	...	...	...	1	...	...	...
70 to 74 "	...	...	...	4	...	1	3	1	...	...	2	1	...	...	...	4	...	...	...	...	1	...	...	...
75 to 79 "	...	...	1	3	...	...	1	2	...	...	1	2	...	...	1	1	...	...	...	1	...	...	...	...
80 to 84 "	...	1	1	2	1	1	1	2	...	...	1	...	...	...	1	...	...	...	...	...	...	1	...	...
85 to 89 "	...	...	...	...	...	1	1	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	6	11	11	27	2	4	17	21	1	2	13	9	7	2	2	17	...	2	4	2	2	2	2	1

Digitized by Google

AGE PERIODS AND WARDS. WARD XI.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	...	....	...	....	...	1	3	1	...	....	...	5	4	....	...	....	...	....	...	...	...
1 year.....	....	...	2	...	....	...	....	...	....	...	....	...	2	...	....	...	....	...	....	...	....	...
2 to 4 years.	....	...	2	1	1	...	....	...	....	...	....	...	2	1	1	...	....	...	....	...	...	...
5 to 9 " ..	...	...	....	...	1	2	....	...	....	...	....	...	1	1	2	...	....	...	....	...	....	...
10 to 14 " ..	...	...	....	1	....	...	....	...	....	...	....	...	1	...	....	...	....	...	....	...	....	...
15 to 19 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
20 to 24 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	1	...	....	...	....	...	....	1
25 to 29 " ..	....	...	....	1	1	...	....	...	....	...	....	...	....	1	1	1	1	1	....	...	....	...
30 to 34 " ..	....	...	....	...	....	1	....	...	....	...	....	...	....	1	....	...	....	1	....	...	....	...
35 to 39 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	3	1	1	....	1	....	1	....	...
40 to 44 " .	....	...	....	...	....	...	....	...	....	...	....	...	....	2	....	1	....	...	....	...	1	...
45 to 49 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
50 to 54 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	3	....	1	1	...	....	...	....	1
55 to 59 " ..	....	...	....	...	....	...	....	...	....	...	....	..	1	3	3	1	1	...	....	...	....	...
60 to 64 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	3	1	...	....	...	....	...	....	1
65 to 69 " ..	....	...	....	...	....	...	....	...	...	1	....	...	2	1	...	...	....	...	....	...	....	...
70 to 74 " ..	....	...	....	...	....	...	....	...	....	...	1	...	3	2	....	...	....	...	....	...	....	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	1	....	...	....	7	....	1	....	...	....	...	....	...
80 to 84 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	....	...	....	...	....	...	...	...
85 to 89 " ..	....	...	....	...	....	...	....	...	....	...	1	...	1	2	....	1	....	...	....	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	...	2	...	....	...	....	...	....	...	....	...	....	...
95 and over...	....	...	....	...	....	...	....	...	....	...	....	1	....	...	....	...	....	...	....	...	....	...
	1	...	4	3	3	3	1	3	1	2	4	1	24	35	10	7	3	3	....	1	1	3

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.	...	1	3	2	2	...	...	...	...	...	...	1	6	1	...	...	...	...	...	...	...	...	...	...
1 year	...	2	3	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...
2 to 4 years	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	1	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
20 to 24 "	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	4	3	1	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
30 to 34 "	2	...	1	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	4	2	2	...	...	...	2	1	1	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...
40 to 44 "	...	3	1	1	...	...	1	1	...	...	1	1	...	...	2	...	...	...	1	...	...	2	...	...
45 to 49 "	2	3	2	...	...	...	1	2	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...
50 to 54 "	1	1	...	...	...	...	...	...	...	...	1	1	...	...	2	1	...	...	2	...	...	...	...	..
55 to 59 "	2	2	3	...	...	1	...	2	...	...	...	...	...	...	1	2	...	...	1	1	1	3	...	...
60 to 64 "	2	...	1	2	...	1	6	4	...	...	1	1	...	...	2	2	...	...	1	2	1	2	...	...
65 to 69 "	...	...	...	3	...	2	2	1	...	...	1	...	...	...	...	1	...	...	2	...	...	...	...	...
70 to 74 "	1	...	...	1	...	...	2	1	...	1	1	2	...	...	1	2	...	...	1	...	...	1	...	...
75 to 79 "	...	...	...	3	...	...	...	4	...	...	...	2	...	...	1	2	...	...	...	1	...	...	...	...
80 to 84 "	...	...	...	1	...	1	...	1	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	1	1	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	20	18	17	19	3	7	15	19	5	1	5	11	6	1	13	13	...	2	10	4	3	8	3	1

Digitized by Google

AGE PERIODS AND WARDS. WARD XII.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	2	....	...	2	2	8	6	1	...	....	...	8	2	....	..	....	...	....	...	....	...
1 year.....	1	...	....	...	3	...	....	...	....	...	....	...	2	...	....	..	....	...	....	...	...	1
2 to 4 years.	....	...	1	1	1	2	..	...	...	...	....	...	....	1	....	...	....	...	....	...	...	..
5 to 9 " .	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
10 to 14 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
15 to 19 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	...	....	...	....	...	....	...	....	...
20 to 24 " ..	....	...	....	...	....	...	..	...	....	..	...	...	2	4	....	...	....	...	....	...	....	...
25 to 29 " ..	....	...	....	...	....	1	....	...	....	...	....	...	3	3	....	...	1	...	....	...	....	...
30 to 34 " ..	....	...	...	...	...	1	....	...	...	...	....	...	1	3	....	...	....	2	....	...	....	...
35 to 39 " ..	....	...	1	...	....	...	....	...	.. .	1	....	...	4	1	1	1	1	1	....	...	...	...
40 to 44 " ..	....	...	....	...	....	...	....	...	....	...	....	...	4	2	1	...	1	...	....	...	....	...
45 to 49 " ..	....	...	...	...	....	...	....	...	....	...	....	...	2	3	1	...	....	...	1	...	....	...
50 to 54 " ..	....	...	...	...	....	...	....	...	....	...	....	...	2	...	....	...	1	...	...	...	....	...
55 to 59 " ..	....	...	....	...	....	...	....	...	....	...	..	...	1	2	....	1	....	...	....	...	....	...
60 to 64 " ..	....	...	...	...	....	...	....	...	....	...	....	...	3	2	4	1	....	...	....	...	....	...
65 to 69 " ..	....	..	....	...	....	..	....	...	....	1	...	1	4	3	2	1	....	...	....	...	....	...
70 to 74 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	6	1	...	...	...	....	...	....	...
75 to 79 " ..	....	...	...	...	....	...	..	...	....	...	1	3	2	2	....	1	....	...	....	...	....	...
80 to 84 " ..	....	.	...	...	...	..	....	...	....	1	2	1	1	...	....	...	....	...	....	...	....	...
85 to 89 " ..	....	...	....	...	....	...	....	...	..	...	....	...	....	1	....	...	....	...	....	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	...	..	1	2	...	....	...	....	...	....	...	....	...
95 and over...	....	...	....	...	....	...	....	...	....	...	...	...	....	...	...	...	....	...	....	...	....	...
	2	2	2	1	6	6	8	6	1	3	3	6	45	35	10	5	4	3	1	...	....	1

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	...	16	8	8	4	1	...	...	...	...	...	17	16	1	1	...	...	...	...	...	...	1	...
1 to 2 years	...	1	7	5	...	...	1	...	...	...	...	...	4	1	...	...	...	...	...	...	...	...	1	...
2 to 4 "	...	...	2	5	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	5	4
5 to 9 "	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1
10 to 14 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	2	4	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
20 to 24 "	3	2	2	...	...	...	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
30 to 34 "	3	7	3	1	...	...	3	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...
35 to 39 "	7	4	1	4	...	...	1	...	...	...	...	1	...	...	...	2	...	...	2	...	...	...	...	...
40 to 44 "	1	1	2	2	...	...	4	2	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...
45 to 49 "	4	1	2	1	...	...	2	3	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...
50 to 54 "	5	...	2	1	...	...	2	...	...	...	1	1	...	...	...	2	...	...	1	2	...	...	...	...
55 to 59 "	...	...	1	1	...	...	3	1	...	...	...	1	...	...	...	1	...	...	1	1	...	...	...	...
60 to 64 "	2	...	...	2	...	...	3	5	...	...	1	2	...	...	...	1	...	2	...	...	...	...	...	...
65 to 69 "	...	...	1	...	...	...	2	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	2	1	...	...	3	2	...	...	...	1	...	...	...	1	...	...	1	1	...	...	...	...
75 to 79 "	...	...	...	...	...	1	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	1	...	...	...	1	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...
85 to 89 "	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...
90 to 94 "	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	28	22	42	33	8	9	28	18	1	2	4	8	22	17	6	10	...	3	8	4	...	1	9	5

Digitized by Google

AGE PERIODS AND WARDS. WARD XIII.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	6	1	....	...	4	3	7	8	9	13	..	...	16	15	....	...	....	...	....	...	2	1
1 to 2 years.	1	..	...	...	2	1	....	...	1	3	....	...	....	1	....	...	....	...	....	...	....	...
2 to 4 " ..	....	...	....	...	1	1	....	...	....	...	....	...	1	2	1	1	....	...	....	...	....	...
5 to 9 " ..	....	...	....	...	1	...	....	...	1	...	....	...	1	...	2	...	....	...	....	...	....	...
10 to 14 " ..	....	...	....	...	...	2	...	...	....	...	....	..	2	1	....	...	....	...	....	...	....	...
15 to 19 " ..	....	...	....	...	....	1	....	...	...	...	....	...	...	..	1	...	....	...	....	...	....	...
20 to 24 " ..	...	...	...	...	1	...	....	...	....	...	....	...	....	1	3	...	3	...	....	...	....	...
25 to 29 " ..	....	...	....	...	...	...	....	...	....	...	....	...	2	3	3	...	....	...	....	...	....	...
30 to 34 " ..	....	...	....	...	....	...	....	...	1	...	....	...	2	2	3	...	1	...	....	...	....	...
35 to 39 " ..	....	. .	....	...	....	...	....	...	....	...	....	...	3	1	2	...	1	...	....	...	....	...
40 to 44 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	4	1	1	....	...	1	...	....	...
45 to 49 " ..	....	...	...	...	....	...	...	...	....	...	....	...	4	...	3	...	...	...	1	...	....	...
50 to 54 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	3	2	...	....	...	1	...	....	...
55 to 59 " ..	....	...	....	...	....	...	....	..	....	...	....	...	1	2	2	...	1	...	....	...	....	...
60 to 64 " ..	....	...	....	...	....	...	....	...	....	...	1	...	1	3	1	...	....	...	....	...	...	...
65 to 69 " ..	....	...	...	...	....	...	....	...	....	...	1	...	2	3	1	...	....	...	....	...	....	...
70 to 74 " ..	....	...	....	...	....	...	....	...	....	...	....	3	....	1	....	1	....	...	....	...	....	1
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	...	2	....	1	....	...	....	...	....	...	....	...
80 to 84 " ..	....	...	....	...	....	...	....	...	....	...	....	1	....	...	....	...	....	...	....	...	....	...
85 to 89 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
90 to 94 " ..	....	...	.. .	...	...	...	....	...	....	...	1	...	1	...	....	...	....	...	....	...	....	...
95 and over...	....	...	....	...	...	...	..	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
	7	1	....	...	9	8	7	8	12	16	3	6	37	43	25	3	6	...	3	...	2	2

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	...	11	10	2	...	2	...	...	...	...	...	6	10	...	...	...	...	...	...	...	...	...	...
1 year	...	...	4	3	1	1	1	...	...	...	...	..	1	1	...	...	...	...	...	...	...	...	1	...
2 to 4 years	...	...	1	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
5 to 9 "	...	..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	4	...	...	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	2	...	..	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	2	...	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	.	...	...	..	...
30 to 34 "	8	3	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	5	1	2	1	...	...	...	...	1	...	1	...	...	...	...	...	...	1	1	...	...	...	1	...
40 to 44 "	6	4	2	...	...	...	...	...	...	...	1	...	...	...	1	3	...	...	1	...	...	...	...	...
45 to 49 "	2	...	...	1	...	...	...	2	...	...	1	1	...	...	...	...	...	...	...	5	...	...	...	...
50 to 54 "	1	2	2	...	...	...	2	2	...	...	2	3	...	...	1	1	...	...	...	1	...	...	...	...
55 to 59 "	...	...	2	...	...	...	3	2	...	...	1	2	. .	...	2	2	...	2	...	...	1	...	...	...
60 to 64 "	2	..	...	2	2	...	2	2	...	...	1	3	...	...	...	...	...	...	...	...	...	...	..	...
65 to 69 "	...	...	...	2	1	...	5	1	...	...	3	2	...	...	...	2	...	...	...	1	1	2	...	...
70 to 74 "	...	...	...	1	...	...	2	2	...	...	2	1	...	...	...	1	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	2	1	1	1	1	...	...	...	1	...	...	...	...	...	..	...	1	...	...	...	...
80 to 84 "	...	...	1	...	1	1	1	1	...	...	1	2	...	...	...	...	...	...	...	1	...	...	...	...
85 to 89 "	...	...	1	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	1	...	1	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	32	10	27	26	8	3	21	18	2	1	13	16	7	12	4	8	...	3	2	10	2	3	2	2

Digitized by Google

AGE PERIODS AND WARDS. WARD XIV.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	3	2	....	...	1	1	5	3	4	4	....	...	15	10	....	...	...	...	....	...	....	3
1 year.....	....	...	1	...	2	4	....	...	1	1	....	...	2	...	....	1	...	...	....	...	....	...
2 to 4 years.	....	...	3	4	1	1	....	...	....	...	....	...	3	...	1	...	....	...	....	...	1	...
5 to 9 " ..	....	...	1	...	....	...	....	...	....	...	....	...	2	...	....	...	....	...	....	...	....	...
10 to 14 " ..	....	...	....	...	1	...	....	...	....	...	....	...	....	...	2	...	....	...	....	...	....	...
15 to 19 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	2	....	...	....	...	....	...	....	...
20 to 24 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	...	2	...	1	...	....	...	....	...
25 to 29 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	1	2	...	....	...	....	...	....	...
30 to 34 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	....	...	....	...	....	...	....	...
35 to 39 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	3	2	...	....	...	....	...	....	...
40 to 44 " ..	....	...	....	...	1	...	....	...	....	...	....	...	4	4	....	...	....	...	....	...	....	...
45 to 49 " ..	....	...	....	...	....	...	....	...	....	...	....	...	3	6	2	...	....	1	....	...	....	...
50 to 54 " ..	....	...	....	...	....	...	....	...	....	...	....	...	3	4	1	...	....	...	....	...	....	...
55 to 59 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	1	....	1	....	...	....	...	....	...
60 to 64 " ..	....	...	....	...	....	...	....	...	....	...	....	1	2	2	....	...	....	...	....	...	....	...
65 to 69 " ..	....	...	....	...	....	...	....	...	....	...	....	1	3	2	....	...	....	...	....	...	....	...
70 to 74 " ..	....	...	....	...	....	...	....	...	1	1	....	...	1	...	1	1	....	..	....	...	....	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
80 to 84 " ..	....	...	....	...	....	..	....	...	1	...	....	...	....	3	....	...	....	...	....	...	....	...
85 to 89 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	....	...	....	...	....	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	..	....	...	....	...	....	...	....	...	....	...	....	...
95 and over...	....	...	....	...	....	...	....	...	....	...	....	...	..	..	....	...	....	...	....	...	....	...
	3	2	5	4	6	6	5	3	7	6	....	2	45	40	13	3	1	1	....	...	1	3

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	1	4	5	1	...	2	...	...	...	...	...	15	10	...	...	...	...	...	...	...	...	...	...
1 year	...	...	5	2	1	2	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	1
2 to 4 years	1	...	1	4	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	1	...
5 to 9 "	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...
10 to 14 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
15 to 19 "	3	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	3	5	...	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
25 to 29 "	3	4	2	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	2	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	4	3	...	1	...	...	1	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
40 to 44 "	5	3	1	...	...	...	3	...	...	...	1	1	...	...	...	1	...	...	1	...	...	...	...	...
45 to 49 "	2	2	5	...	...	...	1	1	1	...	...	...	...	...	...	...	...	3	...	1	...	1	...	...
50 to 54 "	...	1	1	...	1	...	2	...	...	...	1	2	...	...	...	2	...	...	...	1	...	...	...	...
55 to 59 "	1	...	...	...	...	1	3	1	...	...	...	3	...	...	...	...	...	...	...	3	...	...	...	...
60 to 64 "	1	...	1	...	...	...	2	2	...	...	2	2	...	...	...	1	...	...	...	...	...	...	...	...
65 to 69 "	...	2	...	1	...	...	...	4	...	...	3	4	...	...	1	4	...	...	...	1	...	1	...	...
70 to 74 "	...	...	1	2	...	1	1	3	...	...	...	1	...	...	...	2	...	...	1	...	...	...	...	...
75 to 79 "	...	...	...	2	...	...	...	1	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	2	...	...	3	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	25	25	23	21	3	4	20	16	2	1	8	15	17	12	2	12	...	3	2	7	...	2	3	1

Digitized by Google

AGE PERIODS AND WARDS. WARD XV.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	3	....	...	....	2	4	5	3	8	....	...	17	12	....	...	....	...	....	...	....	...
1 year.....	....	...	....	...	3	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
2 to 4 years.	..	...	....	1	1	1	....	...	...	...	....	...	2	1	....	...	....	...	....	...	....	...
5 to 9 " ..	....	...	1	2	1	...	....	...	....	...	...	...	1	...	....	...	...	...	....	...	...	..
10 to 14 " ..	..	...	..	...	....	...	....	...	...	...	....	..	....	...	....	1	....	...	....	...	....	...
15 to 19 " ..	....	...	....	...	....	1	...	...	....	...	..	...	1	...	....	...	....	...	....	...	1	...
20 to 24 " .	....	...	....	...	1	...	...	...	...	...	....	...	....	1	1	...	....	...	....	...	...	...
25 to 29 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	...	2	...	....	...	....	...	....	...
30 to 34 " ..	....	...	....	...	...	...	....	...	...	...	....	...	...	2	....	...	1	...	....	...	....	...
35 to 39 " ..	....	..	....	...	....	...	....	...	....	...	...	...	1	4	1	1	....	...	....	...	...	...
40 to 44 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	3	....	...	....	...	....	...	....	...
45 to 49 " ..	....	...	....	...	...	1	....	...	..	...	....	...	2	...	....	...	....	...	....	...	....	...
50 to 54 " ..	....	...	....	...	1	...	....	...	....	...	....	...	1	1	....	...	1	...	....	...	....	...
55 to 59 " ..	....	...	...	...	..	...	....	...	....	...	....	...	3	3	1	2	....	...	....	...	....	...
60 to 64 " ..	...	...	....	...	....	...	....	...	....	...	....	...	1	3	1	...	....	...	..	...	....	...
65 to 69 " ..	....	...	....	...	....	...	....	...	....	2	....	...	2	1	1	...	....	...	....	...	....	...
70 to 74 " ..	..	...	....	...	....	...	....	...	1	...	....	...	1	1	....	1	....	...	....	...	....	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	1	1	1	2	....	...	....	...	....	...	....	...
80 to 84 " .	....	...	...	...	....	...	....	...	....	...	....	...	1	1	....	...	....	...	...	...	....	...
85 to 89 " ..	....	...	...	...	....	...	....	...	....	...	....	...	...	1	....	...	....	...	...	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
95 and over...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
	1	3	1	3	7	5	4	5	4	10	1	1	37	36	7	5	2	...	....	...	1	...

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

Age Period.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	...	7	3	1	...	1	...	...	...	1	...	9	8	...	1	...	...	...	...	...	...	...	1
1 year	...	...	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
2 to 4 years	...	...	3	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...
5 to 9 "	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
10 to 14 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	1	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	1	1	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	3	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	4	1	2	1	...	...	1	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
35 to 39 "	3	1	1	1	...	...	1	1	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...
40 to 44 "	3	...	2	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...
45 to 49 "	1	...	3	...	...	1	2	3	1	...	...	1	...	...	2	1	...	1	...	...	...	...	...	...
50 to 54 "	1	...	2	1	...	...	1	...	...	...	1	1	...	...	2	...	...	...	...	1	...	...	...	...
55 to 59 "	2	2	3	1	...	...	1	2	...	...	3	1	...	...	2	...	...	...	...	2	1	...	...	...
60 to 64 "	2	...	...	2	...	...	2	2	...	...	2	...	...	...	2	1	...	...	...	1	...	1	...	...
65 to 69 "	1	...	1	...	...	1	2	1	...	...	2	...	...	...	2	1	...	...	1	1	...	...	...	...
70 to 74 "	...	...	1	...	...	...	3	7	...	...	...	...	...	...	4	...	...	...	1	1	...	...	...	...
75 to 79 "	...	...	...	...	1	1	...	1	...	...	...	1	...	...	...	...	...	1	1	1	...	...	...	...
80 to 84 "	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	1	...	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	23	6	29	17	3	4	17	23	2	1	9	5	9	9	14	9	...	2	4	8	1	2	2	2

Digitized by Google

AGE PERIODS AND WARDS. WARD XVI.

Age Period.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.		F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	....	4	....	...	1	...	5	7	3	3	....	...	6	6	1	1	....	...	....	...	1	...
1 year.....	1	1	....	...	....	1	...	...	....	..	....	...	1	1	....	...	....	...	....	...	....	...
2 to 4 years.	....	...	...	...	....	2	....	...	....	...	....	...	3	5	3	...	....	...	....	...	....	...
5 to 9 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	....	...	....	...	....	...	....	...
10 to 14 " ..	....	...	....	..	....	...	....	..	....	...	....	...	....	...	....	...	....	...	....	...	....	...
15 to 19 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	....	...	....	...	....	...	....	...
20 to 24 " ..	....	...	....	1	1	...	....	...	....	...	....	...	1	...	1	...	....	...	....	...	....	...
25 to 29 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	2	....	...	....	...	....	...	....	...
30 to 34 " ..	....	...	...	...	....	...	....	...	....	...	....	...	...	1	....	...	....	...	....	...	....	...
35 to 39 " ..	....	...	....	..	....	...	....	...	....	...	....	...	1	2	...	...	1	...	....	...	....	...
40 to 44 " ..	....	...	....	...	....	...	....	...	....	...	...	...	1	3	1	1	....	...	....	...	1	...
45 to 49 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	3	2	...	....	...	....	...	....	...
50 to 54 " ..	....	...	....	...	1	...	....	...	....	...	...	...	4	5	....	...	....	...	...	...	1	1
55 to 59 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	1	....	...	....	...	....	...	....	...
60 to 64 " ..	....	..	....	...	....	...	....	...	....	...	....	...	1	2	....	1	....	...	....	...	....	...
65 to 69 " ..	...	...	....	..	....	...	....	...	....	...	....	...	2	...	....	...	....	...	...	...	....	...
70 to 74 " ..	....	...	...	...	....	...	....	...	....	1	1	...	2	6	1	...	....	...	....	...	....	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	1	...	1	2	...	...	....	...	....	..	....	...
80 to 84 " ..	....	...	....	...	....	...	....	...	....	1	3	2	2	2	....	2	....	...	....	...	....	...
85 to 89 " ..	....	...	....	...	...	...	....	...	....	...	....	1	....	2	....	...	....	...	....	...	....	...
90 to 94 " ..	....	...	....	...	...	...	....	...	....	...	....	1	....	...	...	...	....	...	....	...	....	...
95 and over...	....	...	....	...	....	...	...	...	....	...	....	...	....	...	....	...	....	...	....	...	...	...
	1	5	....	1	3	3	5	7	3	5	5	4	27	45	9	5	1	...	....	...	3	1

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	...	8	8	1	3	1	2	...	...	...	2	13	12	...	...	...	...	...	...	...	...	...	..
1 year	1	1	4	8	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1
2 to 4 years	...	1	3	5	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	4
5 to 9 "	...	1	1	1	...	...	...	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	1
10 to 14 "	...	1	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
15 to 19 "	2	3	1	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
20 to 24 "	5	5	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
25 to 29 "	4	6	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
30 to 34 "	5	7	3	1	...	...	2	4	...	1	..	...	...	...	1	...	...	...	...	...	..	...	...	1
35 to 39 "	4	4	1	2	...	...	1	1	...	...	...	...	...	...	1	...	...	1	...	...	...	1	...	...
40 to 44 "	1	5	2	1	...	...	2	1	...	...	...	...	...	...	1	1	...	1	1	...	...	1	...	...
45 to 49 "	3	2	2	1	...	1	...	1	...	...	2	1	...	...	1	1	...	...	...	...	..	..	...	...
50 to 54 "	2	1	3	...	...	...	5	3	...	...	1	...	...	...	. .	...	...	...	...	1	...	1	...	...
55 to 59 "	4	1	1	1	...	...	4	...	...	...	1	2	...	...	...	1	...	...	1	1	...	1	...	...
60 to 64 "	2	...	3	2	1	...	...	3	...	...	1	2	...	...	1	...	...	...	2	2	...	...	...	1
65 to 69 "	1	1	3	...	1	1	7	1	...	...	1	3	...	...	...	2	...	...	1	...	1	..	...	...
70 to 74 "	...	...	...	...	...	3	3	...	...	...	2	2	...	...	1	2	...	...	...	1	...	...	...	...
75 to 79 "	...	...	1	2	...	...	1	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	1	...	...	1	...	...	...	...	2	...	...	...	1	...	...	...	...	...	1	...	...
85 to 89 "	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	1	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	34	39	37	37	3	9	27	22	1	1	8	18	13	13	9	10	...	2	5	6	1	5	3	8

Digitized by Google

AGE PERIODS AND WARDS. WARD XVII.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	.	F.	M.	F.	M.	F.
Under 1 year..	3	1	....	...	2	...	10	5	11	5	....	...	14	14	....	1	....	...	....	...	1	...
1 year.....	1	...	....	...	3	1	....	...	1	1	....	...	2	1	1	...	....	...	....	...	1	1
2 to 4 years.	....	..	....	...	4	1	....	...	1	1	....	...	....	...	....	1	....	...	....	...	....	...
5 to 9 " ..	....	...	1	...	1	1	....	...	....	...	...	...	1	1	....	...	....	...	....	...	....	...
10 to 14 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	1	....	...	....	...	....	...	....	...
15 to 19 " ..	....	...	....	...	....	...	....	...	...	...	....	...	....	3	1	...	....	...	....	...	....	...
20 to 24 " ..	....	...	....	..	....	...	....	...	....	...	....	...	2	1	....	...	1	...	....	...	....	...
25 to 29 " ..	....	...	....	...	....	1	....	...	....	...	....	...	2	2	....	...	1	...	....	...	....	...
30 to 34 " ..	....	...	....	...	....	1	...	..	....	...	....	...	3	6	1	...	....	...	....	...	....	...
35 to 39 " ..	....	...	....	...	1	...	....	...	....	...	....	...	3	2	1	...	....	1	....	...	...	...
40 to 44 " ..	....	...	....	...	....	1	....	...	....	...	....	...	1	3	4	...	1	...	....	1	....	.
45 to 49 " ..	....	...	....	...	....	...	....	...	....	1	...	...	5	3	1	...	....	...	....	...	....	...
50 to 54 " ..	....	...	....	...	....	...	....	...	....	...	....	...	3	1	....	...	1	...	....	...	....	...
55 to 59 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	1	....	1	....	...	....	...	1	...
60 to 64 " ..	....	...	....	...	....	...	....	...	...	...	....	...	5	2	....	...	....	...	....	...	....	...
65 to 69 " ..	....	...	....	...	....	...	....	...	....	...	1	..	2	1	....	1	....	...	...	...	....	...
70 to 74 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	1	....	...	....	...	....	...	1	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	....	1	....	...	....	...	....	...	....	...	....	...
80 to 84 " ..	....	...	....	...	....	...	....	...	....	...	2	2	....	4	....	...	....	...	....	...	....	...
85 to 89 " ..	....	...	....	...	..	...	....	...	....	1	....	2	....	1	....	...	....	...	....	...	...	...
90 to 94 " ..	....	...	....	...	....	...	...	...	...	...	....	...	....	...	....	...	....	...	....	...	....	...
95 and over...	....	...	....	...	....	...	....	...	....	...	....	...	...	...	....	...	....	...	....	...	....	...
	4	1	1	...	11	6	10	5	13	9	3	5	48	48	9	4	4	1	....	1	4	1

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	1	2	7	10	3	3	1	2	...	...	...	...	11	5	...	...	...	...	...	...	...	...	...	...
1 year	1	1	7	8	1	2	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...
2 to 4 years	1	...	2	2	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1
5 to 9 "	3	...	1	3	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1
10 to 14 "	3	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	2	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	4	2	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	2	1	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
30 to 34 "	2	2	1	...	...	...	1	2	...	...	...	...	...	...	1	1	...	...	...	...	...	...	2	...
35 to 39 "	4	4	2	...	...	...	2	2	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...
40 to 44 "	1	4	...	3	...	...	2	1	2	...	1	...	...	...	...	2	...	1	1	2	...	...	...	...
45 to 49 "	7	3	...	1	...	...	1	4	...	...	...	...	...	...	...	...	...	2	1	2	...	...	...	...
50 to 54 "	2	2	1	...	...	...	5	1	...	...	2	...	...	...	1	4	...	...	...	...	...	...	...	...
55 to 59 "	3	...	...	...	...	...	4	...	...	...	2	...	...	...	1	1	...	...	...	1	...	...	...	...
60 to 64 "	1	1	2	...	...	2	1	4	...	...	2	2	...	...	...	1	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	4	1	...	2	1	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...
70 to 74 "	1	...	...	2	...	...	4	1	...	...	1	4	...	...	...	1	...	...	1	...	...	...	...	...
75 to 79 "	...	...	...	...	1	...	2	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	1	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	36	24	24	37	6	9	30	22	3	...	10	10	13	8	6	10	...	3	4	5	...	...	4	2

Digitized by Google

AGE PERIODS AND WARDS. WARD XVIII.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	6	3	..	...	2	2	10	7	4	6	...	...	23	13	...	2	...	...	...	..	...	2
1 year.....	1	...	...	...	2	1	...	...	...	1	...	...	2	1	...	...	...	...	...	...	...	...
2 to 4 years.	...	...	2	...	2	3	...	...	...	...	...	...	1	2	1	...	...	...	...	...	...	...
5 to 9 " ..	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
10 to 14 " ..	...	...	...	...	1	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...
15 to 19 " ..	...	...	...	...	...	..	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
20 to 24 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...
25 to 29 " ..	...	...	...	...	...	...	...	...	...	...	...	...	1	3	...	..	1	...	...	...	...	...
30 to 34 " ..	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	1	...	...	...	...	...	...
35 to 39 " ..	...	...	...	...	...	...	...	...	...	...	...	...	4	2	2	...	...	...	...	...	...	...
40 to 44 " ..	...	...	...	...	2	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
45 to 49 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
50 to 54 " ..	...	...	...	...	...	...	...	...	...	...	...	...	1	3	2	...	...	...	...	...	1	...
55 to 59 " ..	...	...	...	...	...	...	...	...	...	...	...	...	4	2	1	...	...	...	...	...	...	...
60 to 64 " ..	...	...	...	...	...	...	..	...	...	1	...	1	2	2	...	1	...	...	...	...	...	...
65 to 69 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...
70 to 74 " ..	...	...	...	...	...	...	...	...	1	1	2	...	1	2	...	...	...	...	...	...	...	...
75 to 79 " ..	...	...	...	...	...	...	...	...	...	...	2	...	1	1	1	...	1	...	...	...	...	...
80 to 84 " ..	...	...	...	...	...	...	...	...	...	...	2	...	...	1	1	...	...	...	...	...	1	...
85 to 89 " ..	...	...	. .	...	...	. .	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...
90 to 94 " ..	...	. .	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	7	3	2	...	10	6	10	7	5	9	7	3	48	36	13	6	2	...	...	...	2	2

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	...	6	9	...	1	2	1	...	...	...	...	7	11	...	1	...	...	...	...	...	...	1	...
1 year	...	...	3	3	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years	...	...	...	1	1	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	5	1
5 to 9 "	...	...	...	1	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	3	2
10 to 14 "	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
15 to 19 "	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	1	5	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	1	6	1	...	...	...	3	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
30 to 34 "	3	8	4	1	...	...	2	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...
35 to 39 "	7	1	6	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
40 to 44 "	5	1	3	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	2	1	...	...	...
45 to 49 "	...	2	4	...	...	1	1	3	...	...	1	4	...	...	1	1	...	1	...	1	...	...	...	...
50 to 54 "	4	1	2	...	1	...	4	5	...	...	...	2	...	...	...	2	...	...	1	1	...	1	...	...
55 to 59 "	...	2	1	3	...	...	2	5	1	...	...	4	2	...	1	1	...	...	...	2	...	2	...	...
60 to 64 "	...	1	2	1	1	2	5	2	...	...	3	2	...	...	2	2	...	1	1	...	...	...	...	...
65 to 69 "	...	2	5	3	1	2	1	...	...	...	...	2	...	...	...	2	...	...	1	2	...	...	...	...
70 to 74 "	...	...	1	...	...	...	1	1	...	...	...	3	...	...	...	1	...	...	1	...	...	1	...	...
75 to 79 "	...	...	1	3	...	...	2	1	...	...	1	2	...	...	...	...	...	...	1	1	...	...	...	...
80 to 84 "	...	1	...	1	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	1	1	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	22	31	40	28	5	6	28	23	3	3	5	21	9	11	8	11	...	2	5	9	1	4	9	4

Digitized by Google

AGE PERIODS AND WARDS. WARD XIX.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	....	3	....	...	7	5	12	4	3	8	....	...	13	7	....	...	....	...	....	...	1	1
1 year.....	....	...	....	1	1	2	....	...	1	...	....	...	5	1	....	1	....	...	....	...	....	...
2 to 4 years.	....	...	....	1	1	4	....	...	....	...	....	...	3	5	....	...	....	...	....	...	...	...
5 to 9 " ..	....	...	2	...	1	...	....	...	....	...	....	...	4	...	....	...	....	...	....	...	....	...
10 to 14 " ..	...	...	....	...	....	...	....	...	....	...	....	...	....	1	....	2	...	...	....	...	....	...
15 to 19 " ..	....	...	....	...	1	...	....	...	....	...	....	...	....	...	1	...	....	...	....	...	....	...
20 to 24 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	...	....	...	....	1	....	...	....	...
25 to 29 " ..	....	...	....	...	....	1	....	...	....	...	....	...	1	3	....	1	....	...	....	...	....	...
30 to 34 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	2	....	...	....	...	....	...	1	...
35 to 39 " ..	....	...	...	...	1	...	...	...	....	...	....	...	....	...	2	...	....	...	....	...	....	...
40 to 44 " .	....	...	....	...	....	...	....	...	...	...	....	...	4	5	2	1	....	...	....	...	....	...
45 to 49 " ..	....	...	....	...	....	...	...	...	....	...	....	...	2	1	1	...	...	1	....	...	....	...
50 to 54 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	4	....	2	....	...	....	...	....	...
55 to 59 " ..	....	...	....	...	....	...	....	...	....	1	....	...	....	2	....	...	....	...	....	...	....	...
60 to 64 " ..	....	...	....	...	....	...	....	...	....	...	....	...	4	6	1	...	....	1	....	...	....	...
65 to 69 " ..	....	...	....	...	....	...	....	...	...	1	....	1	2	3	...	...	....	...	....	...	....	1
70 to 74 " ..	....	...	....	...	....	...	....	...	....	3	....	1	2	3	....	...	....	...	....	...	....	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	....	3	....	1	....	1	....	...	...	...	....	...
80 to 84 " ..	....	...	....	...	....	...	....	...	....	2	1	1	1	3	....	...	....	...	....	...	...	...
85 to 89 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	....	...	....	...	....	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	..	....	...	....	...
95 and over...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
	....	3	2	2	12	12	12	4	4	15	1	6	46	48	7	8	....	3	....	...	2	2

Digitized by Google

TABLE XIII. — DEATHS: CAUSE BY

Age Period.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	1	...	6	5	...	1	2	2	...	...	...	...	18	9	...	...	...	...	...	...	...	...	1	...
1 year	...	...	2	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
2 to 4 years	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	1
5 to 9 "	1	1	...	4	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...
10 to 14 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
15 to 19 "	...	5	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	2	2	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
25 to 29 "	4	4	3	4	...	...	2	1	1	2	...	...	...	...	...	2	...	...	...	1	...	...	...	1
30 to 34 "	4	1	1	...	...	...	1	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...
35 to 39 "	3	1	1	1	...	...	...	2	...	...	...	1	...	...	...	2	...	...	...	1	...	...	...	...
40 to 44 "	...	5	1	...	...	...	2	4	...	...	1	...	...	...	3	1	...	3	...	1	...	...	...	...
45 to 49 "	...	2	1	...	...	...	2	4	...	...	1	...	...	...	1	1	...	1	...	1	...	...	...	...
50 to 54 "	2	3	2	4	...	1	2	1	...	...	...	3	...	...	1	4	...	1	2	1	...	1	...	...
55 to 59 "	1	...	...	4	...	1	4	2	...	...	3	4	...	...	7	1	...	...	1	1	1	...	...	...
60 to 64 "	...	...	1	2	...	1	3	5	...	...	7	3	1	...	3	1	...	1	2	1	...	...	...	...
65 to 69 "	...	...	1	2	...	...	5	2	...	...	7	...	1	...	1	2	...	2	2	1	...	1	...	...
70 to 74 "	...	...	2	5	...	1	2	4	...	...	1	1	...	...	...	2	...	...	1	3	...	2	...	...
75 to 79 "	...	...	1	...	...	1	7	4	...	...	2	5	...	...	2	...	...	...	1	...	...	2	...	...
80 to 84 "	...	...	1	...	...	2	3	2	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	1	...	4	...	...	1	3	...	...	...	1	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	1	...	...	2	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	18	25	24	36	1	9	39	39	1	4	25	24	20	9	20	19	...	8	9	11	1	6	7	2

Digitized by Google

AGE PERIODS AND WARDS. WARD XX.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	3	...	1	...	...	...	11	9	2	2	...	...	14	12	1	...	...	...	...	...	...	...
1 year.....	1	...	1	...	2	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...
2 to 4 years.	...	...	1	...	2	1	...	...	1	...	...	...	2	1	1	...	...	...	...	...	...	...
5 to 9 " ..	...	...	...	1	1	...	...	...	...	...	...	...	3	...	1	...	...	...	...	...	...	...
10 to 14 " ..	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
15 to 19 " ..	...	...	...	...	...	...	...	...	...	...	...	...	2	4	...	...	1	...	...	...	...	...
20 to 24 " ..	...	...	...	...	1	1	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...
25 to 29 " ..	...	...	1	...	...	1	...	...	...	...	...	...	2	8	...	...	...	...	...	...	...	...
30 to 34 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	1	...	...	...	...	...
35 to 39 " ..	...	...	...	...	...	...	...	...	...	...	...	...	6	7	...	...	2	...	...	...	1	...
40 to 44 " ..	...	...	...	...	...	1	...	...	...	...	...	...	4	3	1	...	...	...	...	...	...	...
45 to 49 " ..	...	...	...	...	...	...	...	...	...	...	...	...	5	2	1	1	1	...	...	...	...	...
50 to 54 " ..	...	...	...	...	...	...	...	...	...	...	...	...	2	2	1	...	...	...	...	...	...	...
55 to 59 " ..	...	...	...	...	...	...	...	...	...	...	...	...	2	6	4	1	1	...	...	...	...	...
60 to 64 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	4	1	...	1	...	...	...	...	...
65 to 69 " ..	...	...	...	...	...	...	...	...	...	...	...	2	2	6	...	...	...	...	...	...	...	...
70 to 74 " ..	...	...	...	...	...	...	...	...	...	...	1	...	6	3	...	...	...	...	...	...	...	...
75 to 79 " ..	...	...	...	...	...	...	...	...	...	2	...	...	5	3	...	...	...	...	...	...	...	...
80 to 84 " ..	...	...	...	...	...	...	...	...	...	1	3	2	3	2	...	2	...	...	...	...	...	...
85 to 89 " ..	...	...	...	...	...	...	...	...	...	1	3	1	2	3	...	...	...	...	...	...	...	...
90 to 94 " ..	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	4	...	4	1	6	5	11	9	3	8	8	6	61	69	12	5	8	...	...	...	2	...

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital.)		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	...	2	5	1	1	1	2	...	...	...	...	6	4	...	...	...	...	...	...	...	...	...	...
1 year	...	1	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years	...	...	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...
5 to 9 "	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...
10 to 14 " ...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	4	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	3	1	2	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
30 to 34 "	2	3	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
35 to 39 "	1	...	...	1	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...
40 to 44 "	1	...	1	...	...	...	1	1	...	...	...	2	...	...	...	1	...	...	...	...	...	1	1	...
45 to 49 "	2	...	1	2	...	...	2	1	...	...	1	2	...	...	1	1	...	...	3	...	2	...	...	...
50 to 54 "	2	1	...	2	...	...	4	4	1	...	...	3	...	...	...	2	...	...	...	...	...	1	...	...
55 to 59 "	...	...	...	2	...	...	5	3	...	...	6	2	...	...	3	1	...	...	...	3	...	1	...	...
60 to 64 "	1	1	4	4	...	...	6	1	...	...	...	2	1	1	...	...	...	1	...	1	...	...	...	...
65 to 69 "	2	...	1	2	1	...	8	6	...	...	3	2	...	...	1	1	...	1	1	2	...	2	...	...
70 to 74 "	...	1	1	1	...	1	5	1	...	...	4	4	...	...	...	1	...	...	3	...	...	1	...	1
75 to 79 "	...	...	4	2	1	...	...	1	...	...	3	3	...	...	1	1	...	...	...	1	...	...	...	...
80 to 84 "	...	...	2	...	...	...	3	3	...	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	1	...	...	...	6	...	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...
90 to 94 "	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	18	11	25	29	3	3	38	32	2	...	24	21	7	5	9	9	...	2	7	7	2	8	5	1

Digitized by Google

AGE PERIODS AND WARDS. WARD XXI.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	2	2	...	...	1	3	11	3	4	4	...	...	13	5	...	...	...	...	...	...	1	1
1 year.....	...	...	...	...	3	...	...	...	1	...	...	...	3	1	...	...	...	...	...	...	...	...
2 to 4 years.	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
5 to 9 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...
10 to 14 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
15 to 19 " ..	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
20 to 24 " ..	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...
25 to 29 " ..	...	...	...	...	...	...	...	...	...	...	...	...	2	3	...	...	1	...	1	...	...	...
30 to 34 " ..	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	1	...	...	...	...
35 to 39 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	1	...	...	...	...	...	...
40 to 44 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...
45 to 49 " ..	...	...	...	...	...	...	...	...	...	...	...	...	2	5	2	...	...	...	...	...	...	...
50 to 54 " ..	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...
55 to 59 " ..	...	...	...	...	...	...	...	...	...	...	...	...	7	2	1	...	1	...	...	...	...	...
60 to 64 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	3	1	...	...	1	...	...	...	...
65 to 69 " ..	...	...	...	...	...	...	...	...	1	...	1	1	1	3	2	1	...	...	...	...	...	...
70 to 74 " ..	...	...	...	...	...	...	...	...	...	...	...	..	2	4	2	...	...	...	...	...	...	...
75 to 79 " ..	...	...	...	...	...	...	...	...	...	...	2	1	5	4	...	...	...	...	...	...	...	...
80 to 84 " ..	...	...	...	...	...	...	...	...	...	1	3	2	...	2	...	...	1	...	...	...	...	...
85 to 89 " ..	...	...	...	...	...	...	...	...	...	...	4	3	1	2	...	...	...	...	...	...	...	...
90 to 94 " ..	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
	2	2	...	...	4	3	11	3	6	5	10	9	41	44	10	3	3	3	1	...	2	1

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	...	7	4	1	1	3	4	...	...	...	...	9	8	...	...	...	...	...	...	...	...	1	...
1 year	...	3	4	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
2 to 4 years	1	...	3	4	...	...	...	...	1	1	...	1	1	...	1	...	...	...	...	...	...	...	3	2
5 to 9 "	...	...	...	1	...	...	3	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	2
10 to 14 "	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1
15 to 19 "	2	1	1	...	...	...	1	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	6	...	1	1	...	...	2	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1
25 to 29 "	2	3	1	1	...	...	...	1	...	3	...	...	...	...	1	...	...	...	...	...	...	...	...	1
30 to 34 "	3	1	...	...	...	...	1	2	1	2	...	...	...	...	1	2	...	...	...	...	...	...	...	...
35 to 39 "	5	2	...	...	...	...	1	1	1	2	...	...	...	...	...	...	...	1	...	1	...	...	...	...
40 to 44 "	3	1	2	2	...	...	1	2	1	1	1	...	...	...	1	1	...	...	...	2	...	...	...	...
45 to 49 "	2	2	2	...	...	2	2	1	2	...	1	1	...	...	1	...	...	...	...	...	...	1	...	...
50 to 54 "	...	3	...	...	...	...	2	4	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...
55 to 59 "	2	3	2	1	...	...	4	2	...	1	2	...	...	...	...	...	...	1	1	2	...	1	...	...
60 to 64 "	...	1	...	2	...	...	3	6	...	...	2	...	...	...	1	1	...	...	2	2	3	1	...	...
65 to 69 "	...	...	3	2	...	1	3	3	...	1	1	...	...	...	...	1	...	...	1	4	1	...	...	...
70 to 74 "	1	...	...	...	...	...	...	2	...	...	5	1	...	...	2	1	...	...	2	1	...	...	...	...
75 to 79 "	...	...	2	3	1	...	1	1	...	...	2	...	...	...	1	...	...	...	2	1	...	...	...	...
80 to 84 "	...	...	...	2	...	1	1	3	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	27	20	28	26	3	6	28	35	10	14	14	4	10	8	9	7	...	3	9	14	4	4	7	7

Digitized by Google

AGE PERIODS AND WARDS. WARD XXII.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	1	....	...	4	2	10	5	2	4	....	...	15	12	....	...	....	...	....	...	....	...
1 year.....	....	...	....	...	2	2	...	...	....	.	....	...	....	1	....	1	....	...	....	...	....	...
2 to 4 years.	....	...	1	...	1	1	....	...	2	...	....	...	....	...	2	...	....	...	....	...	....	...
5 to 9 " ..	....	...	....	...	1	...	....	...	....	...	....	...	....	2	....	...	....	...	....	...	....	...
10 to 14 " ..	....	...	1	...	....	2	....	...	....	...	...	...	....	3	1	...	....	...	....	...	....	...
15 to 19 " .	....	...	....	...	1	...	....	...	....	...	....	...	1	1	....	...	....	...	...	...	....	...
20 to 24 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	2	....	...	....	...	....	...	1	...
25 to 29 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	1	...	...	...	....	...	....	...
30 to 34 " ..	....	...	....	...	1	...	....	...	1	...	....	...	....	2	....	...	1	...	2	...	....	...
35 to 39 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	...	....	...	....	...	....	...	....	...
40 to 44 " ..	....	...	....	...	....	...	....	...	....	...	....	...	3	4	1	...	....	...	....	...	....	...
45 to 49 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	4	1	...	....	...	....	...	....	...
50 to 54 " ..	....	...	....	...	....	1	....	...	....	...	....	...	6	...	....	...	1	...	....	...	....	...
55 to 59 " ..	....	...	....	...	....	...	...	...	....	...	....	...	3	4	3	...	...	...	....	...	....	...
60 to 64 " ..	....	...	....	...	....	...	....	...	....	...	....	...	3	4	....	1	....	...	....	...	....	...
65 to 69 " ..	....	...	....	...	....	1	...	...	....	...	....	...	3	2	1	...	....	...	....	...	....	...
70 to 74 " ..	....	...	....	...	....	...	....	...	....	...	....	1	2	1	....	...	....	...	....	...	....	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	....	1	4	3	....	1	....	..	....	...	....	...
80 to 84 " ..	....	...	....	...	....	...	...	...	....	...	....	1	....	1	....	...	....	...	....	. .	....	...
85 to 89 " ..	....	...	....	...	....	...	....	...	....	...	1	...	....	2	....	...	....	...	....	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	....	...	....	...	....	...	....	...
95 and over...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
	1	1	2	...	10	9	10	5	5	4	1	3	44	50	10	3	2	...	2	...	1	...

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year. ..	...	...	3	3	3	...	2	...	...	...	...	...	6	7	...	...	...	...	...	...	...	...	1	...
1 year.....	1	...	...	4	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1
2 to 4 years....	3	...	2	2	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
5 to 9 "	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
10 to 14 "	1	...	...	...	...	...	1	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	1	3	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	2	2	1	...	...	...	...	1	6	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
25 to 29 "	3	5	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	2	6	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	3	4	...	1	...	...	1	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
40 to 44 "	1	3	1	1	...	...	2	1	...	1	...	...	...	...	...	1	...	...	2	...	...	...	...	...
45 to 49 "	...	2	...	1	...	...	2	1	1	1	...	...	...	...	...	2	...	...	...	...	...	1	...	...
50 to 54 "	2	...	2	...	...	...	...	1	...	...	...	1	...	...	...	4	...	...	...	2	...	...	...	...
55 to 59 "	2	...	...	1	...	...	1	2	...	...	1	...	...	...	2	1	...	...	2	2	...	...	...	...
60 to 64 "	2	...	1	3	...	1	3	2	...	...	2	...	...	...	...	2	...	2	1	2	1	...	...	...
65 to 69 "	...	...	...	2	...	...	2	...	...	...	2	3	...	...	2	1	...	...	...	4	1	...	...	...
70 to 74 "	...	...	1	3	...	...	2	3	...	...	...	2	...	...	3	...	...	...	...	...	...	...	...	...
75 to 79 "	...	1	4	2	1	...	4	1	...	...	2	3	...	...	1	2	...	...	3	1	1	...	...	...
80 to 84 "	...	...	...	2	...	...	...	5	...	...	3	1	...	...	1	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	1	...	...	...	2	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	23	26	16	28	5	1	22	23	15	4	10	12	6	8	11	13	...	3	8	11	3	1	3	1

Digitized by Google

AGE PERIODS AND WARDS. WARD XXIII.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	2	1	....	...	3	...	7	5	3	1	...	...	9	9	1	...	....	...	....	...	....	...
1 year.....	....	...	....	...	....	...	....	...	1	1	...	...	....	...	....	1	....	...	....	...	...	...
2 to 4 years.	....	...	....	...	2	3	....	...	....	1	....	...	4	1	...	...	....	...	....	...	....	...
5 to 9 " ..	....	...	1	...	1	...	....	...	....	...	....	...	....	...	1	...	....	...	....	...	....	...
10 to 14 " ..	....	...	....	...	1	...	....	...	....	...	....	...	....	...	1	...	....	...	....	...	....	...
15 to 19 " ..	....	...	...	...	....	...	...	...	....	..	....	...	....	1	1	1	....	...	....	...	....	...
20 to 24 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	2	....	...	....	...	....	...	....	...
25 to 29 " ..	....	...	....	...	....	...	..	...	....	...	....	...	1	...	....	...	1	...	....	...	....	...
30 to 34 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	...	...	2	...	....	...	....	...
35 to 39 " ..	....	...	....	...	1	...	....	...	....	...	...	...	4	4	2	...	....	...	....	...	....	...
40 to 44 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	2	....	...	....	..	....	...	....	...
45 to 49 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	...	1	...	....	...	....	...	....	...
50 to 54 " ..	....	...	....	...	....	...	....	...	...	...	....	...	2	2	....	...	...	...	1	...	....	...
55 to 59 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	2	....	...	....	...	....	...	....	...
60 to 64 " ..	....	...	....	...	....	...	...	...	....	...	....	...	3	8	....	1	....	...	....	...	....	...
65 to 69 " ..	....	...	....	...	....	...	....	...	....	...	....	...	4	1	....	1	....	...	....	...	....	...
70 to 74 " ..	....	...	....	...	....	...	....	...	...	...	....	1	4	1	....	...	...	...	....	...	....	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	..	...	1	1	....	1	....	...	....	...	....	...
80 to 84 " ..	....	...	....	...	....	...	....	...	...	...	1	2	1	2	....	...	....	...	....	...	....	...
85 to 89 " ..	.. .	...	....	...	....	...	....	...	....	...	1	2	....	2	....	...	1	...	...	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	...	....	1	....	...	....	1	....	...	....	...	....	...
95 and over...	....	...	....	...	....	...	....	...	....	...	....	...	....	1	....	...	....	...	....	...	....	...
	2	1	1	...	8	3	7	5	4	3	2	6	37	40	7	6	4	...	1	...	....	...

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.
Under 1 year	...	...	5	3	2	1	7	2	...	...	1	...	10	8	...	...	...	...	...	...	...	...	2	...
1 year	...	1	...	4	1	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
2 to 4 years	...	...	6	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
10 to 14 "	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
15 to 19 "	2	2	...	...	...	...	1	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...
20 to 24 "	4	2	2	1	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1
25 to 29 "	4	4	1	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
30 to 34 "	3	1	...	...	...	...	...	2	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...
35 to 39 "	2	2	...	...	...	...	...	1	1	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...
40 to 44 "	2	1	1	...	...	...	...	3	...	...	1	1	...	...	1	1	...	...	...	...	...	1	...	...
45 to 49 "	1	...	1	1	...	...	2	2	...	...	...	1	...	...	1	...	...	...	1	...	...	...	...	...
50 to 54 "	1	...	...	2	...	1	3	4	...	...	1	2	...	...	...	...	...	1	...	1	...	...	...	...
55 to 59 "	...	1	...	...	...	...	3	2	...	...	1	1	...	1	...	1	...	...	2	2	...	1	...	...
60 to 64 "	...	...	1	1	...	...	1	4	...	...	1	1	...	...	2	2	...	...	...	3	...	...	...	...
65 to 69 "	...	...	2	1	...	...	5	5	...	...	2	...	...	...	...	3	...	...	2	...	...	1	...	...
70 to 74 "	...	...	2	...	1	2	2	1	...	...	3	6	...	...	...	4	...	...	3	...	...	1	...	...
75 to 79 "	...	...	1	2	...	...	1	1	...	...	4	2	...	...	2	1	...	1	...	...	...	1	...	...
80 to 84 "	...	...	...	1	...	1	1	2	...	...	1	2	...	...	...	...	...	...	...	1	...	1	...	...
85 to 89 "	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	19	15	23	17	4	5	27	36	3	...	15	16	11	10	7	19	...	2	8	8	...	6	5	4

Digitized by Google

AGE PERIODS AND WARDS. WARD XXIV.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	3	1	....	...	3	1	12	5	5	2	....	...	13	12	2	...	....	...	....	...	1	1
1 year.....	1	...	....	1	....	2	....	...	....	...	....	...	2	1	1	...	....	...	....	...	....	...
2 to 4 years.	....	...	2	...	2	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
5 to 9 " ..	....	...	....	1	1	...	....	...	....	...	....	...	1	1	1	...	....	...	....	1	....	...
10 to 14 " ..	....	...	1	...	....	...	....	...	....	...	....	...	....	1	....	...	1	..	....	1	....	...
15 to 19 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
20 to 24 " ..	....	...	....	...	2	...	....	...	....	...	....	...	....	1	....	2	1	...	....	...	....	...
25 to 29 " ..	....	...	....	...	....	...	....	...	....	1	....	...	1	3	1	1	...	...	....	...	....	...
30 to 34 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	3	3	1	1	...	1	...	....	...
35 to 39 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	5	....	...	....	1	....	...	....	...
40 to 44 " ..	....	...	...	...	....	...	....	...	....	...	....	...	....	2	....	1	....	...	....	...	....	...
45 to 49 " ..	....	...	....	...	....	...	....	...	....	...	....	...	4	2	2	1	....	...	....	...	....	...
50 to 54 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	2	....	...	....	...	....	...	....	...
55 to 59 " ..	....	...	....	...	....	...	....	...	....	...	....	...	3	5	....	...	....	...	....	...	....	...
60 to 64 " ..	....	...	....	...	....	...	....	...	....	...	....	...	3	6	2	...	....	...	....	...	....	...
65 to 69 " ..	....	...	....	...	....	...	....	...	....	...	....	1	6	2	....	...	....	...	....	...	....	...
70 to 74 " ..	....	...	....	...	....	...	....	...	....	...	....	...	8	1	....	...	....	...	....	...	....	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	...	....	1	5	6	....	...	....	...	....	...	....	...
80 to 84 " ..	....	...	....	...	....	...	....	...	....	...	1	1	....	1	...	1	....	...	....	...	....	...
85 to 89 " ..	....	...	....	...	....	...	....	...	....	...	2	1	....	2	....	...	....	...	....	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
95 and over...	....	...	....	...	....	...	....	...	....	...	...	...	....	...	....	...	....	...	....	...	....	...
	4	1	3	2	8	3	12	5	5	3	3	4	49	56	12	7	3	1	1	2	1	1

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	2	...	5	3	...	5	1	1	...	...	...	...	5	2	1	1	...	...	...	...	...	...	...	...
1 year	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
2 to 4 years	...	...	2	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...
5 to 9 "	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
10 to 14 "	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	2	1	2	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
20 to 24 "	2	1	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	2	4	...	...	...	...	...	2	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...
30 to 34 "	6	1	...	2	...	...	...	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...
35 to 39 "	2	1	...	...	1	...	2	1	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...
40 to 44 "	3	...	...	1	...	...	1	...	...	1	2	...	...	...	...	3	...	...	...	...	...	...	...	...
45 to 49 "	...	2	2	2	...	...	1	2	2	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
50 to 54 "	1	1	...	1	...	...	2	1	...	...	...	...	...	...	1	2	...	...	1	...	...	...	...	...
55 to 59 "	1	...	1	1	...	...	1	2	...	...	1	1	...	...	2	1	...	...	...	1	...	...	...	...
60 to 64 "	2	...	1	2	...	...	2	2	...	...	...	1	...	...	...	2	...	...	...	1	...	1	...	...
65 to 69 "	...	...	1	...	...	...	...	3	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...
70 to 74 "	1	...	...	...	...	1	2	3	...	...	...	3	...	...	...	...	...	...	2	1	1	...	...	...
75 to 79 "	...	1	...	2	...	...	2	5	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...
80 to 84 "	...	...	1	2	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	1	...	...	2	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	24	14	18	19	1	9	16	24	4	3	6	8	6	4	6	13	...	...	3	4	1	2	2	3

Digitized by Google

AGE PERIODS AND WARDS. WARD XXV.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	4	...	....	...	1	...	6	9	2	1	....	...	5	8	....	...	....	...	....	...	....	...
1 year.....	....	...	....	...	....	1	....	...	....	...	....	...	3	...	....	...	....	...	....	...	....	...
2 to 4 years.	....	...	2	1	2	1	....	...	....	...	....	...	1	2	4	1	....	...	....	...	....	...
5 to 9 " ..	....	...	1	...	1	...	....	...	...	...	...	...	1	1	1	...	....	...	....	...	....	...
10 to 14 " ..	....	...	....	...	....	1	....	...	....	...	....	...	1	...	1	...	....	...	....	...	....	...
15 to 19 " ..	....	...	....	...	....	...	....	...	....	...	...	...	....	1	1	...	...	...	....	...	....	...
20 to 24 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	...	....	...	....	...	....	...	...	...
25 to 29 " ..	...	...	....	...	....	...	....	...	....	...	....	...	....	1	1	...	....	...	....	...	....	...
30 to 34 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	1	....	...	....	...	....	...	....	...
35 to 39 " ..	....	...	....	...	....	...	....	...	...	...	....	...	1	...	....	...	....	...	....	...	....	...
40 to 44 " ..	....	...	....	...	....	1	....	...	....	...	...	...	....	3	2	...	....	...	...	...	....	...
45 to 49 " ..	....	...	....	...	....	...	....	...	...	...	....	...	4	...	1	...	....	...	....	...	....	...
50 to 54 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	....	1	....	...	....	...	....	...
55 to 59 " ..	....	...	....	...	....	...	...	...	....	...	....	...	2	1	....	...	....	...	....	...	....	...
60 to 64 " ..	....	...	....	...	....	...	....	...	...	...	....	...	4	1	....	...	....	...	....	...	....	...
65 to 69 " ..	....	...	....	...	....	...	....	...	....	...	....	...	5	...	1	1	....	...	....	...	....	...
70 to 74 " ..	....	...	....	...	1	...	...	...	....	...	....	1	....	...	....	...	....	...	....	...	....	...
75 to 79 " ..	....	...	....	...	....	...	....	...	....	1	....	...	2	1	....	...	....	...	....	...	....	...
80 to 84 " ..	....	...	....	...	....	...	....	...	....	1	....	...	1	2	....	...	....	...	....	...	....	...
85 to 89 " ..	....	...	....	...	....	...	....	...	....	..	....	...	....	3	....	...	....	...	....	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	..	...	....	...	....	...	....	...
95 and over...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	...	...	....	...	....	...
	4	...	3	1	5	4	6	9	2	3	....	1	33	26	12	3	....	...	....	...	....	...

Digitized by Google

TABLE XIII.— DEATHS: CAUSE BY

AGE PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1 year	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 "	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 "	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
55 to 59 "	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
65 to 69 "	...	1	...	...	...	...	2	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	1	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	2	4	7	4	...	...	2	5	...	...	...	5	...	...	...	...	...	...	...	1	...	...	...	...

Digitized by Google

AGE PERIODS AND WARDS. WARD UNKNOWN.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	....	...	....	...	....	...	4	...	1	...	....	...	1	...	....	...	....	...	....	...	....	...
1 year.....	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
2 to 4 years.	....	...	....	...	....	...	....	...	....	1	....	...	....	...	...	...	.. .	...	....	...	....	...
5 to 9 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	..	....	...	....	...	....	...
10 to 14 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
15 to 19 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
20 to 24 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	...	....	...	....	...	....	...	....	...
25 to 29 " ..	....	...	....	...	....	...	....	..	....	...	....	...	....	...	....	...	....	...	....	...	....	...
30 to 34 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
35 to 39 " ..	....	...	....	...	....	...	....	...	....	...	....	...	1	...	....	...	....	...	....	...	....	...
40 to 44 " ..	....	...	....	...	....	...	....	...	1	...	....	...	2	1	1	...	....	...	....	...	....	...
45 to 49 " ..	....	...	....	...	....	...	....	..	....	...	....	...	....	...	....	..	....	...	....	...	....	...
50 to 54 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	1	...	....	...	....	...	...	...
55 to 59 " ..	....	...	....	...	....	...	...	...	....	...	....	...	....	...	....	...	1	...	....	...	....	...
60 to 64 " ..	....	...	....	...	....	...	...	...	....	...	....	...	....	1	....	...	....	...	....	...	....	...
65 to 69 " ..	....	...	...	...	....	...	....	...	....	...	....	...	....	2	1	...	....	...	....	...	....	...
70 to 74 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	1	....	...	...	. .	....	...	....	...
75 to 79 " ..	....	...	...	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
80 to 84 " ..	....	...	....	...	....	...	....	...	....	1	...	...	....	...	....	...	....	...	....	...	....	...
85 to 89 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	...	1	...	1	2	. ..	...	....	...	....	...	...	...
95 and over....	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
	....	...	....	...	....	...	4	...	2	2	1	...	6	7	3	...	1	...	....	...	....	. .

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY AGE

Age Period.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	1	2	7	8	2	1	1	1	...	...	2	1	22	15	1	2	...	...	...	...	...	...	2	1
1 year	2	2	8	5	...	...	...	...	...	...	...	...	4	4	...	...	...	...	...	...	...	...	...	1
2 to 4 years	4	2	4	6	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	4
5 to 9 "	2	1	2	2	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
10 to 14 "	...	2	...	...	...	...	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	2	6	...	...	...	...	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	8	10	1	...	...	...	1	3	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...
25 to 29 "	4	5	4	1	1	...	3	1	...	...	...	...	...	...	1	3	...	...	...	...	...	...	...	...
30 to 34 "	10	6	3	2	...	...	5	1	1	1	...	1	...	...	2	5	...	2	...	...	...	...	...	...
35 to 39 "	8	4	8	2	...	...	4	2	3	1	1	...	...	...	2	2	...	1	1	2	...	...	...	...
40 to 44 "	6	2	3	3	...	...	2	1	...	...	...	...	...	...	2	1	...	...	2	2	...	...	...	...
45 to 49 "	2	...	1	2	...	...	4	3	...	...	1	3	...	...	2	6	...	1	5	4	...	...	...	...
50 to 54 "	4	...	5	4	...	...	4	2	...	...	3	2	...	...	3	...	...	5	7	4	2	1	1	...
55 to 59 "	2	...	3	2	...	...	15	2	...	...	1	3	...	...	5	5	...	1	6	5	...	...	...	...
60 to 64 "	...	...	5	5	...	...	6	3	...	...	1	2	...	...	2	2	...	3	3	8	...	2	...	...
65 to 69 "	1	2	1	1	...	...	10	4	...	...	4	1	...	...	7	2	...	1	4	3	1	1	...	...
70 to 74 "	...	1	6	...	...	...	6	3	...	...	2	3	...	...	3	2	...	...	3	3	...	...	...	...
75 to 79 "	1	1	4	3	...	...	4	2	...	...	4	1	...	...	1	1	...	...	2	...	...	...	...	...
80 to 84 "	...	...	1	4	...	1	2	...	...	...	1	1	...	...	...	1	...	...	1	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...
90 to 94 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	57	46	66	50	3	3	74	31	5	4	21	18	26	19	32	33	...	14	35	31	4	4	4	7

Digitized by Google

PERIODS AND WARDS. NONRESIDENTS.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	...	....	...	2	5	14	15	4	1	....	...	56	40	....	1	....	...	....	...	3	...
1 year.....	....	...	....	...	3	5	....	...	2	1	....	...	2	6	2	1	....	...	....	...	....	1
2 to 4 years.	....	...	1	...	4	3	....	...	....	...	....	...	3	4	1	1	....	...	....	..	....	...
5 to 9 " ..	....	...	1	1	2	1	....	...	....	...	....	...	4	8	2	1	....	...	....	...	....	...
10 to 14 " ..	....	...	....	...	....	...	....	...	....	...	....	...	4	3	2	...	....	...	....	...	....	...
15 to 19 " ..	....	...	....	1	2	...	....	...	....	...	....	...	6	7	7	1	1	...	....	...	....	...
20 to 24 " ..	....	...	1	...	2	...	....	...	....	...	....	...	5	14	9	3	2	2	....	...	....	...
25 to 29 " ..	....	...	....	...	1	2	....	...	....	...	....	...	6	11	12	3	2	...	....	...	....	...
30 to 34 " ..	....	...	....	...	1	...	....	..	....	...	....	...	6	13	15	1	2	...	....	..	....	...
35 to 39 " ..	....	...	....	...	1	...	....	...	....	...	....	...	12	10	10	2	2	...	1	...	....	...
40 to 44 " ..	....	...	....	...	....	...	....	...	....	...	....	...	14	14	11	4	3	..	....	...	1	...
45 to 49 " ..	....	...	....	...	....	...	....	...	....	...	....	...	16	7	13	7	4	...	....	...	....	...
50 to 54 " ..	....	...	....	...	....	...	....	...	....	1	....	...	12	9	8	5	1	1	....	...	....	...
55 to 59 " ..	....	...	....	..	....	...	....	...	....	...	....	...	14	9	9	5	1	...	....	...	....	...
60 to 64 " ..	....	...	....	...	1	...	....	...	....	...	....	...	11	10	6	3	4	...	....	...	....	...
65 to 69 " ..	....	...	....	...	....	...	....	...	....	...	....	...	6	5	4	1	....	...	....	...	....	...
70 to 74 " ..	....	...	....	...	1	...	....	...	....	...	1	...	7	5	3	3	1	...	...	...	2	...
75 to 79 " ..	....	...	...	...	....	...	....	...	....	...	..	...	7	2	5	...	..	...	....	...	1	...
80 to 84 " ..	....	...	....	...	....	...	....	...	...	...	1	2	1	...	1	1	....	...	....	...	....	...
85 to 89 " ..	....	...	....	...	....	...	....	...	....	...	....	...	2	2	....	1	....	...	....	...	....	...
90 to 94 " ..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
95 and over....	....	...	....	..	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...	....	...
	1	...	3	2	20	16	14	15	6	3	2	2	194	179	120	44	23	3	1	...	7	1

Digitized by Google

TABLE XIII.—DEATHS: CAUSE BY AGE

Age Period.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Typhoid and Typhus Fever.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs (Vital).		Cancer of Tissues and Non-Vital Organs.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	1	1	8	9	...	...	1	2	...	...	...	...	90	69	1	2	...	...	...	...	...	...	...	1
1 year	1	4	5	4	...	...	...	...	...	...	...	...	7	4	1	...	...	...	...	...	...	...	...	...
2 to 4 years	...	...	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
5 to 9 "	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
15 to 19 "	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
20 to 24 "	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	1	1	...	1	...	...	1	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1
30 to 34 "	2	1	2	1	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
35 to 39 "	...	1	...	2	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1
40 to 44 "	2	1	4	2	...	...	3	2	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 "	1	1	2	2	...	...	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
50 to 54 "	...	...	1	1	...	...	2	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
55 to 59 "	...	...	2	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
60 to 64 "	...	...	1	1	...	...	1	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
65 to 69 "	...	...	1	...	...	...	3	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	1	...	...	1	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	9	11	31	28	...	1	15	12	2	1	8	3	97	73	4	3	...	...	...	...	...	...	1	5

Digitized by Google

PERIODS AND WARDS. RESIDENCE UNKNOWN.

AGE PERIOD.	Cholera Infantum.		Scarlet Fever.		Meningitis.		Prematurity.		Enteritis.		Senile Debility.		All Others.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	2	...	1	...	2	...	9	4	1	2	...	...	13	9	...	...	...	...	...	1	3	...
1 year.....	...	...	...	...	1	...	...	...	...	1	...	...	2	1	...	...	...	...	...	...	...	...
2 to 4 years.	...	...	1	1	2	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
5 to 9 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..
10 to 14 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...
20 to 24 " ..	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	1	7	...	2	...	...	2	1	...
30 to 34 " ..	...	...	...	...	...	...	...	...	...	...	...	...	2	1	4	...	1	...	...	...	1	...
35 to 39 " ..	...	...	...	...	1	...	...	...	...	...	...	...	2	1	4	...	2	...	1	..	...	...
40 to 44 " ..	..	...	...	...	...	...	...	...	...	...	...	...	2	...	2	...	...	...	...	...	...	...
45 to 49 " ..	...	...	...	...	...	...	...	...	...	...	...	...	3	...	5	...	1	..	..	...	1	...
50 to 54 " ..	...	...	...	...	...	...	...	...	...	...	...	...	3	...	1	...	1	...	...	...	...	1
55 to 59 " ..	...	..	...	...	...	...	...	...	...	...	...	...	1	...	3	...	...	...	...	...	1	...
60 to 64 " ..	...	...	...	...	...	..	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
65 to 69 " ..	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	...
70 to 74 " ..	...	..	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...
75 to 79 " ..	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
80 to 84 " ..	...	..	..	...	...	...	...	..	...	...	...	...	...	...	1	...	...	...	...	...	...	...
85 to 89 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...
90 to 94 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
	2	...	2	1	7	...	9	4	1	3	...	1	32	20	30	...	7	...	1	3	8	1

Digitized by Google

OCCUPATIONS OF MALE DECEDENTS, 1908.

Government, National.

Military service	4
Department officials	8
Department clerks	6
Letter carriers	6
Miscellaneous	2

State.

Miscellaneous	2

City.

Department heads	2
Department official	1
Fire Department	6
Police Department	29
Unskilled mechanics and laborers	5
Inspector of labor	1
Miscellaneous	1

Professional.

Clergymen	14
Religious, miscellaneous	1
Judge	1
Lawyer	14
Naturalist	1
Physicians and surgeons	22
Dentists	4
Veterinarians	2
Nurses	2
Journalists	5
Editors	2
Reporters	3
Author	1
Architects	3
Artists (painting, drawing)	2
Sculptor	1
Musicians and teachers of music, instrumental	15
Musicians, vocal	4
Actors	2
Instructors, school and college	3
Teachers, schools	4
Students, over 18 years	24
Students, under 18 years	118
Civil engineers, surveyors and draughtsmen	8

Domestic Service.

Hotel keepers	5
Boarding and lodging house keeper	1

Digitized by Google

Restaurant keepers	6
Cooks	17
House servants	2
Butlers	2
Stewards	2
Waiters	37

Trade, Commerce and Finance.

Merchants and dealers	233
Peddlers and hawkers	27
Bankers, brokers, business agents	46
Clerks	267
Salesmen	89
Shippers and packers	29
Foremen	27
Managers	16
Bookkeepers and accountants	30
Cashier	1
Bank clerks, tellers, etc.	2
Canvassers	4
Messengers, porters, etc.	27
Miscellaneous	3
Builders	12
Contractors (not specified)	10

Transportation.

Teamsters, truckmen, etc.	170
Cab and coach drivers	38
Conductors, railroad (steam and electric)	8
Brakemen	14
Motormen	18
Switchmen	4
Gatekeepers	7
Signalmen	2
Starters	3
Inspectors	6
Yardmen	4
Stevedores	2
Longshoremen	13
Wharfinger	1
Miscellaneous	10

Marine Occupations.

Sailors	22
Fishermen	9
Pilots	2
Engineer	1
Firemen	2
Deckhands	2
Miscellaneous	7

Digitized by Google

Manual Labor.

Barbers and hairdressers	31
Bakers and confectioners	29
Blacksmiths	33
Boot and shoemakers and operatives	46
Butchers	11
Brewers and distillers	3
Boilermakers	2
Bridge builders	3
Boxmaker	1
Bartenders and wine clerks	10
Bootblack	1
Brushmakers	2
Bookbinders	6
Bottlers	3
Cabinetmakers	10
Carpenters and joiners	112
Cigar and tobacco workers	13
Coopers	11
Calker	1
Clock and watchmakers	3
Carriage trimmers	4
Chemists	13
Chauffeurs	3
Coppersmiths	3
Cutters, clothing	6
Engineers (not specified)	49
Electricians (working)	22
Engravers	5
Firemen (not specified)	28
Farmers and farm laborers	24
Florists	8
Furriers	3
Gardeners	16
Gold and silversmiths	5
Glassworker	1
Harnessmakers	13
Iron, steel and metal workers	40
Inspectors (?)	5
Inspectors (gas)	6
Iceman	1
Janitors	32
Jewelers	6
Laborers	568
Laundry workers	11
Leather workers (not boots and shoes)	7
Lathers	3
Mechanics (?)	6

Digitized by Google

Mechanics (theatrical)	3
Machinists	77
Marble and stoneworkers	19
Masons (brick and stone)	43
Mill and factory operatives	25
Molders (?)	6
Mosaic worker	1
None	2,442
Optician	2
Piano and organ builders	2
Printers, compositors and pressmen	39
Painters, glaziers, decorators and gilders	101
Paperhangers	7
Plasterers and whitewashers	11
Photographers	9
Plumbers	23
Picture framer	1
Paper rulers and cutters	2
Riggers	5
Roofers	12
Retired	241
Rubber workers	7
Ropemakers	4
Sailmakers	2
Soapmaker	1
Shipbuilders and ship carpenters	8
Steam and gas fitters	10
Stable keepers	3
Stablemen	31
Stereotyper	1
Tailors	52
Tinware makers	8
Telegraph and telephone operators	4
Tileworker	1
Undertakers	3
Unknown	114
Upholsterers	8
Woodworkers	9
Wheelwrights	3
Wireworkers	4
Watchmen	23
Elevatormen	5
Inventors	3
Furniture polishers	11
Caretakers	2
Gunsmiths	2
Lithographers	2
Chiropodists	2

And one each of eleven trades or occupations not easily classified.

Digitized by Google

OCCUPATIONS OF FEMALE DECEDENTS, 1908.

Professional	22
Domestic service	476
Mercantile and commercial	72
Dressmakers	36
Milliners	8
Mill and factory operatives	52
Seamstresses	17
Tailoresses	15
Candymakers	4
At school	86
At home	556
Housewifes and housekeepers	975
None	3,024
Waitresses	12
Retired	24
Bookbinders	8
Laundresses	11
Telephone and telegraph operators	9
Religious	16
Unknown	58
Students	13
Stenographers	9
Nurses	26
Matron (?)	4
Compositors and proof readers	4
Teachers of music	4
Lodging house keepers	2
Musicians	2
Artists	2
Laborers	2

And one each of governess, hotel proprietor, masseur, hairdresser, palmist, clairvoyant, manicurist, astrologer and librarian.

Digitized by Google

MARRIAGES IN BOSTON IN 1908.

There were 6,993 marriages recorded as having taken place in Boston in 1908, a decrease of 768 from the number of 1907, and 381 less than in 1906.

In 6,721 cases both contracting parties were white; in 249 cases both parties were colored. There were 23 cases of mixed marriages, 19 between a colored groom and white bride and 4 between white grooms and colored brides.

Months and Seasons.— The greatest number of marriages for a single month was in June, 894; the least number for a month was 421, in March.

The greatest number of marriages in any quarter-year period was 1,969, in the last quarter of the year; the least number was 1,495, in the first quarter of the year.

Marriages by Religious and Civil Officials.— There were 5,811 marriages solemnized by clergymen and 1,182 by justices of the peace and other civil officials.

Residents and Nonresidents.

There were 13,986 persons married in Boston in 1908; of these, 11,456 were residents of Boston, or one in every 54.86 of the population. The marriage rate based upon the total number of people married was 22.25; based upon the number of residents of Boston who were married, it was 18.22.

The number of nonresidents married in Boston was 2,530.

In 5,153 cases both parties were residents of Boston.

In 656 cases both parties were residents elsewhere in the United States.

In 270 cases the grooms were residents of Boston, and their brides resided elsewhere in the United States.

In 804 cases the grooms were residents elsewhere in the United States and the brides were residents of Boston.

In 41 cases the grooms were residents of Boston, and the brides were foreign residents.

In 32 cases the brides were residents of Boston and the grooms were foreign residents.

In 19 cases the grooms were residents elsewhere in the United States and their brides were residents of foreign countries.

In 3 cases the bride was a resident of the United States (out of Boston) and the grooms were residents of foreign countries.

In 12 cases both parties were residents of foreign countries.

Digitized by Google

Mixed (as to color) Marriages.

There were 19 cases of marriage between colored men and white women, and 4 cases of white grooms and colored brides; of these 23 cases of mixed marriages 13 were performed by clergymen and 10 by civil authority.

MARRIAGES: AGES OF GROOMS AND BRIDES. (TABLE XV.)

In 2,168 marriages, or 31 per cent, both contracting parties were of the same age, or in the same 5-year age period. The number of grooms of less than 25 years of age was 2,247, or 32.13 per cent. The number of grooms between 25 and 35 years of age was 3,320, or 47.47 per cent. The number of grooms less than 21 years of age was 221, or 3.1 per cent.

The number of brides who had not reached the age of 25 years was 3,837, or 54.86 per cent. The number of brides between the ages of 25 and 35 years was 2,382, or a little more than 34 per cent. The number of brides who had not reached the age of 18 years was 166, or 2.37 per cent.

MARRIAGES: NATIVITIES OF BOTH PARTIES. (TABLE XVI.)

There were 1,254 grooms who were born in Boston, or 17.9 per cent of the whole number of grooms; 649 of these were married to natives of Boston, and 319 were married to natives of the United States exclusive of those born in Boston, while 319, or 25.4 per cent, married natives of some foreign country.

The grooms born in the United States (exclusive of those born in Boston) were 2,097; of their brides 502 were natives of Boston, 1,048 were natives of the United States (exclusive of Boston), while the remainder, 547, or 26 per cent, married natives of various foreign countries. The relative nativities of all the grooms and brides married in Boston in 1908 are given in the table.

The native grooms who married native brides numbered 2,518, or 75.14 per cent; those who married brides of foreign birth were 833, or 24.86 per cent.

The native brides who married native grooms was 2,518, or 78.89 per cent; those who married foreign grooms were 682, or 21.11 per cent.

The figures in large type arranged diagonally across the table indicate the number of marriages between natives of the same foreign country.

NUMBER OF MARRIAGE. (TABLE XVII.)

There were 6,084 grooms and 6,171 brides who had not been previously married.

There were 667 widowers and 532 widows who married the second time; 40 widowers and 29 widows who married the third time; 1 widower and 3 widows who married the fourth time.

Digitized by Google

One hundred and eighty-six divorced grooms and 254 divorced brides married the second time; 7 divorced grooms and 3 divorced brides married the third time, and 1 divorced groom married the fourth time.

The relative number of marriage of all the grooms and brides who were married in Boston in 1908 is given in Table XVII.

Marriages of Divorced Persons.

There were 452 persons of both sexes who had been divorced that were married in 1908, or 3.2 per cent; there were 43 cases where both parties had been divorced; 154 cases where the groom only was divorced, and 217 cases in which the bride only had been divorced.

Digitized by Google

TABLE XIV.— MARRIAGES BY MONTHS AND QUARTERLY PERIODS: CIVIL AND RELIGIOUS.

	Marriages.		Both Parties White.			Both Parties Colored.			Colored Groom, White Bride.			White Groom, Colored Bride.			Total.	
	Per Month.	Per Quarter.	Clergyman.	Justice.	Total.	Clergyman.	Justice.	Total.	Clergyman.	Justice.	Total.	Clergyman.	Justice.	Total.	Clergyman.	Justice.
January	568	First Quarter, 1,495	450	103	553	11	4	15	.....	.....	.....	.....	.....	.....	461	107
February	506		403	88	491	13	2	15	.....	.....	.....	.....	.....	.....	416	90
March	421		311	80	391	26	1	27	2	1	3	.....	.....	.....	339	82
April	522	Second Quarter, 1,849	400	92	492	27	3	30	.....	.....	.....	.....	.....	.....	427	95
May	433		335	82	417	11	4	15	.....	*1	1	.....	.....	.....	346	87
June	894		767	102	869	19	4	23	1	†1	2	.....	.....	.....	787	107
July	499	Third Quarter, 1,680	392	92	484	11	2	13	*2	.....	2	.....	.....	.....	405	94
August	479		356	102	458	11	5	16	2	†3	5	.....	.....	.....	369	110
September	702		579	97	676	20	4	24	.....	†1	1	1	.....	1	600	102
October	773	Fourth Quarter, 1,969	627	117	743	23	3	26	.....	†2	2	1	.....	1	651	122
November	740		614	97	712	21	5	26	2	‡1	3	.....	.....	.....	637	103
December	456		355	80	435	16	3	19	.....	.....	.....	2	.....	2	373	83
Totals	6,993	6,993	5,589	1,132	6,721	209	40	249	9	10	19	4	.....	4	5,811	1,182

* One case, groom Japanese. † One case, Chinese. ‡ One case, Indian.

Digitized by Google

TABLE XV.— MARRIAGES: AGES OF GROOMS AND BRIDES (RELATIVE).

Ages of Grooms.	Total Grooms.	Ages of Brides.																	
		14 Years.	15 Years.	16 Years.	17 Years.	18 Years.	19 Years.	20 Years.	21 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.
17 years	8	.....	.....	.....	3	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18 "	26	.....	2	2	10	1	6	2	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
19 "	57	.....	1	5	9	14	13	5	8	1	1	.....	.....	.....	.....	.....	.....	.....	.....
20 "	130	1	.....	4	10	21	25	30	31	7	1	.....	.....	.....	.....	.....	.....	.....	.....
21 to 24 years	2,026	1	5	17	61	173	278	324	931	198	30	5	2	1	.....	.....	.....	.....	.....
25 to 29 "	2,230	.....	3	4	18	85	132	186	885	728	151	30	5	2	.....	1	.....	.....	.....
30 to 34 "	1,090	.....	.....	2	7	19	25	34	279	383	259	66	11	4	1	.....	.....	.....	.....
35 to 39 "	655	.....	.....	.....	1	3	5	9	96	216	159	112	39	12	2	1	.....	.....	.....
40 to 44 "	321	.....	.....	.....	.....	.....	2	4	21	67	76	81	48	17	4	.....	.....	1	.....
45 to 49 "	200	.....	.....	.....	.....	.....	1	.....	13	19	44	61	39	16	6	.....	1	.....	.....
50 to 54 "	128	.....	.....	.....	.....	.....	.....	.....	4	11	17	19	34	25	14	4	.....	.....	.....
55 to 59 "	64	.....	.....	.....	.....	.....	.....	.....	.....	3	5	13	11	16	6	7	2	1	.....
60 to 64 "	30	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	3	8	6	4	3	.....	.....
65 to 69 "	20	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	2	3	3	2	2	3	1
70 to 74 "	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	.....	1	.....
75 to 79 "	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
80 to 84 "	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Total brides	6,993	2	11	34	119	318	488	596	2,269	1,636	746	394	195	104	43	22	8	6	2

Digitized by Google

TABLE XVI.— MARRIAGES: NATIVITY OF GROOMS AND BRIDES (RELATIVE).

Birthplaces of Grooms.	Total.	Birthplaces of Brides.																						
		Boston.	United States, out of Boston.	Ireland.	British-American Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	China.	France.	Turkey.	Austria.	Portugal.	Holland.	Belgium.	Switzerland.	Greece.	Denmark.	Cuba and West Indies.	All Other Countries.	Unknown.
Boston	1,254	649	319	91	119	31	9	10	15	3	3	....	1	....	2	....	....	....	1	....	....	1	....	....
United States, out of Boston	2,097	502	1,048	112	295	66	16	1	17	3	15	....	2	....	6	2	....	....	3	....	1	6	2	....
Ireland	489	37	22	402	20	5	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	1
British-American Provinces	686	119	147	48	349	13	1	1	1	....	2	....	....	....	....	....	....	....	....	....	2	1	1	1
Great Britain	291	48	61	42	40	84	5	....	6	....	3	....	2	....	....	....	....	....	....	....	....	....	....	....
Germany	82	23	15	4	2	3	22	....	4	2	1	....	....	....	3	....	....	1	1	....	1	....	....	....
Italy	730	50	33	6	6	3	2	624	2	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
Russia	869	36	21	....	....	7	8	....	773	1	1	....	1	....	18	....	....	....	....	....	....	....	2	....
Norway	34	1	2	1	....	....	....	....	....	22	8	....	....	....	....	....	....	....	....	....	....	....	3	....
Sweden	139	5	10	4	7	....	....	....	3	3	105	....	1	....	....	....	....	....	....	....	1	....	....	....
China	4	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
France	16	3	4	....	1	....	1	....	1	....	....	....	4	....	....	....	....	1	1	....	....	....	....	....
Turkey	66	....	3	1	3	....	....	....	....	1	....	....	....	57	1	....	....	....	....	....	....	....	....	....
Austria	74	3	7	2	1	1	4	....	12	....	....	....	....	....	44	....	....	....	....	....	....	....	....	....
Portugal	21	3	2	....	1	....	....	....	....	....	....	....	....	....	....	15	....	....	....	....	....	....	....	....
Holland	9	1	....	....	2	....	1	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....
Belgium	8	....	4	....	....	1	....	....	....	....	....	....	1	....	....	....	....	2	....	....	....	....	....	....
Switzerland	6	1	1	2	....	....	1	....	....	....	1	....	....	....	....	....	....	2	....	....	....	....	....	....
Greece	14	....	....	2	....	....	....	1	....	....	2	....	1	....	....	....	....	....	....	7	1	....	....	....
Denmark	22	3	3	1	3	2	....	....	....	....	3	....	....	....	....	....	....	....	....	....	7	....	....	....
Cuba and West Indies	51	5	24	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	16	1	....
All Others	30	7	7	2	2	3	....	....	2	....	....	....	....	1	....	1	....	....	....	....	....	....	5	....
Unknown	1	....	....	....	....	*1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Total brides	6,993	1,497	1,733	720	858	221	70	637	836	36	145	....	13	58	77	19	1	6	6	7	13	24	14	2

* At sea.

Digitized by Google

TABLE XVII.— MARRIAGES: NUMBER OF MARRIAGE (RELATIVE).

Grooms.	Total Grooms.	Brides.					
		First.	Second Widowed.	Third Widowed.	Fourth Widowed.	Second Divorced.	Third Divorced.
First	6,081	5,598	317	10	.....	156	.....
Second widowed	664	421	178	14	1	48	2
Third widowed	37	19	13	2	.....	3	.....
Fourth widowed	1	1	.....	.....	.....	.....	.....
Second divorced	185	124	22	.....	.....	39	.....
Third divorced	6	5	1	.....	.....	.....	.....
Fourth divorced	1	.....	.....	.....	.....	1	.....
Miscellaneous	18	.....	.....	.....	.....	.....	.....
Totals	6,993	6,168	531	26	1	247	2

NUMBER OF MARRIAGE MISCELLANEOUS.

Grooms.	Brides.	Number
First	Second, void	1
First	Second, divorced and widowed	1
First	Third, widowed and divorced	1
Second, annulled	First	2
Second, annulled	Second, widowed	1
Second, annulled	Third, widowed	1
Second, annulled	Second, divorced	1
Second, widowed	Fourth, widowed and divorced	1
Second, widowed	Second, divorced and widowed	1
Second, widowed	Third, divorced and widowed	1
Third, widowed	Third, widowed and divorced	1
Third, widowed	Fourth, widowed and divorced	1
Third, widowed and divorced	Second, divorced	2
Second, divorced and widowed	First	2
Third, divorced and widowed	Second, divorced	1
	Total	18

Digitized by Google

MARRIAGES.— OCCUPATIONS OF GROOMS, 1908.

Government, National.

Military service	26
Naval service	12
Department officials	3
Department clerks	24
Letter carriers	21
Miscellaneous	7

State.

Department clerks	2
Miscellaneous	3

City.

Department officials	2
Department clerk	1
Fire Department	19
Police Department	39
Skilled mechanic	1
Unskilled mechanics and laborers	2
Inspector	1
Miscellaneous	2

Professional.

Clergymen	14
Religious, miscellaneous	5
Judge	1
Lawyers	45
Civil engineers	12
Physicians and surgeons	37
Dentists	26
Veterinarian	1
Nurses	7
Hospital attendants	2
Journalists	8
Editors	4
Reporters	9
Botanists	2
Correspondent	1
Architects	17
Artists (painting, drawing)	39
Sculptor	1
Musicians, not specified	41
Musicians, music teachers	4
Actors	21
Miscellaneous entertainment	40
Instructors, school and college	4
Teachers, schools	20
Students, over 18 years	16

Digitized by Google

Domestic Service.

Hotel keepers	12
Restaurant keepers	24
Restaurant helpers	15
Cooks	60
Stewards	14
House servant	1
Butlers	19
Waiters	127

Trade, Commerce and Finance.

Merchants and dealers	349
Peddlers and hawkers	36
Bankers, brokers and business agents	98
Clerks	474
Salesmen	340
Shippers and packers	75
Managers, buyers and superintendents	65
Bookkeepers and accountants	79
Cashiers and treasurers	22
Bank clerks, tellers, etc.	10
Promoter	1
Messengers and porters, etc.	83
Miscellaneous	16
Builders	7
Contractors (not specified)	15
Contractor, electric	1

Transportation.

Teamsters and truckmen, etc.	340
Cab and coach drivers	72
Conductors, railroad (steam and electric)	63
Engineers, railroad	2
Firemen, railroad	18
Brakemen	38
Motormen	49
Switchmen	2
Gatekeepers	3
Starters	4
Inspectors	5
Yardman	1
Freight handlers	15
Longshoremen	8
Railroad employees (miscellaneous)	22

Marine Occupations.

Sailors	62
Fishermen	32
Pilots	2
Engineers	10

Digitized by Google

Firemen	10
Deckhands	2
Miscellaneous	3

Personal Service.

Valet	3

Manual Labor.

Asbestos worker	1
Barbers and hairdressers	101
Bakers and confectioners	97
Blacksmiths	40
Boot and shoemakers and operatives	253
Butchers and meat cutters	30
Brewers and distillers	15
Boilermakers	10
Bridge builders	4
Boxmakers	8
Bartenders and wine clerks	25
Bootblacks	5
Brushmakers	4
Bookbinders	20
Boatmakers	4
Bottlers	11
Cabinetmakers	22
Carpenters and joiners	159
Cigar and tobacco workers	37
Coopers	2
Clothing cutters	10
Calker	1
Clock and watchmakers	7
Carriage trimmers	3
Carriage painters	7
Chemists	27
Chauffeurs	33
Coppersmiths	7
Coremakers	5
Cutters (?)	7
Dyers and dye workers	3
Divers	2
Designers	6
Drillers	2
Engineers (stationary)	15
Engineers, not specified	54
Electricians (working)	84
Electrotypers	2
Engravers	7
Firemen (stationary)	20
Firemen, not specified	34
Farmers and farm laborers	78
Florists	15

Digitized by Google

Fish curers and fish cutters	3
Furriers	3
Gardeners	21
Gold and silver smiths	5
Glassworkers	3
Harnessmakers	4
Iron, steel and metal workers	102
Inspectors (?)	7
Icemen	5
Janitors	50
Jewelers	23
Laborers	754
Laundry workers	14
Leather workers (not boots and shoes)	23
Lamplighters	3
Lathers	6
Mechanics (?)	15
Mechanics, theatrical	7
Machinists	217
Marble and stone workers	24
Masons (brick and stone)	39
Mill and factory operatives	110
Millwright	1
Molders (?)	11
Mattressmaker	1
Miners	2
Masseur	1
None	7
Opticians	6
Piano and organ builders	17
Printers, compositors and pressmen	84
Painters, glaziers, decorators and gilders	145
Patternmakers	11
Paperhangers	9
Plasterers and whitewashers	4
Photographers	10
Plumbers	53
Picture framer	1
Paper rulers and cutters	7
Potters	2
Riggers	7
Roofers	14
Retired	10
Rubber workers	20
Ropemakers	3
Shipbuilders and carpenters	3
Steam and gas fitters	42
Stable keepers	4
Stablemen	24
Stereotypers	3
Tailors	202

Digitized by Google

Tinwaremakers	26
Telegraph and telephone operators	24
Tileworkers	2
Undertakers	7
Upholsterers	13
Woodworkers	12
Wheelwright	1
Wireworkers	20
Engineers, building	4
Engineers, mining	3
Engineers, mechanical	10
Engineers, electrical	5
Operators (?)	25
Toolmakers	7
Lumbermen	4
Carriagesmiths	4
Locksmiths	4
Caretakers	4
Publishers	6
Surveyors	4
Athletic instructors	4
Foremen (?)	55
Watchmen	10

Three each of the following trades or occupations: Musical instrument maker, collier and lithographer; two each of meter makers, gypsy moth men, edge setters, egg lighters, sawyers, chiropodists, adjusters, meter readers, cleansers and gas house men; and one each of thirty-three trades or occupations not easily classified.

OCCUPATIONS OF BRIDES, 1908.

Mercantile	820
Professionals	63
Leather workers	5
Needle workers	623
Telegraph and telephone operators	42
Rubber workers	22
Boxmakers and bookbinders	55
Candyworkers and confectioners	100
Cigarmakers	34
Brush and broommakers	12
Mill and factory operators	469
Waitresses	289
Gold and silver workers	2
At home	1,761
Students	12
Domestics	1,107
Boarding and lodging house keepers	12
Printers and compositors	19

Digitized by Google

None	629
School teachers	67
Housekeepers	427
Nurses	119
Hairdressers	8
Actresses	16
Laborers	24
Assistant librarians	2
Laundress and laundry workers	109
Milliners	84
Lunch room proprietors	5
Manicurists	8
Journalists	2
Matrons	4
Janitresses	4
Governesses	4
Designers	2
Watchmakers	2
Engravers	3
Doctors' assistants	2
Photographers	2
Teachers of dancing	2

And one each of the following trades or occupations: Writer, electric worker, midwife, pattern setter, decorative painter, woodworker, caterer, masseuse, store detective, osteopath, arbor culturalist, Christian Scientist healer and helper.

Digitized by Google

TABLE XVIII.— MARRIAGES, 1908: NATIVITY OF GROOMS AND BRIDES AND NUMBER OF MARRIAGE.

GROOMS.	Boston.	United States, out of Boston.	Ireland.	British-American Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	China.	France.	Turkey.	Austria.	Portugal.	Holland.	Belgium.	Switzerland.	Greece.	Denmark.	Cuba and West Indies.	All Other Countries.	Unknown.
First	1,147	1,709	426	578	240	68	673	804	30	126	4	12	59	63	19	6	7	4	14	20	47	28	....
Second, widowed	85	248	57	80	41	9	52	56	4	10	....	2	5	8	1	1	....	2	....	2	3	1	....
Second, void	1	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Third widowed	2	24	3	3	3	1	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
Third, widowed and divorced	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Fourth, widowed	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Second, divorced	17	105	3	22	7	3	4	9	....	3	....	2	1	3	1	2	....	....	....	....	1	1	*1
Second, divorced and widowed	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Third, divorced	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Third, divorced and widowed	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Fourth, divorced	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Totals	1,254	2,097	489	686	291	82	730	869	34	139	4	16	66	74	21	9	8	6	14	22	51	30	1
BRIDES.																							
First	1,411	1,399	649	720	183	54	595	778	36	132	....	10	53	68	18	1	6	5	7	12	20	13	*2
Second, widowed	59	170	62	94	24	9	37	47	....	11	....	2	4	6	1	....	....	....	....	1	4	1	....
Second, void	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Third, widowed	2	16	1	3	2	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Third, widowed and divorced	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Fourth, widowed	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Fourth, widowed and divorced	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Second, divorced	23	141	7	41	12	5	3	11	....	2	....	1	1	3	....	....	....	1	....	....	....	....	....
Second, divorced and widowed	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Third, divorced	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Third, divorced and widowed	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Totals	1,497	1,733	720	858	221	70	637	836	36	145	....	13	58	77	19	1	6	6	7	13	24	14	2

* At sea.

Digitized by Google

TABLE XIX.— MARRIAGES: AGE PERIOD AND NATIVITY OF GROOMS.

Age Period.	Boston.	United States, out of Boston.	Ireland.	British-American Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	China.	France.	Turkey.	Austria.	Portugal.	Holland.	Belgium.	Switzerland.	Greece.	Denmark.	Cuba and West Indies.	All Other Countries.	Unknown.
17 years	6	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18 "	17	5	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
19 "	25	10	.....	3	1	.....	12	4	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
20 "	40	31	.....	3	8	1	27	16	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....
21 to 24 years	398	531	55	150	65	14	294	379	12	33	2	3	21	29	9	1	3	2	3	6	8	8	.....
25 to 29 "	367	582	186	219	103	29	248	324	10	46	1	6	28	27	6	1	2	.....	4	4	24	13	.....
30 to 34 "	204	359	113	119	37	15	76	77	5	34	.....	2	7	5	4	2	2	2	6	7	11	2	*1
35 to 39 "	103	231	72	95	25	8	39	38	3	16	.....	.....	7	6	.....	2	.....	.....	1	2	4	3	.....
40 to 44 "	40	132	20	52	24	6	20	12	1	2	1	3	2	3	.....	.....	.....	.....	.....	.....	1	2	.....
45 to 49 "	25	87	22	19	15	5	7	5	1	4	.....	2	.....	1	.....	2	.....	1	.....	2	2	.....	.....
50 to 54 "	20	61	10	13	7	1	3	8	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	1	.....	.....	.....
55 to 59 "	4	28	7	8	4	.....	1	5	1	3	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
60 to 64 "	4	19	2	1	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 "	1	14	2	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
70 to 74 "	.....	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 "	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 "	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Totals	1,254	2,097	489	686	291	82	730	869	34	139	4	16	66	74	21	9	8	6	14	22	51	30	1

* At sea.

Digitized by Google

TABLE XX.— MARRIAGES: AGE PERIOD AND NATIVITY OF BRIDES.

AGE PERIOD.	Boston.	United States, out of Boston.	Ireland.	British-American Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	China.	France.	Turkey.	Austria.	Portugal.	Holland.	Belgium.	Switzerland.	Greece.	Denmark.	Cuba and West Indies.	All Other Countries.	Unknown.
14 years	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15 "	5	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16 "	12	4	....	3	....	....	14	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17 "	44	18	....	4	1	1	44	2	....	1	....	....	1	1	1	....	....	....	....	....	....	....	....
18 "	67	84	1	21	2	3	78	40	....	3	....	1	11	3	3	....	....	....	....	....	....	2	....
19 "	121	109	10	28	8	5	89	97	4	4	....	....	4	5	1	....	....	....	1	1	....	....	*1
20 "	111	124	15	47	7	2	72	174	2	4	....	....	11	19	....	....	1	1	....	2	3	1	....
21 to 24 years	511	492	171	280	80	19	189	385	9	42	....	3	20	30	7	1	1	1	6	6	9	7	....
25 to 29 "	369	376	297	224	65	17	92	90	13	54	....	6	8	10	4	....	....	1	....	2	6	2	....
30 to 34 "	155	217	122	108	33	11	36	19	6	23	....	1	2	4	1	....	1	2	....	1	3	....	1
35 to 39 "	58	142	51	74	17	5	12	12	2	8	....	2	1	1	1	....	2	1	....	....	3	2	....
40 to 44 "	25	75	36	38	2	3	3	6	....	4	....	....	....	2	....	....	1	....	....	....	....	....	....
45 to 49 "	12	45	7	22	3	1	4	7	....	1	....	....	....	....	1	....	....	....	....	1	....	....	....
50 to 54 "	2	22	7	7	1	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
55 to 59 "	3	12	3	1	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
60 to 64 "	....	7	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
65 to 69 "	1	1	....	1	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
70 to 74 "	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Totals	1,497	1,733	720	858	221	70	637	836	36	145	....	13	58	77	19	1	6	6	7	13	24	14	2

* At sea.

Digitized by Google

TABLE XXI.— AGE AND NATIVITY OF ILLITERATE MALE APPLICANTS FOR MARRIAGE LICENSES.

	Totals.	18 Years.	19 Years.	20 Years.	21 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	80 to 84.
Boston	1							1							
United States outside of Boston	10						3	1	1		3		1		1
Ireland	18				1	6	7	2	1			1			
British-American Provinces	7				2	2	2	1							
Great Britain	1				1										
Italy	134	1	1	3	42	44	17	9	10	4	2	1			
Russia	137		1	4	58	40	14	8		4	4	1	2	1	
Turkey	15				9	4	1		1						
Austria	5					4			1						
Portugal	4					2					1			1	
Greece	1							1							
Cuba, West Indies	4					1	2			1					
All Other Countries	1				1										
Totals	338	1	2	7	114	103	46	23	14	9	10	3	3	2	1

Digitized by Google

OUT-OF-TOWN MARRIAGES RECORDED IN BOSTON IN 1908.

There were 1,400 marriages recorded in this office in 1908 that were not solemnized in this city; there were 53 less than in 1907. In 420 cases both parties were residents of Boston; in 759 cases the groom only was a resident of Boston; in 208 cases, the bride only was a resident of this city; in 8 cases the groom and in 3 cases the bride were residents of a foreign country.

TABLE XXII.— OUT-OF-TOWN MARRIAGES: BY MONTHS, COLOR, RELIGIOUS AND CIVIL.

Months.	Number per Month.	White.			Colored.			Colored Groom, White Bride.		
		Clergyman.	Justice.	Total.	Clergyman.	Justice.	Total.	Clergyman.	Justice.	Total.
January	94	86	6	92	2	.....	2	.....	.....	.....
February	90	83	5	88	1	.....	1	*1	.....	1
March	77	64	9	73	4	.....	4	.....	.....	.....
April	120	111	6	117	3	.....	3	.....	.....	.....
May	71	66	5	71	.....	.....	.....	.....	.....	.....
June	216	204	7	211	5	.....	5	.....	.....	.....
July	96	89	5	94	2	.....	2	.....	.....	.....
August	110	101	9	110	.....	.....	.....	.....	.....	.....
September	148	137	5	142	5	.....	5	1	.....	1
October	158	148	6	154	4	.....	4	.....	.....	.....
November	127	118	8	126	1	.....	1	.....	.....	.....
December	93	82	10	92	.....	1	1	.....	.....	.....
Totals	1,400	1,289	81	1,370	27	1	28	2	.....	2

* Groom Chinese.

Months and Seasons.— The greatest number of these marriages for any month was in June, 216; the least number for any month was in May, 71; the greatest number for any quarter-year period was 407, in the second quarter of the year; the least number was 261, in the first quarter of the year.

Color.— There were 1,370 marriages where both parties were white; 28 cases where both parties were colored; and 2 cases where the groom was colored and the bride white.

Digitized by Google

TABLE XXIII.— OUT-OF-TOWN MARRIAGES: BY MONTHS AND RESIDENCE (GENERAL).

MONTHS.	Total per Month.	Both Residents of Boston.	Groom Resident of Boston; Bride Resident of United States, outside of Boston.	Groom Resident Elsewhere in the United States; Bride Resident of Boston.	Groom Resident of Boston; Bride Resident of Foreign Country.	Groom Foreign Resident; Bride Resident of Boston.	Both Residents of the United States.*
January	94	29	54	11	.....	.....	.....
February	90	27	47	15	1	.....	.....
March	77	33	27	16	.....	1	.....
April	120	32	71	17	.....	.....	.....
May	71	20	37	14	.....	.....	.....
June	216	46	134	32	3	1	.....
July	96	36	47	11	1	.....	1
August	110	36	54	19	1	.....	.....
September	148	38	83	27	.....	.....	.....
October	158	44	90	22	2	.....	.....
November	127	45	69	11	.....	1	1
December	93	34	46	13	.....	.....	.....
Totals	1,400	420	759	208	8	3	2

* Outside of Boston.

Marriages by Clergymen and Civil Officials.

Of the cases where both parties were white 1,289 marriages were solemnized by clergymen and 81 by civil officials; of the marriages of colored people 27 were by clergymen and one by a justice of the peace; of the mixed marriages both were performed by clergymen.

Relative Ages of Grooms and Brides. (TABLE XXIV.)

The greatest number of grooms of any age period was 423 in the 25 to 29 year period; the greatest number of brides was 421 in the 21 to 24 year period; Table XXIV. shows the relative ages of the grooms and brides in these marriages.

The number of grooms who married at less than 25 years of age was 399; at less than 30 years, 822; at 30 years of age and more, 578.

The number of brides under 20 years of age was 151; less than 30 years, 1,072; at 30 years and more 328.

The greatest number of marriages in which both parties were of the same age period was 181 in the 25 to 29 year period.

Digitized by Google

TABLE XXIV.—OUT-OF-TOWN MARRIAGES: AGES OF GROOMS AND BRIDES (RELATIVE).

Ages of Grooms.	Total Grooms Each Age Period.	Ages of Brides.														
		14 Years.	16 Years.	17 Years.	18 Years.	19 Years.	20 Years.	21 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.
17 years	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
18 "	11	1	1	....	6	2	....	1	....	....	....	....	....	....	....	....
19 "	17	....	....	1	6	4	1	4	1	....	....	....	....	....	....	....
20 "	28	....	....	4	5	9	4	5	1	....	....	....	....	....	....	....
21 to 24 years	342	....	2	7	27	46	56	161	39	4	....	....	....	....	....	....
25 to 29 "	423	....	....	4	6	10	32	164	181	22	4	....	....	....	....	....
30 to 34 "	249	....	1	1	3	3	4	61	103	54	16	3	....	....	....	....
35 to 39 "	148	....	....	....	....	1	4	16	52	40	28	7	....	....	....	....
40 to 44 "	80	....	....	....	....	....	2	5	13	16	21	17	3	3	....	....
45 to 49 "	45	....	....	....	....	....	....	2	5	12	11	8	4	2	1	....
50 to 54 "	22	....	....	....	....	....	....	1	2	2	5	6	3	3	....	....
55 to 59 "	10	....	....	....	....	....	....	....	....	1	....	1	2	3	1	2
60 to 64 "	15	....	....	....	....	....	....	....	....	1	1	5	2	2	3	1
65 to 69 "	9	....	....	....	....	....	....	....	....	1	....	1	2	3	....	1
Total brides of each age period,	1,400	1	4	18	53	75	103	421	397	153	86	48	16	16	5	4

Number of Marriage. (TABLE XXV.)

In 1,128 cases neither party had been previously married; in 1,203 cases the grooms had not been previously married, and in 1,252 cases the brides were married for the first time; 125 widowers and 80 widows were married the second time; 8 widowers and 5 widows were married the third time; 60 divorced grooms and 60 divorced brides were married the second time and one divorced groom was married the third time.

Digitized by Google

TABLE XXV.— OUT-OF-TOWN MARRIAGES: NUMBER OF MARRIAGE (RELATIVE).

Grooms.	Total Grooms.	Brides.			
		First.	Second, Widow.	Third, Widow.	Second, Divorced.
First	1,203	1,128	42	.....	33
Second, widowed	125	86	27	3	9
Third, widowed	8	2	3	1	2
Second, divorced	60	36	8	1	15
Third, divorced	1	.....	.....	.....	1
Total brides	1,397	1,252	80	5	60
Miscellaneous	3	.....	.....	.....	.....
Total	1,400	.....	.....	.....	.....

MISCELLANEOUS.

Grooms.	Brides.	No.
Third, widowed and divorced	First	2
First	Second, annulled	1
	Total	3

Nativity of Grooms and Brides. (TABLE XXVI.)

Three hundred twenty-six grooms were natives of Boston and 586 were natives of the United States, exclusive of Boston, while 488 were natives of various foreign countries specified in the table; 235 brides were natives of Boston and 640 were natives of the United States, exclusive of Boston, while 525 were natives of various foreign countries specified in the table. The number of native-born grooms who married foreign-born brides was 180; the number of native-born brides who married foreign-born grooms was 143.

Digitized by Google

TABLE XXVI.—OUT-OF-TOWN MARRIAGES: RELATIVE NATIVITY OF GROOMS AND BRIDES.

Birthplace of Grooms.	Total Grooms.	Birthplace of Brides.																			
		Boston.	United States, out of Boston.	Ireland.	British-American Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	France.	Turkey.	Austria.	Portugal.	Holland.	Greece.	Denmark.	Cuba and West Indies.	All Other Countries.	Unknown.
Boston	326	90	182	18	22	8	1	1	3							1					
United States, out of Boston	586	103	357	20	72	17	3		1	2	8								1	1	1
Ireland	112	1	14	91	3	2					1										
British-American Provinces	146	21	43	6	68	4					2							1	1		
Great Britain	61	8	19	5	10	13			1		4					1					
Germany	11	1	3	2	1		2		1					1							
Italy	22	3	3	1	1			13	1												
Russia	60	3	7			1			46					3							
Norway	3		1							2											
Sweden	23		1	1			1		1	2	17										
France	2		1									1									
Turkey	15	1	1										12	1							
Austria	7		2						2					3							
Portugal	3		1												2						
Holland	1	1																			
Switzerland	1	1																			
Greece	3		1			1											1				
Denmark	7				2						2							3			
Cuba and West Indies	6	1	3																2		
All others	4		1						2											1	
Unknown	1	* 1																			
Totals	1,400	235	640	144	179	46	7	14	58	6	34	1	12	8	2	2	1	4	4	2	1

* At sea.

Digitized by Google

TABLE XXVII.— OUT-OF-TOWN MARRIAGES: NATIVITY OF GROOMS AND BRIDES AND NUMBER OF MARRIAGE.

GROOMS.	Boston.	United States, out of Boston.	Ireland.	British-American Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	France.	Turkey.	Austria.	Portugal.	Holland.	Switzerland.	Greece.	Denmark.	Cuba and West Indies.	All Other Countries.	Unknown.
First	300	482	104	122	51	7	19	54	3	16	2	15	6	1	1	1	3	7	5	4	1
Second, widowed	20	62	7	15	6	1	2	4	....	6	....	....	1	1	....	....	....	....	....	....	....
Third, widowed	....	4	....	3	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Third, widowed and divorced	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Second, divorced	6	35	1	6	4	3	1	1	....	1	....	....	....	1	....	....	....	....	1	....	....
Third, divorced	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Totals	326	586	112	146	61	11	22	60	3	23	2	15	7	3	1	1	3	7	6	4	1
BRIDES.																					
First	216	559	141	157	38	6	14	51	6	30	1	12	8	2	2	....	1	4	4	2	....
Second, widowed	7	42	3	15	4	....	....	6	....	3	....	....	....	....	....	....	....	....	....	....	....
Second, annulled	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Third, widowed	....	1	....	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Second, divorced	12	37	....	5	2	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	1
Totals	235	640	144	179	46	7	14	58	6	34	1	12	8	2	2	....	1	4	4	2	1

Digitized by Google

TABLE XXVIII.— OUT-OF-TOWN MARRIAGES: AGE AND NATIVITY OF GROOMS.

Age Period.	Total Grooms.	Boston.	United States, out of Boston.	Ireland.	British-American Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	France.	Turkey.	Austria.	Portugal.	Holland.	Switzerland.	Greece.	Denmark.	Cuba and West Indies.	All Other Countries.	Unknown.
17 years	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18 "	11	3	4	....	1	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
19 "	17	9	7	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
20 "	28	10	10	....	3	....	....	1	2	....	2	....	....	....	....	....	....	....	....	....	....	....
21 to 24 years	342	95	133	11	31	18	3	7	23	....	5	....	5	2	1	1	....	1	2	1	3	....
25 to 29 "	423	98	162	44	46	16	2	7	19	1	8	....	7	3	1	....	....	1	2	4	1	1
30 to 34 "	249	61	101	33	27	7	3	2	5	1	1	2	3	....	....	....	....	1	2	....	....	....
35 to 39 "	148	26	71	18	18	8	....	2	3	....	....	....	....	....	....	....	1	....	1	....	....	....
40 to 44 "	80	11	41	5	10	4	1	....	3	1	3	....	....	1	....	....	....	....	....	....	....	....
45 to 49 "	45	7	23	....	6	4	1	....	....	....	2	....	....	1	....	....	....	....	....	1	....	....
50 to 54 "	22	4	13	1	1	1	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
55 to 59 "	10	1	4	....	2	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
60 to 64 "	15	1	12	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
65 to 69 "	9	....	5	....	....	2	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
Totals, each country	1,400	326	586	112	146	61	11	22	60	3	23	2	15	7	3	1	1	3	7	6	4	1

Digitized by Google

TABLE XXIX.— OUT-OF-TOWN MARRIAGES: AGE AND NATIVITY OF BRIDES.

AGE PERIOD.	Total Brides.	Boston.	United States, out of Boston.	Ireland.	British-American Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	France.	Turkey.	Austria.	Portugal.	Holland.	Greece.	Denmark.	Cuba and West Indies.	All Other Countries.	Unknown.
14 years	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
16 "	4	1	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
17 "	18	5	7	....	2	1	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....
18 "	53	15	24	1	2	....	....	2	3	....	2	....	1	1	....	1	....	....	....	1	....
19 "	75	22	31	3	4	1	....	4	3	....	3	....	....	2	1	....	....	....	....	1	....
20 "	103	16	54	3	15	1	....	1	6	....	....	....	5	2	....	....	....	....	....	....	....
21 to 24 years	421	76	182	36	50	14	3	4	29	....	17	....	3	3	....	....	1	2	1	....	....
25 to 29 "	397	47	182	72	55	15	1	1	9	5	2	....	2	....	....	1	....	2	3	....	....
30 to 34 "	153	27	69	17	22	7	1	....	2	1	5	1	....	....	1	....	....	....	....	....	....
35 to 39 "	86	14	43	8	16	4	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
40 to 44 "	48	6	25	4	7	1	1	....	2	....	2	....	....	....	....	....	....	....	....	....	....
45 to 49 "	16	4	5	....	3	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	1
50 to 54 "	16	....	11	....	3	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
55 to 59 "	5	....	4	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
60 to 64 "	4	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Totals, each country	1,400	235	640	144	179	46	7	14	58	6	34	1	12	8	2	2	1	4	4	2	1

Digitized by Google

PLACE OF MARRIAGE.

The out-of-town marriages recorded in Boston were distributed by states and countries as follows:

Massachusetts	988	Pennsylvania	2
Rhode Island	310	Delaware	1
Connecticut	33	Georgia	1
Maine	19	Nova Scotia	2
New Hampshire	19	New Brunswick	1
Vermont	11	Prince Edward Island,	1
New York	11	France	1

OUT-OF-TOWN MARRIAGES, LIST OF OCCUPATIONS OF GROOMS, 1908.

Government, National.

Military service	4
Naval service	1
Department officials	2
Department clerks	7
Letter carriers	7

State.

Department clerk	1
Police	5
Mechanics	5

Professional.

Clergymen	6
Lawyers	13
Physicians and surgeons	20
Dentists	4
Veterinarian	1
Nurses	2
Journalist	1
Editors	2
Reporters	3
Architects	4
Artists (painting, drawing)	4
Musicians, not specified	7
Musicians, vocal	2
Actors	5
Miscellaneous entertainment	2
Instructors, school and college	2
Teachers, schools	11
Students, over 18 years	9
Draughtsmen	10

Digitized by Google

Domestic Service.

Hotel keepers	2
Stewards	3
Restaurant keepers	6
Cooks	7
Butlers	4
Waiters	8

Trade, Commerce and Finance.

Merchants and dealers	69
Peddlers and hawkers	6
Bankers, brokers and business agents	34
Clerks	141
Salesmen	116
Shippers and packers	21
Foremen	9
Managers and buyers, etc.	33
Bookkeepers and accountants	33
Cashiers	5
Bank clerks, tellers, etc.	1
Messengers and porters, etc.	7
Miscellaneous	3
Builders	4
Contractors (not specified)	2

Transportation.

Teamsters and truckmen, etc.	61
Cab and coach drivers	13
Conductors, railroad (steam and electric)	19
Firemen	9
Brakemen	4
Motormen	11
Signalman	1
Starters	2
Inspectors	3
Freight handlers	7
Miscellaneous	6

Marine Occupations.

Sailors	5
Fishermen	6
Pilot	1
Engineer	1
Miscellaneous	1

Manual Labor.

Barbers and hairdressers	12
Bakers and confectioners	15

Digitized by Google

Blacksmiths	11
Boot and shoemakers and operators	27
Butchers	5
Brewers and distillers	3
Boilermakers	2
Bridge builders	3
Boxmakers	3
Bartenders and wine clerks	2
Bootblack	1
Brushmaker	1
Bookbinders	5
Boatmakers	2
Bottler	1
Cabinetmakers	2
Carpenters and joiners	29
Cigar and tobacco workers	2
Clock and watchmaker	1
Carriage painters	2
Carriage trimmer	1
Chemists and drug clerks	16
Chauffeurs	12
Coppersmiths	3
Coremakers	2
Cutters (?)	2
Dyer and dye worker	1
Designers	3
Engineers, not specified	14
Engineers (stationary)	5
Electricians	25
Electrotyper	1
Firemen, not specified	10
Firemen (stationary)	7
Florists	3
Farmers and farm laborers	10
Gardeners	7
Glassworker	1
Harnessmakers	2
Iron, steel and metal workers	15
Inspector, machines	1
Inspector (?)	1
Watchman	1
Janitors	11
Elevator men	2
Jeweler	1
Laborers	33
Laundry worker	1
Leather workers (not boots and shoes)	4
Mechanics (?)	5
Machinists	37
Marble and stone workers	2
Masons (brick and stone)	2

Digitized by Google

Mill and factory operators	18
Molders (?)	1
None	3
Oculist	1
Opticians	3
Piano and organ builders	5
Printers, compositors and pressmen	27
Painters, glaziers, decorators and gilders	14
Patternmakers	6
Plasterer and whitewasher	1
Photographers	5
Plumbers	11
Picture framer	1
Paper rulers, cutters and workers	4
Rigger	1
Roofer	1
Retired	1
Rubber workers	5
Steam and gas fitters	11
Stable keepers	2
Stablemen	4
Stereotypers	2
Tailors	12
Tinwaremakers	2
Telegraph and telephone operators	12
Tileworker	1
Undertakers	2
Upholsterers	5
Woodworkers	9
Wheelwright	1
Wireworkers	4
Electrical engineers	2
Civil engineers	5
Engineers, not specified	14
Building engineers	2
Mechanical engineers	5
Mining engineer	1
Operators (?)	2
Toolmakers	3
Bowling alley keepers	2
Elevator men	2

And one each of twenty-eight other trades and occupations not easily classified with the above list.

OUT-OF-TOWN MARRIAGES, OCCUPATIONS OF BRIDES, 1908.

Mercantile and commercial	161
Needle workers	55
Telephone and telegraph operators	9
Mill and factory operators	52
Waitresses	20

Digitized by Google

At home	275
Domestic occupations	165
Printers and compositors	4
None	471
School teachers	19
Housekeepers	46
Nurses	33
Musicians and teachers of music	9
Laundry workers	9
Milliners	12
Rubber workers	8
Candymakers	9
Photographers	2
Bookbinders	7
Actresses	4
Boxmakers	10
Missionaries	2
Governesses	2

And one each of sixteen trades or occupations not easily classified.

Digitized by Google

BIRTHS IN BOSTON IN 1908. (TABLE XXXI.)

The difference between the number of births as given in the columns for each consecutive year since 1849, in the appendix, and the number of births for each year, as given in each annual report is accounted for in several ways, the most notable reason being (for the years since 1890, especially) the result of the laws governing the age of children for admission to school, and the employment of children after reaching the age of 14 years, the requirement being a proof of the age from the public records. Many of the children have foreign-born parents, who are ignorant of the law requiring the registration of a birth, and in many cases there has been no officiating physician to make a proper return. When the certificate of birth is needed to establish the age of a child, if it is not upon the record of births it must be placed there (if sufficient authority can be presented to verify the parents' statement) before a certificate can be granted, hence the addition of many births to the record each year after the annual report has been compiled and distributed. The total number of recorded births for each year since 1849 has been corrected and taken from the actual number of recorded births upon the books, down to 1908, and will be found in the appendix.

There were 18,347 births registered in this office in 1908; there were 9,368 males and 8,979 females.

They may be classified generally, as regards the residence of the parents, as follows: Parents residing in Boston, ward residence known, 17,270; males, 8,816, females, 8,454; ward residence unknown, 105; 52 males, 53 females; born in Boston of nonresident parents, 949; males, 449, females, 450; parents' residence unknown, 128; males, 53, females, 75.

There were 637 stillborn infants which are not included in the above statement.

The birth rate of Boston based upon its estimated population and total number of births recorded irrespective of parents residence is 29.18 per thousand of population; if based upon the same estimate of population and the number of children born to residents of Boston it is 27.47 per thousand of population.

The greatest number of births for any ward was 1,888, in Ward 6, or 10.9 per cent of the whole number of births among residents of Boston.

The births of males exceeded those of females in all wards except Wards 1, 6, 8, 13, 17 and 18.

The greatest number of births for any month was recorded in July, 1,646; the least number was in February, 1,444.

The greatest number of male births in any month was in July, 842; the least number was in February, 731.

Digitized by Google

The greatest number of female births in any month was 807, in March; the least number in any month was 713, in February.

The greatest number of births for any quarter-year period was 4,669, in the third quarter of the year; the least number was 4,517, in the second quarter.

The greatest number of male births for any quarter of the year was 2,413, in the third quarter; the least number of male births for any quarter-year period was 2,312, in the first quarter of the year; the greatest number of female births for any quarter-year period was 2,256, in the third quarter of the year; the least number was 2,223, in the last quarter of the year.

Ward 5 is again credited with the least number of births for the year in any ward of the city.

TABLE XXX.— PERCENTAGE OF BIRTHS IN EACH WARD TO WHOLE NUMBER OF BIRTHS AND OF WARD POPULATION AND RATIO.

WARDS.	Population.	Births.	Per cent of Whole Number of Births.	Per cent of Ward Population.	One in Every
1	26,836	721	4.1	2.7	37
2	27,339	989	5.7	3.6	27
3	15,649	410	2.3	2.6	38
4	13,198	372	2.1	2.8	35
5	13,387	305	1.07	2.2	43
6	31,676	1,888	10.9	5.9	16
7	16,466	452	2.6	2.7	36
8	32,493	1,235	7.1	3.8	26
9	23,317	803	4.6	3.4	29
10	25,139	335	1.9	1.3	75
11	23,568	369	2.1	1.5	63
12	22,940	401	2.3	1.7	57
13	22,877	750	4.3	3.2	30
14	23,380	637	3.6	2.7	36
15	21,431	525	3+	2.4	40
16	23,128	556	3.2	2.4	41
17	25,642	715	4.1	2.7	35
18	23,380	610	3.5	2.6	38
19	30,859	747	4.3	2.4	41
20	44,119	1,054	6.1	2.3	41
21	28,030	549	3.1	1.9	51
22	29,287	718	4.1	2.4	40
23	27,905	617	3.5	2.2	45
24	33,435	757	4.3	2.2	44
25	23,002	650	3.7	2.8	35

COLORED BIRTHS.— ALL OTHER THAN WHITE.
(TABLE XXXII.)

There were 364 children born in this city whose parents (one or both) were colored, or 22 more than in 1907; of these, 343 had parents who were residents of this city, 177 males, 166 females; 18 were children of nonresident parents, 10 males, 8 females, and of 3, the parents residence was unknown.

The births of colored children was 1.9 per cent of the total

Digitized by Google

number of births recorded. The parents (the father or both) of 7 of these children were Chinese; there was 1 child of Indian parentage.

The greatest number of colored births for any month was in August, 41; the least number was in September, 24.

The greatest number of colored births to a ward was 130, in Ward 18; there were 65 of each sex.

There were no children of colored parentage born in Wards 2, 3, 6, 15, 21 and 23.

BIRTHS.—NATIVITY OF FATHERS AND MOTHERS.

(TABLES XXXIII., XXXIV. AND XXXV.)

Fathers.— Of the children born in Boston in 1908, 3,177 had fathers who were also born in Boston, and 3,052 had fathers who were born in the United States, exclusive of Boston, making 6,229 children who had native-born fathers, or 33.9 per cent of the total number of births recorded. There were 804 children whose fathers were unknown, or 4.3 per cent, and over 60 per cent of the children born in Boston in 1908 had foreign-born fathers.

Mothers.— Of the children born in Boston in 1908, 3,589 had mothers who were also born in Boston, and 2,965 had mothers who were born in the United States, outside of Boston, or 6,554 children who had native-born mothers, or 35.1 per cent of the total number of births recorded. About 65 per cent of the children born in Boston had foreign-born mothers.

Proportion of the Sexes to the Nativity of the Parents.

The children of American fathers were 3,148 males and 3,081 females; excess of males, 67.

The children of American-born mothers were 3,338 males and 3,216 females; excess of males, 122.

The children of American-born parents (both parents) were 2,330 males and 2,301 females; excess of males, 29.

The children of foreign-born fathers were 5,810 males and 5,504 females; excess of males, 306.

The children of foreign-born mothers were 6,015 males and 5,750 females; excess of males, 265.

The children of parents who were both foreign-born were 9,918; 5,073 males and 4,845 females; excess of males, 228.

The children of native fathers and foreign mothers were 1,585; 816 males and 769 females; excess of males, 47.

The children of native mothers and foreign fathers were 1,451; 777 males and 674 females; excess of males, 103.

Table XXXV. shows the relative nativity of the parents of all children born in Boston in 1908.

Digitized by Google

TABLE XXXI.—BIRTHS RECORDED IN BOSTON, 1908: BY WARDS, SEX, MONTH AND SEASON.

Wards.	Total Number.	Each Sex.		January.		February.		March.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	721	344	377	33	25	19	27	31	39
2	989	523	466	38	33	45	33	34	37
3	410	212	198	11	11	10	16	18	16
4	372	196	176	8	15	23	12	17	18
5	305	157	148	19	5	11	10	16	12
6	1,888	938	950	77	85	67	60	68	76
7	452	236	216	12	19	24	15	23	25
8	1,235	608	627	59	47	48	55	49	43
9	803	419	384	36	31	33	30	33	37
10	335	175	160	14	7	15	16	22	11
11	369	187	182	17	13	13	12	16	22
12	401	224	177	20	17	10	14	16	12
13	750	370	380	34	42	31	29	42	40
14	637	322	315	22	29	26	27	32	24
15	525	268	257	17	22	28	16	30	32
16	556	304	252	29	22	20	25	22	23
17	715	351	364	34	26	34	35	39	43
18	610	301	309	19	29	23	29	28	24
19	747	385	362	31	30	29	24	35	34
20	1,054	547	507	49	44	46	56	52	51
21	549	292	257	25	23	26	23	21	17
22	718	383	335	32	24	26	26	30	39
23	617	309	308	31	28	28	22	27	26
24	757	381	376	43	25	33	33	34	40
25	650	332	318	19	25	30	30	25	25
Ward unknown	105	52	53	1	4	3	4	5	7
Totals, each sex	.....	8,816	8,454	730	681	701	679	765	773
Totals, both sexes	17,270	17,270		1,411		1,380		1,538	
Nonresidents	949	449	450	30	35	27	27	48	31
Residence unknown	128	53	75	4	9	3	7	4	3
Totals, each sex*	.....	9,368	8,979	764	725	731	713	817	807
Totals, both sexes	*18,347	18,347		1,489		1,444		1,624	

* Including three, one male and two females, whose date of birth was unknown.

Digitized by Google

TABLE XXXI., *Continued.*—BIRTHS RECORDED IN BOSTON, 1908: BY WARDS, SEX, MONTH AND SEASON.

Wards.	April.		May.		June.		July.		August.		September.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	26	19	36	34	27	41	33	32	24	30	32	31
2	49	46	33	37	51	32	50	47	42	51	41	33
3	16	14	10	15	18	15	28	22	24	18	20	19
4	13	13	12	13	13	19	17	19	13	18	24	10
5	6	9	8	12	15	15	12	11	14	7	17	21
6	68	79	87	73	88	76	75	88	98	78	70	79
7	24	11	20	24	16	18	24	17	22	15	17	19
8	49	56	46	65	48	45	47	54	60	47	54	52
9	24	32	44	38	50	23	35	40	31	38	33	29
10	16	11	9	12	11	20	15	20	10	13	14	12
11	11	10	14	14	16	14	17	5	16	20	10	17
12	17	20	17	16	15	15	22	14	19	8	28	16
13	36	23	28	33	34	33	27	33	28	22	31	29
14	19	18	30	31	25	17	26	30	27	31	38	28
15	27	27	24	30	20	17	29	19	24	19	16	20
16	30	27	20	17	33	18	36	36	24	15	24	17
17	28	32	30	40	21	18	24	33	25	30	33	29
18	34	34	23	24	30	20	39	26	25	30	20	30
19	30	31	37	33	23	33	39	25	34	31	32	24
20	50	35	39	34	52	47	36	44	47	28	45	40
21	20	22	31	30	28	26	21	21	18	22	25	24
22	25	21	29	24	32	27	34	30	46	32	34	31
23	15	24	28	27	26	22	26	34	21	31	25	26
24	23	29	35	35	27	45	43	26	28	29	27	25
25	30	30	36	22	25	30	35	19	24	30	22	17
Ward unknown	4	5	10	5	7	8	7	5	2	3	1	1
Totals, each sex	690	679	736	738	751	694	797	750	746	696	733	679
Totals, both sexes	1,368		1,474		1,445		1,547		1,442		1,412	
Nonresidents	51	41	50	48	32	38	43	46	48	38	35	31
Residence unknown	5	5	9	9	....	2	2	8	4	4	5	4
Totals, each sex	746	724	795	795	783	734	842	804	798	738	773	714
Totals, both sexes	1,470		1,590		1,517		1,646		1,536		1,487	

Digitized by Google

TABLE XXXI., *Continued.*—BIRTHS RECORDED IN BOSTON, 1908: BY WARDS, SEX, MONTH AND SEASON.

Wards.	October.		November.		December.		First Quarter, Jan., Feb., Mar.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	35	36	25	31	22	31	83	91
2	51	40	40	35	49	42	117	103
3	25	19	21	19	11	14	39	43
4	17	11	25	13	14	15	48	45
5	11	16	12	14	16	16	46	27
6	85	92	79	84	76	80	212	221
7	24	16	18	14	12	23	59	59
8	45	56	52	53	51	54	156	145
9	29	23	37	32	34	31	102	98
10	12	12	18	11	19	15	51	34
11	21	17	22	18	14	20	46	47
12	11	14	23	11	26	20	46	43
13	27	28	27	37	25	31	107	111
14	26	27	26	26	25	27	80	80
15	17	19	19	15	17	21	75	70
16	17	19	31	14	18	19	71	70
17	35	25	21	29	27	24	107	104
18	19	22	25	22	16	19	70	82
19	32	33	33	34	30	30	95	88
20	45	54	38	33	48	41	147	151
21	19	17	28	13	30	19	72	63
22	25	23	36	29	34	29	88	89
23	24	23	30	18	28	27	86	76
24	24	39	35	28	29	22	110	98
25	28	22	30	38	28	30	74	80
Ward unknown	6	6	5	4	1	1	9	15
Totals, each sex	710	709	756	675	700	701	2,196	2,133
Totals, both sexes	1,419		1,431		1,401		4,329	
Nonresidents	47	46	50	37	38	31	105	93
Residence unknown	4	6	3	3	10	15	11	19
Totals, each sex	761	761	809	715	748	747	2,312	2,245
Totals, both sexes	1,522		1,524		1,495		4,557	

Digitized by Google

TABLE XXXI., *Concluded.*—BIRTHS RECORDED IN BOSTON, 1908: BY WARDS, SEX, MONTH AND SEASON.

Wards.	Second Quarter, April, May, June.		Third Quarter, July, Aug., Sept.		Fourth Quarter, Oct., Nov., Dec.	
	Males.	Females.	Males.	Females.	Males.	Females.
1	89	94	89	93	82	98
2	133	115	133	131	140	117
3	44	44	72	59	57	52
4	38	45	54	47	56	39
5	29	36	43	39	39	46
6	243	228	243	245	240	256
7	60	53	63	51	54	53
8	143	166	161	153	148	163
9	118	93	99	107	100	86
10	36	43	39	45	49	38
11	41	38	43	42	57	55
12	49	51	69	38	60	45
13	98	89	86	84	79	96
14	74	66	91	89	77	80
15	71	74	69	58	53	55
16	83	62	84	68	66	52
17	79	90	82	92	83	78
18	87	78	84	86	60	63
19	90	97	105	80	95	97
20	141	116	128	112	131	128
21	79	78	64	67	77	49
22	86	72	114	93	95	81
23	69	73	72	91	82	68
24	85	109	98	80	88	89
25	91	82	81	66	86	90
Ward unknown	21	18	10	9	12	11
Totals, each sex	2,177	2,110	2,276	2,125	2,166	2,085
Totals, both sexes	4,287		4,401		4,251	
Nonresidents	133	127	126	115	135	114
Residence unknown	14	16	11	16	17	24
Totals, each sex	2,324	2,253	2,413	2,256	2,318	2,223
Totals, both sexes	4,517		4,669		4,541	

Digitized by Google

TABLE XXXII.—COLORED BIRTHS IN BOSTON, 1908: BY WARDS, MONTHS AND SEX.

Wards.	Total Births.	Each Sex.		January.		February.		March.		April.		May.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	1	....	1	....	....	....	....	....	....	....	....	....	1
2	....	....	....	....	....	....	....	....	....	....	....	....	....
3	....	....	....	....	....	....	....	....	....	....	....	....	....
4	6	6	....	1	....	....	....	....	....	....	....	1	....
5	1	....	*1	....	....	....	....	....	....	....	....	....	....
6	....	....	....	....	....	....	....	....	....	....	....	....	....
7	14	{*1, 7}	{*2, 4}	....	....	....	2	1	....	1	*1	....	....
8	8	3	5	....	....	....	....	....	1	....	....	....	....
9	29	18	11	....	1	1	....	1	1	....	1	5	....
10	42	20	22	4	....	3	3	....	1	1	1	2	1
11	22	14	{†1, 7}	2	....	....	....	1	....	1	....	....	2
12	31	13	18	1	2	....	2	1	1	....	1	....	1
13	1	1	....	....	....	1	....	....	....	....	....	....	....
14	1	1	....	....	....	....	....	....	....	....	....	....	....
15	....	....	....	....	....	....	....	....	....	....	....	....	....
16	1	....	1	....	....	....	....	....	....	....	....	....	....
17	22	10	12	1	1	....	2	1	3	....	1	2	2
18	130	{*2, 63}	65	5	3	4	6	3	2	6	10	{*1, 4}	8
19	3	3	....	....	....	1	....	1	....	....	....	....	....
20	4	2	2	....	....	....	....	2	....	....	....	....	....
21	....	....	....	....	....	....	....	....	....	....	....	....	....
22	11	4	7	1	1	....	....	....	1	1	....	....	....
23	....	....	....	....	....	....	....	....	....	....	....	....	....
24	3	2	1	....	....	....	....	....	....	....	....	....	1
25	8	3	5	....	....	....	....	....	1	....	....	....	....
Ward unknown	5	4	1	1	....	....	....	2	....	....	....	1	....
Totals, each sex	....	{*3, 174}	{*3, †1, 162}	16	8	10	15	13	11	10	{*1, 14}	{*1, 15}	16
Totals, both sexes	343	343		24		25		24		25		32	
Nonresidents	18	10	{*1, 7}	....	1	....	....	1	*1	2	1	1	1
Residence unknown	3	1	2	....	....	....	....	....	....	....	....	....	....
Totals, each sex	....	{*3, 185}	{*4, †1, 171}	16	9	10	15	14	{*1, 11}	12	{*1, 15}	{*1, 16}	17
Totals, both sexes	364	364		25		25		26		28		34	

* Chinese. † Indian.

Digitized by Google

TABLE XXXII., *Concluded.*—COLORED BIRTHS IN BOSTON, 1908: BY WARDS, MONTHS AND SEX.

Wards.	June.		July.		August.		September.		October.		November		December.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4	1	...	1	...	1	...	...	...	...	...	...	...	...	...
5	...	*1	...	...	...	...	...	...	...	...	...	...	...	...
6	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7	...	{*1, 1}	...	...	{*1, 2}	...	1	...	1	...	1	1	...	...
8	1	1	...	...	1	...	...	1	...	...	...	...	1	2
9	3	1	...	3	2	...	2	1	...	...	1	1	3	2
10	3	2	...	3	2	3	...	...	1	1	2	2	2	5
11	2	2	2	...	1	{†1, 1}	2	...	2	...	1	2	...	...
12	...	3	3	2	2	...	...	3	1	1	3	1	2	1
13	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14	...	...	1	...	...	...	...	...	...	...	...	...	...	...
15	...	...	...	...	...	...	...	...	...	...	...	...	...	...
16	...	...	...	...	...	1	...	...	...	...	...	...	...	...
17	...	...	1	1	1	1	1	1	1	...	...	...	2	...
18	7	4	8	3	{*1, 3}	10	5	4	6	8	9	3	3	4
19	...	...	...	...	...	...	1	...	...	...	...	...	...	...
20	...	...	...	...	...	...	...	...	...	1	...	...	...	1
21	...	...	...	...	...	...	...	...	...	...	...	...	...	...
22	...	...	1	1	1	2	...	...	...	1	...	...	...	1
23	...	...	...	...	...	...	...	...	...	...	...	...	...	...
24	...	...	...	...	1	...	...	...	...	...	1	...	...	...
25	...	...	...	1	1	1	...	...	2	2	...	...	...	...
Ward unknown	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Totals, each sex	17	{*2, 15}	17	14	{*2, 18}	{†1, 19}	12	10	14	14	19	10	13	16
Totals, both sexes	34		31		40		22		28		29		29	
Nonresidents	1	...	1	1	1	...	...	1	...	...	2	1	1	1
Residence unknown	...	1	...	1	...	...	1	...	...	...	...	...	...	...
Totals, each sex	18	{*2, 16}	18	16	{*2, 19}	{†1, 19}	13	11	14	14	21	11	14	17
Totals, both sexes	36		34		41		24		28		32		31	

Digitized by Google

TABLE XXXIII.— BIRTHS RECORDED IN BOSTON IN 1908: NATIVITY OF FATHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.

Birthplaces.	Number of Fathers.	Number of Children, Each Sex.		Wards.							
				1		2		3		4	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	3,177	1,592	1,585	88	80	75	71	59	61	50	48
United States, outside of Boston	3,052	1,556	1,496	42	56	21	29	27	26	34	26
Ireland	2,511	1,300	1,211	19	27	30	28	75	71	51	57
Br.-American Provinces	1,631	842	789	69	99	86	61	25	21	36	18
Great Britain	616	320	296	17	14	7	18	8	6	9	10
Germany	246	124	122	3	6	3	1	2	.....	.....	1
Italy	2,685	1,377	1,308	49	34	179	157	6	3	2	7
Russia	2,553	1,285	1,268	28	39	79	71	2	3	4	1
Norway	70	36	34	2	3	8	4	1	1	.....	.....
Sweden	292	141	151	4	4	11	8	1	1	.....	.....
China	5	2	3	.....	.....	.....	.....	.....	.....	.....	.....
France	28	12	16	.....	.....	2	.....	.....	.....	.....	.....
Turkey	176	91	85	.....	1	2	1	3	2	.....	1
Austria	166	99	67	1	.....	4	2	1	.....	1	1
Portugal	63	34	29	11	6	6	8	.....	1	1	1
Holland	11	7	4	.....	.....	.....	.....	.....	.....	.....	.....
Belgium	24	8	16	.....	.....	.....	.....	.....	.....	.....	.....
Switzerland	12	10	2	.....	.....	1	.....	.....	.....	.....	.....
Greece	33	18	15	.....	.....	.....	.....	.....	.....	.....	.....
Denmark	60	30	30	2	3	2	2	.....	.....	.....	.....
Cuba and West Indies	66	40	26	.....	.....	1	.....	.....	.....	1	1
All other countries	66	34	32	3	1	.....	1	.....	1	.....	.....
Unknown	804	410	394	6	4	6	4	2	1	7	4
Total children, each sex	.....	9,368	8,979	344	377	523	466	212	198	196	176
Total children, both sexes	18,347	18,347		721		989		410		372	

Digitized by Google

TABLE XXXIII., *Continued.*— BIRTHS RECORDED IN BOSTON IN 1908: NATIVITY OF FATHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.

Birthplaces.	Wards.											
	5		6		7		8		9		10	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	40	31	11	16	18	19	14	19	45	50	12	18
United States, outside of Boston	22	26	5	7	27	18	28	22	61	56	67	61
Ireland	67	62	3	6	19	16	16	12	29	22	29	25
Br.- American Provinces,	13	14	2	2	9	3	13	13	15	14	16	12
Great Britain	1	8	.....	1	7	2	7	6	14	7	8	3
Germany	.....	.....	2	.....	.....	2	1	4	7	1	1	2
Italy	9	4	765	782	46	45	96	90	35	49	10	7
Russia	.....	.....	105	106	31	29	395	429	179	162	5	7
Norway	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	1
Sweden	.....	.....	1	2	1	.....	.....	.....	2	3	2	.....
China	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
France	.....	.....	.....	.....	1	2	.....	.....	1	1	4	1
Turkey	.....	.....	1	.....	53	54	1	.....	5	1	.....	1
Austria	1	.....	22	10	5	4	17	17	11	3	.....	.....
Portugal	.....	.....	7	2	.....	.....	1	.....	.....	.....	.....	.....
Holland	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Belgium	.....	1	.....	.....	1	2	.....	.....	1	1	.....	.....
Switzerland	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	1
Greece	.....	.....	2	4	7	3	.....	.....	.....	.....	2	1
Denmark	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1
Cuba and West Indies	.....	1	.....	.....	.....	1	.....	2	1	.....	5	3
All other countries	.....	1	4	4	5	3	8	3	3	1	1	2
Unknown	3	.....	6	7	4	10	*11	9	10	*12	11	14
Total children, each sex	157	148	938	950	236	216	608	627	419	384	175	160
Total children, both sexes.	305		1,888		452		1,235		803		335	

* At sea.

Digitized by Google

TABLE XXXIII., *Continued.*—BIRTHS RECORDED IN BOSTON IN 1908: NATIVITY OF FATHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.

Birthplaces.	Wards.											
	11		12		13		14		15		16	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	25	24	27	25	55	57	85	99	73	80	99	74
United States, outside of Boston	34	38	79	63	27	19	56	37	35	35	41	45
Ireland	5	12	21	21	172	171	82	59	67	67	39	27
Br.-American Provinces	4	7	23	19	16	21	24	41	30	22	39	34
Great Britain	3	8	9	9	7	11	14	15	14	8	12	13
Germany	2	2	1	5	2	3	2	7	8	2	3	5
Italy	6	3	15	4	15	11	23	15	9	7	25	7
Russia	83	72	11	4	64	76	13	14	19	11	27	20
Norway	.....	2	2	.....	.....	1	1	3	.....	.....	2	3
Sweden	.....	1	4	8	2	1	5	11	2	4	11	8
China	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
France	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	4
Turkey	2	.....	4	2	.....	.....	.....	1	.....	.....	.....	.....
Austria	4	3	.....	.....	3	1	1	.....	5	5	.....	3
Portugal	.....	2	.....	.....	1	1	4	.....	.....	3	.....	.....
Holland	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
Belgium	.....	.....	.....	.....	.....	1	5	5	.....	4	.....	1
Switzerland	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Greece	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Denmark	.....	.....	2	.....	1	1	1	1	.....	1	2	1
Cuba and West Indies	4	1	4	1	.....	.....	1	.....	.....	1	.....	.....
All other countries	.....	2	.....	.....	.....	.....	1	.....	.....	.....	1	2
Unknown	14	4	22	15	5	5	3	5	5	4	3	5
Total children, each sex	187	182	224	177	370	380	322	315	268	257	304	252
Total children, both sexes	369		401		750		637		525		556	

Digitized by Google

TABLE XXXIII., *Continued.*—BIRTHS RECORDED IN BOSTON IN 1908: NATIVITY OF FATHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.

BIRTHPLACES.	WARDS.											
	17		18		19		20		21		22	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	78	92	56	59	93	75	160	155	69	65	79	72
United States, outside of Boston	62	63	72	82	55	60	145	151	83	69	78	76
Ireland	90	75	43	48	122	118	63	52	24	14	58	48
Br.-American Provinces	46	54	25	21	30	33	63	58	32	38	42	39
Great Britain	17	13	8	9	17	14	28	16	15	12	21	21
Germany	4	6	5	9	14	11	7	1	9	4	23	22
Italy	10	16	6	7	10	7	9	7	4	4	10	5
Russia	24	20	31	37	13	16	38	41	29	24	26	23
Norway	2	3	.....	.....	1	.....	3	3	3	1	5	2
Sweden	4	8	17	9	6	11	13	10	5	12	17	12
China	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
France	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	1
Turkey	.....	.....	2	5	4	.....	.....	1	1	.....	4	2
Austria	1	3	2	.....	5	4	1	1	4	5	4	3
Portugal	.....	.....	.....	2	.....	.....	1	1	.....	.....	1	.....
Holland	1	.....	2	.....	1	.....	.....	.....	.....	1	2	.....
Belgium	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Switzerland	.....	.....	1	.....	1	.....	.....	.....	.....	.....	3	1
Greece	.....	1	.....	.....	2	1	.....	.....	1	.....	.....	.....
Denmark	1	1	2	.....	1	3	1	2	.....	2	4	1
Cuba and West Indies	2	.....	15	9	1	.....	.....	1	.....	.....	1	.....
All other countries	1	.....	2	1	1	1	2	2	.....	1	.....	3
Unknown	8	9	12	11	6	7	13	5	12	5	5	3
Total children, each sex	351	364	301	309	385	362	547	507	292	257	383	335
Total children, both sexes,	715		610		747		1,054		549		718	

Digitized by Google

TABLE XXXIII., *Concluded.*— BIRTHS RECORDED IN BOSTON IN 1908: NATIVITY OF FATHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.

Birthplaces.	Wards.								Non-residents.		Residence Unknown.	
	23		24		25		Unknown.					
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	84	96	100	91	55	62	2	6	40	39	.....	1
United States, outside of Boston	69	68	115	117	82	88	8	5	179	152	2	1
Ireland	54	49	47	48	55	53	2	.....	18	23	.....	.....
Br.-American Provinces	30	30	67	49	45	35	1	1	38	29	3	1
Great Britain	22	18	18	19	25	13	.....	1	12	20	.....	1
Germany	12	18	2	7	5	2	.....	.....	6	.....	.....	1
Italy	6	11	6	4	11	14	2	1	13	7	.....	.....
Russia	5	2	5	7	36	32	2	.....	28	21	3	1
Norway	2	1	2	3	.....	.....	.....	.....	.....	2	.....	.....
Sweden	10	8	11	17	5	5	.....	1	7	6	.....	1
China	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....
France	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
Turkey	.....	.....	1	2	1	5	.....	.....	7	5	.....	1
Austria	3	.....	.....	.....	2	.....	.....	.....	1	2	.....	.....
Portugal	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....
Holland	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Belgium	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Switzerland	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Greece	.....	.....	1	3	.....	.....	.....	.....	2	.....	.....	.....
Denmark	3	1	2	4	3	4	1	.....	.....	.....	1	.....
Cuba and West Indies	.....	.....	1	.....	.....	1	.....	.....	3	3	.....	1
All other countries	.....	1	.....	2	1	.....	.....	.....	1	.....	.....	.....
Unknown	8	4	2	3	6	4	34	38	142	136	44	66
Total children, each sex	309	308	381	376	332	318	52	53	499	450	53	75
Total children, both sexes,	617		757		650		105		949		128	

Digitized by Google

TABLE XXXIV.— BIRTHS RECORDED IN BOSTON IN 1908: NATIVITY OF MOTHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.

Birthplaces.	Number of Mothers.	Number of Children, Each Sex.		Wards.							
				1		2		3		4	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	3,589	1,814	1,775	94	106	86	75	60	50	61	56
United States, outside of Boston	2,965	1,524	1,441	52	38	28	24	25	38	32	25
Ireland	3,085	1,616	1,469	32	37	41	35	83	79	54	60
Br.-American Provinces	1,881	954	927	66	94	84	64	22	15	37	16
Great Britain	545	261	284	13	11	6	16	6	6	6	6
Germany	215	119	96	1	4	2	2	2	1	.....	.....
Italy	2,538	1,284	1,254	42	30	164	155	5	3	2	6
Russia	2,492	1,255	1,237	25	40	75	71	3	2	4	.....
Norway	71	39	32	2	3	4	5	1	.....	.....	.....
Sweden	325	157	168	4	5	13	7	1	.....	.....	3
China	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....
France	23	12	11	.....	.....	.....	.....	.....	.....	.....	.....
Turkey	168	83	85	.....	1	2	1	3	2	.....	1
Austria	165	98	67	2	.....	6	2	.....	.....	.....	1
Portugal	51	27	24	8	6	7	8	.....	1	.....	1
Holland	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Belgium	24	7	17	.....	.....	.....	.....	.....	.....	.....	.....
Switzerland	14	11	3	.....	.....	.....	.....	.....	.....	.....	.....
Greece	30	16	14	.....	.....	.....	.....	.....	.....	.....	.....
Denmark	39	19	20	2	2	3	1	.....	.....	.....	.....
Cuba and West Indies	48	32	16	.....	.....	.....	.....	.....	.....	.....	1
All other countries	45	22	23	.....	.....	2	.....	.....	1	.....	.....
Unknown	28	15	13	1	.....	.....	.....	1	.....	.....	.....
Total children, each sex	.....	9,368	8,979	344	377	523	466	212	198	196	176
Total children, both sexes,	18,347	18,347		721		989		410		372	

Digitized by Google

TABLE XXXIV., *Continued.*— BIRTHS RECORDED IN BOSTON IN 1908: NATIVITY OF MOTHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.

Birthplaces.	Wards.											
	5		6		7		8		9		10	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	36	32	29	31	26	23	24	23	53	57	16	20
United States, outside of Boston	17	21	11	5	14	14	19	29	47	47	54	58
Ireland	75	67	6	9	30	20	24	14	54	33	43	31
Br.-American Provinces	13	14	5	8	16	9	16	16	20	22	27	21
Great Britain	4	9	.....	2	7	6	10	7	11	10	5	7
Germany	2	.....	.....	.....	.....	3	.....	3	6	2	1	2
Italy	8	4	743	769	41	44	93	83	31	43	7	6
Russia	.....	.....	106	101	31	29	399	426	176	158	2	7
Norway	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1
Sweden	2	.....	2	1	1	1	.....	1	.....	3	4	1
China	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
France	.....	.....	.....	.....	.....	.....	.....	1	1	1	4	2
Turkey	.....	.....	.....	.....	50	55	1	.....	5	1	.....	.....
Austria	.....	.....	24	13	5	2	16	18	11	2	2	1
Portugal	.....	.....	7	2	.....	1	.....	.....	.....	.....	.....	.....
Holland	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Belgium	.....	1	.....	.....	1	1	.....	.....	.....	2	.....	.....
Switzerland	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2
Greece	.....	.....	2	4	6	3	.....	.....	.....	.....	2	.....
Denmark	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....
Cuba and West Indies	.....	.....	.....	.....	3	1	.....	.....	.....	.....	4	1
All other countries	.....	.....	3	3	4	2	5	5	2	1	.....	.....
Unknown	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	.....
Total children, each sex	157	148	938	950	236	216	608	627	419	384	175	160
Total children, both sexes	305		1,888		452		1,235		803		335	

Digitized by Google

TABLE XXXIV., *Continued.*—BIRTHS RECORDED IN BOSTON IN 1908: NATIVITY OF MOTHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.

Birthplaces.	Wards.											
	11		12		13		14		15		16	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	24	23	46	33	68	73	95	86	79	95	101	84
United States, outside of Boston	43	40	64	63	20	18	47	41	30	30	42	33
Ireland	9	16	31	34	185	171	82	71	83	67	51	39
Br.-American Provinces	10	11	27	18	10	14	36	45	27	23	41	35
Great Britain	3	7	9	6	5	14	14	20	7	7	6	10
Germany	2	2	1	3	3	2	3	4	9	4	1	3
Italy	2	3	14	3	14	10	17	14	7	8	24	6
Russia	84	72	12	4	59	74	13	12	17	7	25	22
Norway	1	1	1	.....	.....	.....	2	1	.....	.....	3	2
Sweden	1	.....	10	9	.....	1	7	12	1	5	8	10
China	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
France	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	2
Turkey	2	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....
Austria	2	2	.....	.....	3	2	.....	.....	6	4	.....	2
Portugal	.....	2	.....	.....	2	1	.....	.....	.....	1	.....	.....
Holland	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Belgium	.....	.....	.....	.....	.....	.....	5	6	.....	4	.....	.....
Switzerland	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Greece	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Denmark	.....	.....	2	.....	.....	.....	.....	.....	.....	1	1	2
Cuba and West Indies	3	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....
All other countries	.....	2	.....	.....	.....	.....	.....	.....	.....	1	1	1
Unknown	.....	.....	*1	1	.....	.....	.....	.....	1	.....	.....	1
Total children, each sex	187	182	224	177	370	380	322	315	268	257	304	252
Total children, both sexes,	369		401		750		637		525		556	

* At sea.

Digitized by Google

TABLE XXXIV., *Continued.*— BIRTHS RECORDED IN BOSTON IN 1908: NATIVITY OF MOTHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.

Birthplaces.	Wards.											
	17		18		19		20		21		22	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	87	102	62	69	88	76	185	168	94	72	86	88
United States, outside of Boston	57	54	58	72	61	43	143	127	68	60	70	61
Ireland	103	89	56	69	135	133	66	63	33	23	69	64
Br.-American Provinces	44	55	36	24	31	42	70	70	42	43	39	45
Great Britain	12	13	14	7	13	14	15	14	9	11	23	13
Germany	3	3	6	4	15	13	5	2	6	4	28	14
Italy	9	14	5	6	8	4	5	6	2	2	9	5
Russia	22	21	33	37	13	15	29	36	24	20	26	22
Norway	3	4	.....	1	1	1	4	2	3	1	3	1
Sweden	6	6	16	8	6	11	15	12	4	14	17	13
China	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
France	.....	.....	.....	.....	.....	1	.....	.....	2	1	1	.....
Turkey	.....	.....	2	5	4	.....	.....	1	.....	.....	4	2
Austria	2	2	1	.....	3	4	4	1	4	4	3	3
Portugal	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Holland	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Belgium	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
Switzerland	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	1
Greece	.....	1	.....	.....	2	1	.....	.....	1	.....	.....	.....
Denmark	.....	.....	.....	.....	.....	4	1	1	.....	1	3	.....
Cuba and West Indies	2	.....	11	7	1	.....	.....	.....	.....	.....	1	.....
All other countries	1	.....	1	.....	.....	.....	1	2	.....	1	1	1
Unknown	.....	.....	.....	.....	.....	.....	2	*2	.....	.....	.....	.....
Total children, each sex	351	364	301	309	385	362	547	507	292	257	383	335
Total children, both sexes,	715		610		747		1,054		549		718	

* At sea.

Digitized by Google

TABLE XXXIV., *Concluded.*—BIRTHS RECORDED IN BOSTON IN 1908: NATIVITY OF MOTHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.

Birthplaces.	Wards.								Non-residents.		Residence Unknown.	
	23		24		25		Unknown.					
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	84	85	92	117	55	57	13	19	61	47	9	8
United States, outside of Boston	65	61	101	102	86	76	12	12	244	227	14	22
Ireland	63	66	67	55	74	64	6	6	52	41	9	13
Br.-American Provinces	33	38	82	49	44	50	13	6	53	65	10	15
Great Britain	21	17	14	12	14	11	.....	5	13	17	1	6
Germany	14	14	1	5	2	1	.....	.....	6	1	.....	.....
Italy	6	10	4	2	10	13	2	2	10	3	.....	.....
Russia	5	2	3	8	36	31	2	.....	28	18	3	2
Norway	2	2	3	4	1	.....	.....	.....	3	1	1	1
Sweden	10	7	11	13	5	8	1	2	11	12	1	3
China	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
France	.....	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Turkey	.....	.....	1	1	1	5	.....	.....	6	7	.....	1
Austria	.....	2	.....	.....	1	.....	1	.....	2	2	.....	.....
Portugal	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....
Holland	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Belgium	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Switzerland	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Greece	.....	.....	1	3	.....	.....	.....	.....	1	1	.....	.....
Denmark	2	1	.....	2	1	2	.....	.....	1	.....	1	.....
Cuba and West Indies	.....	.....	1	2	.....	.....	1	.....	1	2	.....	1
All other countries	.....	.....	.....	1	1	.....	.....	.....	.....	2	.....	.....
Unknown	.....	.....	.....	.....	.....	.....	1	1	3	3	3	3
Total children, each sex	309	308	381	376	332	318	52	53	499	450	53	75
Total children, both sexes,	617		757		650		105		949		128	

Digitized by Google

TABLE XXXV.— NATIVITY (RELATIVE) OF FATHERS AND MOTHERS OF CHILDREN BORN IN BOSTON IN 1908.

Birthplaces of Fathers.	Number of Fathers of Each Nativity.	Birthplaces of Mothers.							
		Number of Children of Each Sex.		Boston.		United States, Outside of Boston.		Ireland.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	3,177	1,592	1,585	867	888	341	318	164	165
United States, outside of Boston	3,052	1,556	1,496	412	419	710	676	134	120
Ireland	2,511	1,300	1,211	101	106	52	46	1,095	1,000
Br.-American Provinces	1,631	842	789	159	136	131	121	74	72
Great Britain	616	320	296	61	49	58	50	46	34
Germany	246	124	122	19	17	17	15	6	12
Italy	2,685	1,377	1,308	54	35	22	11	9	6
Russia	2,553	1,285	1,268	22	19	14	13	6	2
Norway	70	36	34	3	2	1	4	3	.....
Sweden	292	141	151	6	4	5	5	5	2
China	5	2	3	1	.....	.....	.....	.....	.....
France	28	12	16	1	3	.....	2	1	1
Turkey	176	91	85	1	.....	1	2	1	1
Austria	166	99	67	5	1	2	3	1	1
Portugal	63	34	29	7	4	5	3	1	1
Holland	11	7	4	1	.....	2	1	.....	.....
Belgium	24	8	16	.....	3	2	.....	.....	1
Switzerland	12	10	2	1	.....	1	.....	.....	.....
Greece	33	18	15	.....	.....	.....	1	.....	.....
Denmark	60	30	30	3	1	3	3	6	.....
Cuba and West Indies	66	40	26	1	2	11	5	1	4
All other countries	66	34	32	3	1	1	6	2	1
Unknown	804	410	394	86	85	145	156	61	46
Total children, each sex	.....	9,368	8,979	1,814	1,775	1,524	1,441	1,616	1,469
Total children, both sexes,	18,347	18,347		3,589		2,965		3,085	

Digitized by Google

TABLE XXXV., *Continued.*—NATIVITY (RELATIVE) OF FATHERS AND MOTHERS OF CHILDREN BORN IN BOSTON IN 1908.

Birthplaces of Fathers.	Birthplaces of Mothers.									
	British-American Provinces.		Great Britain.		Germany.		Italy.		Russia.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	136	140	43	43	13	13	2	5	7	4
United States, outside of Boston	210	194	41	56	14	5	.....	1	12	7
Ireland	29	33	19	22	1	1	.....	.....	.....	.....
Br.-American Provinces	451	430	19	22	1	1	.....	.....	.....	1
Great Britain	38	52	102	101	2	....	.....	.....	3	5
Germany	4	4	2	5	64	58	.....	.....	6	4
Italy	7	5	3	1	.....	2	1,278	1,244	.....	1
Russia	.....	.....	10	10	8	10	.....	.....	1,196	1,188
Norway	.....	1	.....	1	.....	1	.....	.....	.....	.....
Sweden	3	4	4	2	.....	2	.....	.....	4	3
China	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
France	3	3	1	.....	1	.....	1	.....	.....	1
Turkey	1	.....	.....	.....	.....	.....	.....	.....	2	.....
Austria	.....	.....	2	2	5	.....	.....	.....	14	14
Portugal	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Holland	.....	.....	2	1	.....	.....	.....	.....	.....	1
Belgium	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Switzerland	.....	.....	1	.....	2	.....	.....	.....	.....	.....
Greece	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Denmark	2	.....	2	.....	.....	1	.....	.....	.....	.....
Cuba and West Indies	3	2	.....	1	1	.....	.....	.....	.....	.....
All other countries	2	1	2	.....	.....	2	.....	.....	5	4
Unknown	64	58	7	16	6	.....	3	4	6	4
Total children, each sex	954	927	261	284	119	96	1,284	1,254	1,255	1,237
Total children, both sexes,	1,881		545		215		2,538		2,492	

Digitized by Google

TABLE XXXV., *Continued.*—NATIVITY (RELATIVE) OF FATHERS AND MOTHERS OF CHILDREN BORN IN BOSTON IN 1908.

Birthplaces of Fathers.	Birthplaces of Mothers.									
	Norway.		Sweden.		China.		France.		Turkey.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	1	1	5	2	....	....	1	....	....	....
United States outside of Boston	3	2	9	5	....	....	2	2	....	....
Ireland	....	....	1	2	....	....	1	....	....	....
Br.-American Provinces	1	....	4	5	....	....	....	....	....	....
Great Britain	2	....	3	3	....	....	....	....	....	....
Germany	1	1	2	1	....	....	....	2	....	....
Italy	....	....	1	1	....	....	....	2	....	....
Russia	2	....	2	4	....	....	3	....	....	1
Norway	20	21	8	2	....	....	....	....	....	....
Sweden	5	5	107	122	....	....	....	....	....	....
China	....	....	....	....	1	2	....	....	....	....
France	....	....	....	....	....	....	4	5	....	....
Turkey	....	....	....	....	....	....	....	....	82	82
Austria	....	....	....	1	....	....	....	....	....	....
Portugal	....	....	....	....	....	....	....	....	....	....
Holland	....	....	....	....	....	....	....	....	....	....
Belgium	....	....	....	....	....	....	....	....	....	....
Switzerland	....	....	....	....	....	....	1	....	....	....
Greece	....	....	....	....	....	....	....	....	1	....
Denmark	1	1	5	10	....	....	....	....	....	....
Cuba and West Indies	....	....	....	....	....	....	....	....	....	....
All other countries	....	....	1	....	....	....	....	....	....	1
Unknown	3	1	9	10	....	....	....	....	....	1
Total children, each sex	39	32	157	168	1	2	12	11	83	85
Total children, both sexes	71		325		3		23		168	

Digitized by Google

TABLE XXXV., *Continued.*— NATIVITY (RELATIVE) OF FATHERS AND MOTHERS OF CHILDREN BORN IN BOSTON IN 1908.

Birthplaces of Fathers.	Birthplaces of Mothers.									
	Austria.		Portugal.		Holland.		Belgium.		Switzerland.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	2	1	4	1	.....	.....	.....	1	2	.....
United States, outside of Boston	2	1	.....	1	.....	.....	1	1	1	1
Ireland	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Br.-American Provinces	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Great Britain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Germany	.....	3	.....	.....	.....	.....	1	.....	1	.....
Italy	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Russia	19	15	.....	.....	.....	.....	.....	.....	.....	.....
Norway	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Sweden	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
China	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
France	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Turkey	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Austria	66	44	.....	.....	.....	.....	.....	.....	3	.....
Portugal	.....	.....	20	21	.....	.....	.....	.....	.....	.....
Holland	.....	.....	.....	.....	2	1	.....	.....	.....	.....
Belgium	.....	.....	.....	.....	.....	.....	5	12	.....	.....
Switzerland	.....	.....	.....	.....	.....	.....	.....	.....	4	2
Greece	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Denmark	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cuba and West Indies	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other countries	3	1	.....	1	.....	.....	.....	1	.....	.....
Unknown	2	2	1	.....	.....	.....	.....	1	.....	.....
Total children, each sex	98	67	27	24	2	1	7	17	11	3
Total children, both sexes	165		51		3		24		14	

Digitized by Google

TABLE XXXV., *Concluded.*—NATIVITY (RELATIVE) OF FATHERS AND MOTHERS OF CHILDREN BORN IN BOSTON IN 1908.

Birthplaces of Fathers.	Birthplaces of Mothers.									
	Greece.		Denmark.		Cuba and West Indies.		All Other Countries.		Unknown.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston	.....	.....	3	1	1	1	.....	1	.....	.....
United States, outside of Boston	.....	.....	1	.....	2	3	.....	1	*2	1
Ireland	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Br.-American Provinces	.....	.....	.....	.....	.....	.....	1	.....	.....	1
Great Britain	.....	.....	.....	.....	2	1	2	1	.....	.....
Germany	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Italy	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Russia	.....	.....	.....	.....	.....	.....	3	5	.....	1
Norway	.....	.....	1	2	.....	.....	.....	.....	.....	.....
Sweden	.....	.....	2	2	.....	.....	.....	.....	.....	.....
China	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
France	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Turkey	1	.....	.....	.....	2	.....	.....	.....	.....	.....
Austria	.....	.....	1	.....	.....	.....	.....	1	.....	.....
Portugal	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Holland	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Belgium	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Switzerland	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Greece	15	14	.....	.....	.....	.....	.....	.....	.....	.....
Denmark	.....	.....	8	14	.....	.....	.....	.....	.....	.....
Cuba and West Indies	.....	.....	.....	.....	23	11	.....	1	.....	.....
All other countries	.....	.....	.....	.....	.....	.....	15	13	.....	.....
Unknown	.....	.....	2	.....	.....	.....	.....	.....	13	10
Total children, each sex	16	14	19	20	32	16	22	23	15	13
Total children, both sexes	30		39		48		45		28	

* At sea.

Digitized by Google

OCCUPATIONS OF FATHERS OF CHILDREN BORN IN BOSTON, 1908.

	Number and Sex of Children. Male.	Female.
Government, National.		
Military service	5	10
Naval service	7	12
Department head	—	1
Department officials	2	9
Department clerks	39	26
Letter carriers	28	34
Miscellaneous	7	4
State.		
Department heads	1	—
Police	—	1
City.		
Department head	1	—
Department officials	5	6
Department clerks	7	4
Fire Department	34	27
Police Department	74	76
Drawtenders	8	5
Skilled mechanics	2	—
Unskilled mechanics and laborers	18	17
Inspectors of labor	10	12
Janitors	3	1
Miscellaneous	3	9
Professional.		
Clergymen	14	12
Religious, miscellaneous	3	4
Lawyers	28	30
Legal, miscellaneous	—	2
Physicians and surgeons	41	34
Dentists	14	15
Veterinarians	1	2
Nurses	5	1
Hospital attendant	—	1
Journalists	2	7
Editors	8	5
Reporters	9	4
Authors	2	2
Architects	9	7
Artists (painting, drawing)	8	8
Sculptors	1	2
Musicians (?)	31	35
Miscellaneous professional	4	4

Digitized by Google

	Number and Sex of Children. Male.	Female.
Actors	7	8
Miscellaneous entertainment	7	8
Instructors, school and college	3	3
Teachers, schools	17	12
Teachers, music	3	—
Students	6	—
Domestic Service.		
Hotel keepers	2	5
Boarding and lodging house keepers	1	3
Restaurant keepers	21	17
Cooks	71	72
Stewards	14	11
House servants	3	1
Butlers	3	6
Caterers	4	3
Waiters	89	100
Caretakers	6	2
Miscellaneous	8	—
Trade, Commerce and Finance.		
Merchants and dealers	451	423
Peddlers and hawkers	139	145
Bankers, brokers and business agents	100	88
Clerks	430	350
Salesmen	239	250
Shippers and packers	79	92
Demonstrator	1	1
Managers, superintendents and buyers	76	43
Bookkeepers and accountants, etc.	66	73
Cashiers	6	13
Bank clerks, tellers, etc.	8	2
Real estate and insurance	16	1
Messengers, porters, elevator men, etc.	70	72
Miscellaneous	27	12
Builders	14	13
Contractors (not specified)	17	14
Book agents	4	—
Transportation.		
Teamsters, truckmen, etc.	543	523
Cab and coach drivers	75	84
Conductors, railroad (steam and electric)	82	76
Engineers	14	6
Firemen	22	16
Brakemen	46	36
Motormen	81	77
Switchmen	5	6

Digitized by Google

	Number and Sex of Children. Male.	Female.
Gatekeepers	3	2
Signalmen	5	4
Starters	3	5
Inspectors	10	6
Yardmen	5	3
Stevedores	6	—
Longshoremen	57	43
Wharfingers, freight and baggage handlers	49	43
Miscellaneous	22	27
Marine Occupations.		
Sailors	22	23
Fishermen	42	50
Pilots and captains	6	10
Engineers	9	9
Firemen	3	4
Deckhands	1	3
Miscellaneous	—	1
Manual Labor.		
Asbestos workers	2	2
Barbers and hairdressers	209	205
Bakers and confectioners	149	136
Blacksmiths	81	82
Boot and shoemakers and operatives	233	206
Butchers	78	68
Brewers and distillers	24	23
Boilermakers	33	29
Bridge builders	10	12
Boxmakers	4	8
Bartenders and wine clerks	74	61
Bootblacks	20	17
Brushmakers	6	9
Bookbinders	18	20
Boatmakers	4	—
Bottlers	17	21
Cabinetmakers	27	26
Carpenters and joiners	242	236
Cigar and tobacco workers	42	51
Coopers	9	11
Calkers	3	2
Clock and watchmakers	2	5
Carriage trimmers	11	7
Carriage builders	6	—
Chemists	7	29
Chauffeurs	36	21
Coppersmiths	11	9
Coremakers	8	9

Digitized by Google

	Number and Sex of Children. Male.	Female.
Cutters (clothing)	20	17
Dyers and dye workers	1	6
Diver	—	1
Dredgers	4	1
Drillers	5	1
Engineers (stationary)	27	13
Electricians (working)	75	77
Electrotypers	9	1
Engravers	8	8
Firemen (?)	69	82
Firemen (stationary)	13	14
Farmers and farm laborers, gardeners and florists,	27	29
Fish curers	5	4
Furriers	12	5
Gold and silversmiths	3	5
Glassworkers	8	4
Harnessmakers	8	6
Iron, steel and metal workers	148	150
Inspectors (?)	13	10
Icemen	10	12
Janitors	66	65
Jewelers	14	17
Laborers	1,270	1,274
Laundry workers	22	19
Lathers	15	5
Leather workers (not boots ands hoes)	25	22
Lamplighters	8	8
Locksmiths	4	—
Mechanics (?)	36	26
Mechanical engineers	6	—
Machinists	264	246
Marble and stone worker	33	34
Masons (brick and stone)	82	84
Mill and factory operatives	135	112
Molders (?)	19	19
Mattressmakers	15	7
Miners	3	1
Masseurs	2	1
Mosaic workers	3	4
None	26	18
Optician	8	5
Piano and organ builders	29	38
Printers, compositors and pressmen	128	119
Painters, glaziers, decorators and gilders	190	187
Patternmakers	5	—
Paperhangers	13	10
Plasterers and whitewashers	20	11
Photographers	21	9
Plumbers	64	62

Digitized by Google

	Number and Sex of Children. Male.	Female.
Paper cutters and rulers	9	5
Picture framers	3	2
Pawnbrokers	—	2
Potters	2	—
Riggers	3	10
Roofers	21	11
Retired	3	1
Rubber workers	20	22
Ropemakers	6	8
Sailmakers	2	3
Shipbuilders	8	3
Steam and gas fitters	33	41
Stable keepers	3	1
Stablemen	64	48
Stereotypers	4	2
Tailors	452	432
Tinwaremakers	37	35
Telegraph and telephone operators, etc.	21	28
Tile workers	2	4
Undertakers	8	7
Unknown	445	442
Upholsterers	17	9
Woodworkers	19	28
Wheelwrights	2	2
Wire workers	15	18
Watchmen	33	25
Foremen (?)	42	34
Gas workers	5	—
Lumbermen	5	11
Bowling alley and poolroom keepers	7	7
Elevator constructors	3	3
Publishers	6	5
Surveyors	2	—
Draughtsmen and designers	21	14
Engineers (?)	87	86
Engineers, sanitary	2	2
Engineers, civil	11	22
Engineers, electrical	5	—

Of the fathers of male children who had occupations not specified in the above list, there were 2 each of sugar refiners, weighers and decorators, and 1 each of twenty-three trades or occupations not easily classified.

Of the fathers of female children who had occupations not specified in the above list there were 4 each of pipe workers, carpet layers, weighers, newspaper distributors and plaster workers; 3 lithographers; 2 each of prison officers, auto mechanics, locksmiths, umbrellamakers, kilnmen and garage employees; and 1 each of thirty-eight trades or occupations not easily classified.

Digitized by Google

BIRTHS IN INSTITUTIONS.

There were 2,882 children recorded as having been born in various institutions in this city in 1908; of these 1,478 were males and 1,404 females; 2,771 were white and 111 colored.

The ward residence of the parents is given in the following table:

Ward 1	33	Ward 15	32
2	36	16	51
3	31	17	72
4	31	18	87
5	21	19	68
6	49	20	166
7	74	21	87
8	105	22	113
9	116	23	87
10	118	24	108
11	93	25	38
12	156	Ward unknown	83
13	29	Nonresident	835
14	39	Unknown residence	124

PLURALITY BIRTHS.

The number of cases of plurality births recorded in Boston in 1908 was 266 (this includes all stillbirths in plurality cases). There were 6 cases where one child was stillborn, and 9 cases where both infants were stillborn. There were 94 pairs of male twins, 84 pairs of female twins, and 88 pairs which included one of each sex. There was 1 case of triplets, all females.

PLURALITY BIRTHS BY WARDS. (PAIRS.)

Ward 1	9	Ward 15	4
2	9	16	9
3	6	17	18
4	7	18	8
5	7	19	13
6	35	20	13
7	4	21	4
8	19	22	12
9	10	23	6
10	7	24	11
11	3	25	12
12	3	Ward unknown	1
13	12	Nonresident	13
14	9	Residence unknown	2

Digitized by Google

Seasons.— Birth of twins (pairs) by months and quarter-year periods:

January	19	July	33
February	18	August	18
March	18	September	25
First quarter	55	Third quarter	66
April	19	October	23
May	28	November	24
June	31	December	20
Second quarter	78	Fourth quarter	67

Color.— There were five pairs of colored twins.

PLURALITY BIRTHS, NATIVITY OF PARENTS.	PAIRS.		One of Each Sex.
	Males.	Females.	
Both parents born in Boston	4	10	4
" " " United States outside of Boston	8	4	7
Father born in Boston, mother in United States, outside of Boston	3	1	3
" " United States,* mother in Boston	4	4	1
" " Boston, mother in Ireland	2	3	2
" " Boston, mother in Br.-American Provinces	3	1	.....
" " Boston, mother in Great Britain	1	.....	.....
" " United States,* mother in Br.-American Provinces	2	2	1
" " United States, mother in Ireland	.....	1	4
" " United States, mother in Great Britain	.....	2	.....
" " United States, mother in Austria	.....	.....	1
" " Ireland, mother in Boston	2	1	.....
" " Br.-American Provinces, mother in Boston	.....	.....	2
" " Great Britain, mother in Boston	1	1	.....
" " Br.-American Provinces, mother in United States*	2	3	1
" " Great Britain, mother in United States*	.....	.....	1
" " Sweden, mother in United States*	1	.....	.....
" " Ireland, mother in United States*	1	2	.....
Both parents born in Ireland	14	5	16

* Outside of Boston.

Digitized by Google

Plurality Births, Nativity of Parents.	Pairs.		One of Each Sex.
	Males.	Females.	
Both parents born in Br.-American Provinces	4	4	8
" " " Italy	12	13	15
" " " Russia	17	17	6
" " " Great Britain	2	.....	1
" " " Switzerland	.....	.....	1
" " " Sweden	1	1	4
" " " Turkey	1	.....	.....
" " " Germany	2	1	.....
" " " Denmark	.....	1	.....
Father's nativity unknown, mother born in Ireland	1	.....	.....
" " " mother born in United States*	2	3	.....
" " " mother born in Boston	.....	1	1
Both parents unknown	1	.....	.....
Father born in Russia, mother in Ireland	.....	.....	1
" " Br.-American Provinces, mother in Ireland	.....	1	1
" " Great Britain, mother in Ireland	.....	.....	1
" " Italy, mother in Ireland	.....	.....	1
" " Br.-American Provinces, mother in Great Britain	1	.....	.....
" " Ireland, mother in Great Britain	.....	.....	1
" " Great Britain, mother in Br.-American Provinces	1	.....	.....
" " Russia, mother in Sewden	.....	.....	1
" " Norway, mother in Sweden	.....	.....	1
" " Denmark, mother in Sweden	.....	.....	1
" " Sweden, mother in Denmark	.....	.....	1
" " Turkey, mother in Russia	1	.....	.....
" " Russia, mother in Austria	.....	1	.....
" " Turkey, mother in West Indies	1	.....	.....

* Outside of Boston.

Digitized by Google

The nativity of the parents of stillborn infants among the plurality births was as follows:

PARENT NATIVITY OF STILLBORN CHILDREN AMONG THE PLURALITY BIRTHS.	PAIRS.		One of Either Sex.	
	Males.	Females.	Males.	Females.
Father born in Boston, mother in United States*	....	....	1	....
Both parents born in Italy	1	....	2	1
" " " Russia	1	....	1	....
" " " Ireland	1	....	....	....
Both parents of unknown nativity	1	....	....	....
Father born in the United States,* mother in Boston	1	....	1	1
Father of unknown nativity, mother in United States*	1	....	....	....
Father born in Br.-American Prov., mother in United States	....	1	....	....

* Outside of Boston.

STILLBIRTHS IN BOSTON IN 1908.

There were 637 stillborn infants recorded in this department in 1908, or 93 less than in 1907.

Sex.— There were 388 males and 249 females.

Color.— There were 619 white, 375 males, 244 females; and 18 colored, 13 males and 5 females.

Seasons.—

	Males.	Females.	Total.
January	20	19	39
February	32	16	48
March	34	20	54
First quarter	86	55	141
April	39	18	57
May	27	23	50
June	36	28	64
Second quarter	102	69	171
July	31	18	49
August	34	27	61
September	26	19	45
Third quarter	91	64	155

Digitized by Google

	Males.	Females.	Total.
October	28	23	51
November	46	21	67
December	25	17	42
Fourth quarter	99	61	160

One or Both Parents Native.

BIRTHPLACES. Father's Birthplace First in Mixed Nativity.	Males.	Females.	Total.	BIRTHPLACES. Father's Birthplace First in Mixed Nativity.	Males.	Females.	Total.
				Brought forward	81	49	130
Both Boston	33	26	59	Unknown and Boston	4	7	11
Boston and United States	12	6	18	Both United States*	32	20	52
Boston and Ireland	5	2	7	United States* and Boston	17	16	33
Boston and Br.-Am. Prov	3	4	7	United States* and Ireland	5	4	9
Boston and Great Britain	2	....	2	U. S. and Br.-Am. Prov.	8	4	12
Boston and Italy	1	....	1	U. S. and Great Britain	4	....	4
Boston and Sweden	1	....	1	Ireland and United States*	1	....	1
Boston and Germany	....	1	1	Br.-Am. Prov. and U. S.*	4	5	9
Ireland and Boston	6	1	7	Great Britain and U. S.*	1	1	2
Br.-Am. Prov. and Boston	10	4	14	Italy and United States*	1	....	1
Great Britain and Boston	3	3	6	Denmark and United States*	....	1	1
Germany and Boston	1	1	2	Country not specified and United States*	....	1	1
Russia and Boston	1	....	1	Unknown and United States*	11	4	15
Denmark and Boston	1	....	1	Russia and United States*	1	....	1
Portugal and Boston	2	1	3				
Carried forward	81	49	130	Total	170	112	282

*Outside of Boston.

Both Parents Foreign and of the Same Nativity.

	Males.	Females.	Total.
Ireland	47	29	76
British-American Provinces	14	20	34
Great Britain	4	3	7
Germany	3	1	4
Italy	44	32	76
Russia	61	23	84
Sweden	7	1	8
Austria	1	4	5
Portugal	–	1	1
Greece	–	1	1
Norway	2	1	3
Denmark	–	1	1
Turkey	1	1	2
France	1	–	1
West Indies	1	–	1
Switzerland	1	–	1
	187	118	305

Digitized by Google

Both Parents Foreign and of Different Nativity.

	Males.	Females.	Total.
Ireland and Great Britain	2	–	2
British-American Provinces and Ireland	2	5	7
British-American Provinces and Great Britain	1	–	1
British-American Provinces and at sea	1	–	1
Great Britain and British-American Provinces	3	2	5
West Indies and British-American Provinces	1	–	1
Great Britain and Ireland	2	–	2
Portugal and Ireland	1	–	1
Austria and Russia	1	–	1
Russia and Great Britain	1	–	1
Denmark and Sweden	–	1	1
Russia and Ireland	–	1	1
*All other countries and Ireland	–	1	1
	15	10	25

One or Both Parents of Unknown Nativity.

	Males.	Females.	Total.
Both unknown	10	5	15
Unknown and Ireland	2	–	2
Unknown and Great Britain	1	1	2
Unknown and British-American Provinces,	3	–	3
Unknown and Italy	–	2	2
*All other countries	–	1	1
	16	9	25

The number and proportion of children born by mothers of the following nativities in 1908, were:

	Number of Children.	Per cent of Total Births.
Of American mothers	6,554	35.7
Irish mothers	3,085	16.8
Russian mothers	2,492	13.5
Italian mothers	2,538	13.7
British-American mothers	1,881	10.2

* Country not specified in general tables.

Digitized by Google

The next table gives the same information regarding the mothers of the 637 stillborn infants in 1908:

	Stillbirths.	Per cent of Whole Number of Still-births.
Of American mothers	238	37.3
Irish mothers	106	16.6
Russian mothers	85	13.3
Italian mothers	79	12.4
British-American mothers . . .	62	9.7
All other foreign and unknown mothers,	67	10.5

The proportion of stillborn infants to the whole number of children born of mothers of each of the above specified nativities is shown by the following table:

	Whole Number of Children.	Still-births.	Per cent of Still-births to Living Births.	Or One in Every
American mothers	6,554	238	3.6	27.5
Irish mothers	3,085	106	3.4	29.1
Russian mothers	2,492	85	3.4	29.3
Italian mothers	2,538	79	3.1	32.1
British-American mothers	1,881	62	3.2	30.3
All other foreign and unknown mothers	1,797	67	3.4	26.8

Digitized by Google

APPENDIX.

WARD STATISTICS, 1908, AND MISCELLANEOUS TABLES.

Digitized by Google

Digitized by Google

WARD STATISTICS, 1908.

The following pages give the most important vital statistics and population, also a comparative analysis for the years 1903, 1904, 1905, 1906, 1907, 1908, together with the area, number of dwellings to the acre, number of persons to a dwelling and number of persons to the acre, or density of population, for each of the wards in the city; also the principal causes of death in each, the chief cause being first in order.

The figures for population are estimated and are furnished by the State Bureau of Labor and Statistics. The areas are from the report of the City Engineer for 1896, or directly following the establishment of the present ward lines, and the figures regarding the dwelling houses are taken from the report of the Assessing Department for the year 1908, and is a statement of the number of dwellings in existence on May 1 of that year.

The ward areas in the statistics are land areas only, flats and water not included; neither are parks or cemeteries or other large tracts not devoted to residential purposes excluded; the density is reckoned on the total land area.

Digitized by Google

Ward I. (East Boston.)

AREA (land), 1,188 acres.
Dwelling houses, 3,262.
Persons to a dwelling, 8.2.
Density of population, 22.6.
Dwellings to the acre, 2.7.

POPULATION, 26,836.
Males, 13,239; females, 13,597.
Native born, 17,830.
Foreign born, 9,006.
Per cent of native born to ward population, 66.44.
Per cent of foreign born to ward population, 33.56.

Ward Statistics of Deaths and Births.

Deaths, 424. { Males, 220. Females, 204.
Per cent of total mortality of residents of the city, 4.2.
Per cent of ward population, 1.5.
Death rate, 15.8 per 1,000 of population.
Deaths under 1 year, 115.
Per cent of total mortality of the city under 1 year, 5+.

Births, 721. { Males, 344. Females, 377.
Birth rate, 27.3 per 1,000.
Per cent of ward population, 2.7.
One in every 37.

Principal causes of death: Pneumonia, diseases of the heart, phthisis.
Principal foreign nationalities represented among deaths: British-American Provinces, Ireland.

Topography.— The East Boston portion of the ward is generally of good elevation, consisting of two hills, one rising to 85 feet, on which is located the reservoir; another at the southeastern extremity, rising to about 50 feet. A depression almost to tide water exists southeast of the tracks of the Boston & Albany Railroad.

The section known as Breed's Island consists of practically one large hill, whose maximum height is above 160 feet, sloping abruptly westwardly and gradually eastwardly to the water.

Almost one-half of this section of the ward is low, being little above marsh level.

This is very largely a residential section, with the exception of the shore front, and contains 86 acres of park land and 10 acres of cemetery area.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD I.	1904.	1905.	1906.	1907.	1908.
Deaths	366	385	440	379	424
Per cent of total mortality of residents of the city	3.87	3.9	4.3	3.75	4.2
Per cent of ward population	1.45	1.5	1.6	1.4	1.5
One in every	68	66	58	69	63
Death rate per 1,000 of population	14.5	15.1	16.9	14.3	15.8
Deaths under 1 year	80	79	108	79	115
Per cent of total mortality of residents of the city under 1 year	4.29	4.1	5.1	4+	5+
Principal causes of deaths:					
Phthisis	50	49	27	28	39
Pneumonia	41	56	68	47	64
Diseases of the heart	43	55	62	55	41
Apoplexy	14	27	22	10	29
Cancer	11	17	18	25	22
Typhoid fever	6	1	6	3	8
Diphtheria	4	9	10	8	4
Meningitis	17	15	32	14	17
Principal foreign nativities represented among deaths	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	B.-A. Prov. Ireland.	B.-A. Prov. Ireland.	B.-A. Prov. Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	30–34 yrs.	65–69 yrs.	65–69 yrs.	55–59 yrs.	70–74 yrs.
Births	624	705	674	771	721
Birth rate per 1,000	28.1	27.7	26.04	29.2	26.8
Per cent of ward population	2.4	2.7	2.6	2.9	2.7
One in every	40	36	38	38	37
Excess of births over deaths	258	320	230	392	297
Excess of births over deaths under 1 year	544	626	566	692	606
*Nativity of greatest number of foreign-born fathers	Boston.	Boston.	Boston.	Boston.	B.-A. Prov.
*Nativity of greatest number of foreign-born mothers	Boston.	Boston.	Boston.	Boston.	B.-A. Prov.
Per cent of whole number of births in the city	3.9	4.4	3.9	4.4	4.1

* This title commenced with 1908, continued through each ward; previous to 1908 it referred to fathers and mothers either native or foreign born.

Digitized by Google

Ward II. (East Boston.)

AREA (land), 357 acres.
Dwelling houses, 2,250.
Persons to a dwelling, 12.1.
Density of population, 76.5.
Dwellings to the acre, 6.3.

POPULATION, 27,339.
Males, 14,863; females, 12,476.
Native born, 15,184.
Foreign born, 12,155.
Per cent of native born to ward population, 55.53.
Per cent of foreign born to ward population, 44.47.

Ward Statistics of Deaths and Births.

Deaths, 430. { Males, 235. Females, 195.
Per cent of total mortality of residents of the city, 4.2.
Per cent of ward population, 1.4.
Death rate, 15.7 per 1,000 of population.
Deaths under 1 year, 130.
Per cent of total mortality of the city under 1 year, 5.6.

Births, 989. { Males, 523. Females, 466.
Birth rate, 36.1 per 1,000.
Per cent of ward population, 3.6.
One in every 27.

Principal causes of death: Pneumonia, diseases of the heart, phthisis.
Principal foreign nationality represented among deaths: Ireland.

Topography.— The portion of the ward east of Lewis street is generally well elevated from about 65 feet at its center, sloping gradually northeasterly and abruptly southwesterly to the water.

The portion west of Lewis street is generally low, lying little above high water.

The greater portion of this ward is low filled land. It contains many stores, warehouses and wharves, and is a mixed business and residential section of the city. There are 2 acres of park area within the ward limits.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD II.	1904.	1905.	1906.	1907.	1908.
Deaths	418	390	440	395	430
Per cent of total mortality of residents of the city	4.42	4.1	4.2	2.86	4.2
Per cent of ward population	1.65	1.5	1.6	1.4	1.5
One in every	60	36	61	67	63
Death rate per 1,000 of population	16.5	27.6	16.3	14.7	15.7
Deaths under 1 year	123	87	102	109	130
Per cent of total mortality of residents of the city under 1 year	6.61	4.5	4.8	5.5	4.2
Principal causes of death:					
Phthisis	57	49	51	55	30
Pneumonia	48	57	59	55	63
Diseases of the heart	41	41	63	47	50
Apoplexy	19	18	14	16	10
Cancer	15	17	21	16	26
Typhoid fever	2	4	6	1	11
Diphtheria	8	5	6	9	6
Meningitis	19	23	23	15	13
Principal foreign nativities represented among deaths	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	1–2 yrs.	40–44 yrs.	65–69 yrs.	1–2 yrs.	1–2 yrs.
Births	698	717	785	852	989
Birth rate per 1,000	27.6	27.6	29.7	31.7	36.1
Per cent of ward population	2.7	2.7	2.9	3.2	3.6
One in every	36	36	33	31	27
Excess of births over deaths	280	327	345	457	559
Excess of births over deaths under one year	575	630	683	743	859
*Nativity of greatest number of foreign-born fathers	B.-A. Prov.	Italy.	Italy.	Italy.	Italy.
*Nativity of greatest number of foreign-born mothers	B.-A. Prov.	Italy.	Italy.	Italy.	Italy.
Per cent of whole number of births in the city	4.4	4.5	4.6	4.9	5.7

* See footnote, Ward I.

Digitized by Google

Ward III. (Charlestown.)

AREA (land), 332 acres.
Dwelling houses, 1,643.
Persons to a dwelling, 8.1.
Density of population, 47.1.
Dwellings to the acre, 4.9.

POPULATION, 15,649.
Males, 7,845; females, 7,804.
Native born, 11,235.
Foreign born, 4,414.
Per cent of native born to ward population, 71.79.
Per cent of foreign born to ward population, 28.21.

Ward Statistics of Deaths and Births.

Deaths, 280. {Males, 140. Females, 140.
Per cent of total mortality of residents of the city, 2.7.
Per cent of ward population, 1.7.
Death rate, 17.8 per 1,000 of population.
Deaths under 1 year, 56.
Per cent of total mortality of the city under 1 year, 2.4.

Births, 410. {Males, 212. Females, 198.
Birth rate, 26.2 per 1,000.
Per cent of ward population, 2.6.
One in every 38.

Principal causes of death: Pneumonia, phthisis, diseases of the heart.
Principal foreign nationality represented among deaths: Ireland.

Topography.— Land well elevated. Within its limits is located Bunker Hill Monument. The hill at the base of the monument is 86 feet above low water. That portion of the ward north of Medford street has been reclaimed from tide water, and is but 4 feet above it.

The district bounded by the Mystic and Charles rivers and Mt. Vernon, Chelsea, Vine, Bunker Hill and Lexington streets is principally low land, and densely populated. It contains the Navy Yard, which includes 87 acres of the ward territory; there is 5 acres of park land and 6 acres of cemetery area within the ward limits.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD III.	1904.	1905.	1906.	1907.	1908.
Deaths	263	291	315	289	280
Per cent of total mortality of residents of the city	2.78	2.9	3.1	2.86	2.7
Per cent of ward population	1.63	1.9	2+	1.8	1.7
One in every	61	50	47	53	55
Death rate per 1,000 of population	16.3	19.6	20.8	18.8	17.8
Deaths under 1 year	63	50	67	53	56
Per cent of total mortality of residents of the city under 1 year	3.38	2.6	3.1	2.6	2.4
Principal causes of death:					
Phthisis	30	44	45	28	23
Pneumonia	38	27	40	55	41
Diseases of the heart	28	36	35	44	35
Apoplexy	17	15	22	18	18
Cancer	6	11	12	9	12
Typhoid fever	.....	.....	7	3	1
Diphtheria	2	7	6	5	11
Meningitis	8	14	13	8	11
Principal foreign nativities represented among deaths	Ireland.	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	35–39 yrs.	65–69 yrs.	60–64 yrs.	60–64 yrs.	40–44 yrs.
Births	424	454	392	394	410
Birth rate per 1,000	26.3	30.6	25.9	25.6	26.2
Per cent of ward population	2.63	3.1	2.5	2.5	2.6
One in every	30	32	38	39	38
Excess of births over deaths	161	163	77	103	130
Excess of births over deaths under 1 year	361	404	325	341	354
* Nativity of greatest number of foreign-born fathers	Ireland.	Ireland.	Ireland.	America.	Ireland.
* Nativity of greatest number of foreign-born mothers	Ireland.	Ireland.	Ireland.	America.	Ireland.
Per cent of whole number of births in the city	2.6	2.8	2.2	2.2	2.3

* See footnote, Ward I.

Digitized by Google

Ward IV. (Charlestown.)

AREA (land), 301 acres.
Dwelling houses, 1,808.
Persons to a dwelling, 7.3.
Density of population, 43.8.
Dwellings to the acre, 6.

POPULATION, 13,198.
Males, 6,650; females, 6,548.
Native born, 9,200.
Foreign born, 3,998.
Per cent of native born to ward population, 69.71.
Per cent of foreign born to ward population, 30.29.

Ward Statistics of Deaths and Births.

Deaths, 225. { Males, 118. Females, 107.
Per cent of total mortality of residents of the city, 2.2.
Per cent of ward population, 1.7.
Death rate, 17+ per 1,000 of population.
Deaths under 1 year, 42.
Per cent of total mortality of the city under 1 year, 1.8.

Births, 372. { Males, 196. Females, 176.
Birth rate, 28.1 per 1,000.
Per cent of ward population, 2.8.
One in every 35.

Principal causes of death: Pneumonia, phthisis, diseases of the heart.
Principal foreign nationality represented among deaths: Ireland.

Topography.— The portion of the ward north of Main street is generally well elevated; on Bunker Hill street, near North Mead street, the elevation is 108 feet above mean low water. This is the highest point in the Charlestown district.

The territory lying south of Main street is low, being about grade 17. From Sullivan square westerly, toward the Somerville line, the land rises.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD IV.	1904.	1905.	1906.	1907.	1908.
Deaths	222	255	243	253	225
Per cent of total mortality of residents of the city	2.35	2.6	2.3	2.5+	2.2
Per cent of ward population	1.52	2.05	1.9	1.9	1.7
One in every	65	49	52	51	58
Death rate per 1,000 of population	15.2	20.4	19.08	19.5	17+
Deaths under 1 year	52	62	48	56	42
Per cent of total mortality of residents of the city under 1 year	2.79	3.2	2.2	2.8	1.8
Principal causes of death:					
Phthisis	24	41	26	32	28
Pneumonia	21	37	41	31	30
Diseases of the heart	33	26	23	32	26
Apoplexy	4	10	17	6	8
Cancer	7	11	8	7	10
Typhoid fever	3	2	5	1	.....
Diphtheria	5	1	2	4	12
Meningitis	8	15	12	7	5
Principal foreign nativity represented among deaths	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	35–39 yrs.	50–54 yrs.	65–69 yrs.	35–39 yrs.	50–54 yrs.
Births	361	348	345	405	372
Birth rate per 1,000	24.7	27.8	27.8	31.2	28.1
Per cent of ward population	2.4	2.7	2.7	3.1	2.8
One in every	40	35	36	32	35
Excess of births over deaths	139	93	102	152	147
Excess of births over deaths under 1 year	309	286	297	349	330
* Nativity of greatest number of foreign-born fathers	Ireland.	Ireland.	Ireland.	America. B.-A. Prov.	Ireland.
* Nativity of greatest number of foreign-born mothers	Ireland.	Ireland.	Ireland.	America. B.-A. Prov.	Ireland.
Per cent of whole number of births in the city	2.2	2.2	2+	2.3	2.1

* See footnote, Ward I.

Digitized by Google

Ward V. (Charlestown.)

AREA (land), 205 acres.
Dwelling houses, 1,227.
Persons to a dwelling, 10.9.
Density of population, 65.3.
Dwellings to the acre, 5.9.

POPULATION, 13,387.
Males, 7,293; females, 6,094.
Native born, 8,752.
Foreign born, 4,635.
Per cent of native born to ward population, 65.36.
Per cent of foreign born to ward population, 34.64.

Ward Statistics of Deaths and Births.

Deaths, 254. {Males, 138. Females, 116.
Per cent of total mortality of residents of the city, 2.5.
Per cent of ward population, 1.8.
Death rate, 18.9 per 1,000 of population.
Deaths under 1 year, 54.
Per cent of total mortality of the city under 1 year, 2.3.

Births, 305. {Males, 157. Females, 148.
Birth rate, 22.7 per 1,000.
Per cent of ward population, 2.2.
One in every 43.

Principal causes of death: Pneumonia, phthisis, diseases of the heart.
Principal foreign nationality represented among deaths: Ireland.

Topography.— All of the ward lying north of Rutherford avenue and Bow street is of fair elevation; the portion south of these streets falls to a height little above high water, and may be considered low.

On the low land the density of population is less than the average of the ward; on the high land it is about 67 per cent greater than the average for the ward. There are 2 acres of cemetery area in this district.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD V.	1904.	1905.	1906.	1907.	1908.
Deaths	219	245	252	254	254
Per cent of total mortality of residents of the city	2.32	2.5	2.5	2.5+	2.5
Per cent of ward population	1.54	1.9	1.9	1.9	1.8
One in every	64	51	51	51	52
Death rate per 1,000 of population	15.4	19.	19.61	19.3	18.9
Deaths under 1 year	46	53	45	50	54
Per cent of total mortality of residents of the city under 1 year	2.47	2.7	2.1	2.5	2.3
Principal causes of death:					
Phthisis	26	35	28	26	36
Pneumonia	32	30	34	38	38
Diseases of the heart	25	32	25	41	26
Apoplexy	13	15	16	16	14
Cancer	7	9	5	6	11
Typhoid fever	7	1	3	5	4
Diphtheria	2	3	2	3	3
Meningitis	6	12	11	11	7
Principal foreign nativity represented among deaths	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	60–64 yrs.	55–59 yrs.	45–49 yrs. 60–64 yrs.	35–39 yrs.	60–64 yrs.
Births	305	300	311	304	305
Birth rate per 1,000	21.6	23.7	24.1	23.1	22.7
Per cent of ward population	2.1	2.3	2.4	2.3	2.2
One in every	46	42	28	43	43
Excess of births over deaths	86	55	59	50	51
Excess of births over deaths under 1 year	259	247	266	254	251
*Nativity of gre test number of foreign-born fathers	Ireland.	Ireland.	Ireland.	America. Ireland.	Ireland.
*Nativity of greatest number of foreign-born mothers	Ireland.	Ireland.	Ireland.	America. Ireland.	Ireland.
Per cent of whole number of births in the city	1.9	1.9	1.8	1.7	.3

* See footnote, Ward I.

Digitized by Google

Ward VI. (Old Boston.)

AREA (land), 293 acres.
Dwelling houses, 1,494.
Persons to a dwelling, 21.2.
Density of population, 108.1.
Dwellings to the acre, 5.1.

POPULATION, 31,676.
Males, 17,498; females, 14,178.
Native born, 12,334.
Foreign born, 19,342.
Per cent of native born to ward population, 38.93.
Per cent of foreign born to ward population, 61.07.

Ward Statistics of Deaths and Births.

Deaths, 655. {Males, 359. Females, 296.
Per cent of total mortality of residents of the city, 6.5.
Per cent of ward population, 2+.
Death rate, 20.6 per 1,000 of population.
Deaths under 1 year, 234.
Per cent of total mortality of the city under 1 year, 10.2.

Births, 1,888. {Males, 938. Females, 950.
Birth rate, 59.6 per 1,000.
Per cent of ward population, 5.9.
One in every 16.

Principal causes of death: Pneumonia, diseases of the heart, phthisis.
Principal foreign nationalities represented among deaths: Italy, Russia.

Topography.— The land is of good general elevation, with the exception of the water front and a small portion reclaimed from the Old Mill Pond, where the elevation is from 16 to 20 feet above mean low water. East of the location of the Old Mill Pond is Copp's Hill, whose maximum elevation is about 60 feet — that is, on the street grade; in the burying ground the elevation reaches 65 feet.

The southwesterly extremity of the ward (Precinct 6) is marked by a considerable rise, which includes Pemberton square and the easterly brow of Beacon Hill, the extreme elevation of which, in this ward, being about 93 feet (at Bowdoin street).

This ward is in the old part of the city, and has the largest foreign population of any of the wards; although densely populated it still has a very large portion of its area given over to business purposes; it contains 3 acres of cemetery area and 1 acre of playground.

The infant mortality is the greatest of any of the wards.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD VI.	1904.	1905.	1906.	1907.	1908.
Deaths	588	642	621	715	655
Per cent of total mortality of residents of the city	6.23	6.6	6.2	7.08	6.5
Per cent of ward population	1.74	2.1	2+	2.3	2+
One in every	57	46	49	43	48
Death rate per 1,000 of population	17.4	21.4	20.3	22.9	20.6
Deaths under 1 year	173	181	210	222	234
Per cent of total mortality of residents of the city under 1 year	9.28	9.5	9.9	11.2	10.2
Principal causes of death:					
Phthisis	62	39	61	41	43
Pneumonia	133	187	166	206	174
Diseases of the heart	47	52	52	60	45
Apoplexy	13	16	12	19	17
Cancer	4	16	13	14	10
Typhoid fever	.....	11	8	4	6
Diphtheria	21	8	2	22	12
Meningitis	43	51	36	47	34
Principal foreign nativities represented among deaths	Italy. Ireland.	Italy. Ireland.	Italy. Ireland. Russia.	Italy.	Italy. Russia.
Age period in which occurred greatest number of deaths of residents other than under 1 year	1–2 yrs.	60–64 yrs.	1–2 yrs.	2–4 yrs.	1–2 yrs.
Births	1,547	1,521	1,611	1,893	1,888
Birth rate per 1,000	45.9	50.7	52.7	60.8	59.6
Per cent of ward population	4.5	5+	5.2	6.1	5.9
One in every	21	19	19	16	16
Excess of births over deaths	959	879	990	1,178	1,233
Excess of births over deaths under 1 year	1,374	1,340	411	1,671	1,654
* Nativity of greatest number of foreign-born fathers	Italy.	Italy.	Italy.	Italy.	Italy.
* Nativity of greatest number of foreign-born mothers	Italy.	Italy.	Italy.	Italy.	Italy.
Per cent of whole number of births in the city	9.8	9.7	9.4	10.9	10.9

* See footnote, Ward I.

Digitized by Google

Ward VII. (Old Boston.)

AREA (land), 394 acres.
Dwelling houses, 1,197.
Persons to a dwelling, 13.8.
Density of population, 41.7.
Dwellings to the acre, 3+.

POPULATION, 16,466.
Males, 9,500; females, 6,966.
Native born, 8,955.
Foreign born, 7,511.
Per cent of native born to ward population, 54.38.
Per cent of foreign born to ward population, 45.62.

Ward Statistics of Deaths and Births.

Deaths, 354. {Males, 196. Females, 158.
Per cent of total mortality of residents of the city, 3.5.
Per cent of ward population, 2.1.
Death rate, 21.4 per 1,000 of population.
Deaths under 1 year, 78.
Per cent of total mortality of the city under 1 year, 3.4.

Births, 452. {Males, 236. Females, 216.
Birth rate, 27.4 per 1,000.
Per cent of ward population, 2.7.
One in every 36.

Principal causes of death: Pneumonia, diseases of the heart, phthisis.
Principal foreign nationality represented among deaths: Ireland.

Topography.— The northerly half of this ward is well elevated. It includes the Common and reaches east, including what is known as the "Burnt District"; also the old Fort Hill district. The part of the ward lying between Beach street and Castle street, and from Pleasant street to the water, is generally low. It includes the old South Cove territory, which was reclaimed from tide water, and is about 6 feet above it. The highest point in the ward is at the junction of Beacon and Park streets, being there about 86 feet above mean low water.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD VII.	1904.	1905.	1906.	1907.	1908.
Deaths	395	315	338	331	354
Per cent of total mortality of residents of the city	4.18	3.2	3.3	3.28	3.5
Per cent of ward population	2.42	2.2	2.1	2+	2.1
One in every	55	48	47	48	46
Death rate per 1,000 of population	24.2	22.1	21.2	20.4	21.4
Deaths under 1 year	55	52	59	53	78
Per cent of total mortality of residents of the city under 1 year	2.95	2.6	2.8	2.6	3.4
Principal causes of death:					
Phthisis	61	58	52	36	37
Pneumonia	70	50	58	50	64
Diseases of the heart	54	40	50	62	47
Apoplexy	16	11	6	16	14
Cancer	10	9	8	9	12
Typhoid fever	3	1	.....	2	3
Diphtheria	2	5	2	.....	10
Meningitis	7	12	10	8	10
Principal foreign nativity represented among deaths	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	35–39 yrs.	35–39 yrs.	40–44 yrs.	35–39 yrs.	2–5 yrs.
Births	367	361	420	429	452
Birth rate per 1,000	22.4	23.1	26.4	26.5	27.4
Per cent of ward population	2.2	2.3	2.6	2.6	2.7
One in every	44	43	37	37	36
Excess of births over deaths	—28*	46	82	98	102
Excess of births over deaths under 1 year	312	309	361	376	374
† Nativity of greatest number of foreign-born fathers	Ireland.	Italy.	Italy.	Turkey.	Turkey.
† Nativity of greatest number of foreign-born mothers	Ireland.	Italy.	Italy.	Turkey.	Turkey.
Per cent of whole number of births in the city	2.2	2.3	2.4	2.4	2.6

*More deaths than births. † See footnote, Ward I.

Digitized by Google

Ward VIII. (Old Boston.)

AREA (land), 166 acres.
Dwelling houses, 1,909.
Persons to a dwelling, 17—.
Density of population, 195.7.
Dwellings to the acre, 11.4.

POPULATION, 32,493.
Males, 17,743; females, 14,750.
Native born, 13,922.
Foreign born, 18,571.
Per cent of native born to ward population, 42.84.
Per cent of foreign born to ward population, 57.16.

Ward Statistics of Deaths and Births.

Deaths, 409. {Males, 232. Females, 177.
Per cent of total mortality of residents of the city, 4+.
Per cent of ward population, 1.2.
Death rate, 12.5 per 1,000 of population.
Deaths under 1 year, 94.
Per cent of total mortality of the city under 1 year, 4.1.

Births, 1,235. {Males, 608. Females, 627.
Birth rate, 38 per 1,000.
Per cent of ward population, 3.8.
One in every 26.

Principal causes of death: Pneumonia, phthisis, diseases of the heart.
Principal foreign nationalities represented among deaths: Russia, Ireland.

Topography.— The land may be considered generally quite low. A very small portion of the ward (Precinct 3) lies upon the northerly slope of Beacon Hill, from Beacon street directly north, including the State House. The elevation here is of course high, being between 90 and 100 feet at the summit, and sloping gradually. A large part of the ward was reclaimed from the Old Mill Pond. The land in the vicinity of the Massachusetts General Hospital is low, the grade being anywhere from 16 to 20.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD VIII.	1904.	1905.	1906.	1907.	1908.
Deaths	389	434	426	442	409
Per cent of total mortality of residents of the city	4.12	4.4	4.2	4.36	4+
Per cent of ward population	1.22	1.4	1.3	1.3	1.2
One in every	81	71	73	72	79
Death rate per 1,000 of population	12.2	14.08	13.5	13.8	12.5
Deaths under 1 year	75	94	94	114	94
Per cent of total mortality of residents of the city under 1 year	4.02	4.9	4.4	5.8	4.1
Principal causes of death:					
Phthisis	59	33	49	46	40
Pneumonia	53	82	69	69	79
Diseases of the heart	43	58	59	60	38
Apoplexy	12	33	17	18	13
Cancer	15	18	19	8	11
Typhoid fever	5	3	5	.....	6
Diphtheria	10	2	2	6	3
Meningitis	8	33	27	17	18
Principal foreign nativities represented among deaths	Ireland. Russia.	Ireland. Russia.	Ireland. Russia.	Russia. Ireland.	Russia. Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	40–44 yrs. 45–49 yrs.	35–39 yrs.	1–2 yrs.	40–44 yrs.	1–2 yrs.
Births	1,028	913	1,067	1,205	1,235
Birth rate per 1,000	32.3	29.6	34.04	37.7	3.8
Per cent of ward population	3.2	2.9	6.2	3.7	3.8
One in every	30	33	28	26	26
Excess of births over deaths	639	479	641	763	826
Excess of births over deaths under 1 year	953	819	973	1,091	1,141
*Nativity of greatest number of foreign-born fathers	Russia.	Russia.	Russia.	Russia.	Russia.
*Nativity of greatest number of foreign-born mothers	Russia.	Russia.	Russia.	Russia.	Russia.
Per cent of whole number of births in the city	6.5	5.8	6.2	6.9	7.1

* See footnote, Ward I.

Digitized by Google

Ward IX.

AREA (land), 186 acres.
Dwelling houses, 1,891.
Persons to a dwelling, 12.3.
Density of population, 125.3.
Dwellings to the acre, 10.1.

POPULATION, 23,317.
Males, 12,074; females, 11,243.
Native born, 13,555.
Foreign born, 9,762.
Per cent of native born to ward population, 58.13.
Per cent of foreign born to ward population, 41.87.

Ward Statistics of Deaths and Births.

Deaths, 455. {Males, 263. Females, 192.
Per cent of total mortality of residents of the city, 4.5.
Per cent of ward population, 1.9.
Death rate, 19.5 per 1,000 of population.
Deaths under 1 year, 104.
Per cent of total mortality of the city under 1 year, 4.5.

Births, 803. {Males, 419. Females, 384.
Birth rate, 34.4 per 1,000.
Per cent of ward population, 3.4.
One in every 29.

Principal causes of death: Pneumonia, phthisis, diseases of the heart.
Principal foreign nationality represented among deaths: Ireland.

Topography.— This ward includes what was formerly Boston Neck, and most of the ward is made land. The average elevation of the ward is the lowest in the city, being about grade 16. Almost the entire territory is little above tide water, a portion of it, "Suffolk Street District," being filled from marsh level of its present grade, 18.

The corner of Shawmut avenue and Dwight street is at grade 12, and is one of the lowest grades in the city for a main thoroughfare.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD IX.	1904.	1905.	1906.	1907.	1908.
Deaths	456	481	456	473	455
Per cent of total mortality of residents of the city	4.83	4.9	4.5	4.68	4.5
Per cent of ward population	1.68	2.1	2+	2+	1.9
One in every	59	46	49	48	51
Death rate per 1,000 of population	16.8	21.7	20.2	20.6	19.5
Death under 1 year	71	82	86	80	104
Per cent of total mortality of residents of the city under 1 year	3.81	4.3	4+	4.1	4.5
Principal causes of death:					
Phthisis	54	67	56	54	46
Pneumonia	71	82	54	71	62
Diseases of the heart	58	57	63	78	39
Apoplexy	21	31	26	19	28
Cancer	11	19	17	18	19
Typhoid fever	2	1	5	.....	3
Diphtheria	9	2	7	2	5
Meningitis	13	12	12	26	13
Principal foreign nativities represented among deaths	Ireland. B.-A. Prov.	Ireland.	Ireland. Russia.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	40–44 yrs.	60–64 yrs.	40–44 yrs.	50–54 yrs.	40–44 yrs
Births	580	570	652	760	803
Birth rate per 1,000	21.4	25.7	29.05	33.1	34.4
Per cent of ward population	2.1	2.5	2.8	3.3	3.4
One in every	46	38	34	30	29
Excess of births over deaths	124	89	196	287	348
Excess of births over deaths under 1 year	509	488	566	680	699
*Nativity of greatest number of foreign-born fathers	Russia.	Russia.	Russia.	Russia.	Russia.
*Nativity of greatest number of foreign-born mothers	Russia.	Russia.	Russia.	Russia.	Russia.
Per cent of whole number of births in the city	3.6	3.6	3.8	4.3	4.6

* See footnote, Ward I.

Digitized by Google

Ward X.

AREA (land), 394 acres.
Dwelling houses, 2,149.
Persons to a dwelling, 11.7.
Density of population, 63.8.
Dwellings to the acre, 5.5.

POPULATION, 25,139.
Males, 11,339; females, 13,800.
Native born, 18,033.
Foreign born, 7,106.
Per cent of native born to ward population, 71.73.
Per cent of foreign born to ward population, 28.27.

Ward Statistics of Deaths and Births.

Deaths, 307. {Males, 139. Females, 168.
Per cent of total mortality of residents of the city, 3.
Per cent of ward population, 1.2.
Death rate, 12.2 per 1,000 of population.
Deaths under 1 year, 46.
Per cent of total mortality of the city under 1 year, 2+

Births, 335. {Males, 175. Females, 160.
Birth rate, 13.3 per 1,000.
Per cent of ward population, 1.3.
One in every 75.

Principal causes of death: Diseases of the heart, pneumonia, phthisis.
Principal foreign nationality represented among deaths: Ireland.

Topography.— This ward was originally a marshy tract of land. It has been well filled, and is a fine residential section, with very little of it devoted to business purposes. The entire ward can be considered low, the territory being practically level at grade of 18.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD X.	1904.	1905.	1906.	1907.	1908.
Deaths	303	283	320	315	307
Per cent of total mortality of residents of the city	3.21	2.9	3.1	3.12	3.0
Per cent of ward population	1.24	1.1	1.3	1.2	1.2
One in every	80	84	75	78	81
Death rate per 1,000 of population	12.4	11.8	13.1	12.7	12.2
Deaths under 1 year	39	26	40	42	46
Per cent of total mortality of residents of the city under 1 year	2.09	1.7	1.8	2.1	2+
Principal causes of death:					
Phthisis	34	26	30	29	27
Pneumonia	42	43	48	30	32
Diseases of the heart	39	43	47	55	34
Apoplexy	15	16	19	20	15
Cancer	5	16	14	24	21
Typhoid fever	1	2	3	2	3
Diphtheria	1	6	3	3	11
Meningitis	6	8	9	8	5
Principal foreign nativities represented among deaths	Ireland. B.-A.Prov.	Ireland. B.-A.Prov.	B.-A. Prov.	B.-A. Prov.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	50–55 yrs.	50–54 yrs.	35–39 yrs. 55–59 yrs.	45–49 yrs.	45–49 yrs.
Births	316	266	291	321	335
Birth rate per 1,000	12.9	11.1	12+	13	13.3
Per cent of ward population	1.2	1.1	1.2	1.3	1.3
One in every	74	89	83	77	75
Excess of births over deaths	13	—17*	*	6	28
Excess of births over deaths under 1 year	277	240	251	279	289
†Nativity of greatest number of foreign-born fathers	U. S.‡	U. S.‡	U. S.‡	America.	Ireland.
†Nativity of greatest number of foreign-born mothers	U. S.‡	U. S.‡	U. S.‡	America.	Ireland.
Per cent of whole number of births in the city	1.9	1.6	3.8	1.8	1.9

* Less births than deaths. † See footnote, Ward I. ‡ Outside of Boston.

Digitized by Google

Ward XI.

AREA (land), 638 acres.
Dwelling houses, 3,084.
Persons to a dwelling, 7.6.
Density of population, 36.9.
Dwellings to the acre, 4.8.

POPULATION, 23,568.
Males, 8,918; females, 14,650.
Native born, 15,672.
Foreign born, 7,896.
Per cent of native born to ward population, 66.49.
Per cent of foreign born to ward population, 33.51.

Ward Statistics of Deaths and Births.

Deaths, 280. {Males, 119. Females, 161.
Per cent of total mortality of residents of the city, 2.7.
Per cent of ward population, 1.1.
Death rate, 11.8 per 1,000 of population.
Deaths under 1 year, 30.
Per cent of total mortality of the city under 1 year, 1.3.

Births, 369. {Males, 187. Females, 182.
Birth rate, 15.6 per 1,000.
Per cent of ward population, 1.5.
One in every 63.

Principal causes of death: Pneumonia, diseases of the heart, apoplexy.
Principal foreign nationality represented among deaths: Ireland.

Topography. — This district includes the westerly slope of Beacon Hill, the grade ranging from 108 to 17 at Charles street. The entire Back Bay district is within its limits, and may be called low, the grades along Beacon street being 17, while the remainder of the district is 18. The remainder of the ward, lying between Massachusetts avenue and St. Mary's street, ranges from a grade of 19 to about 30; its average, however, will be about 20.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XI.	1904.	1905.	1906.	1907.	1908.
Deaths	286	287	313	283	280
Per cent of total mortality of residents of the city	3.03	2.9	3.1	2.86	2.7
Per cent of ward population	1.34	1.2	1.3	1.2	1.1
One in every	74	77	72	81	84
Death rate per 1,000 of population	13.4	12.8	13.3	12.2	11.8
Deaths under 1 year	27	34	44	26	30
Per cent of total mortality of residents of the city under 1 year	1.45	1.7	2+	1.3	1.3
Principal causes of death:					
Phthisis	26	27	30	26	17
Pneumonia	39	44	43	42	38
Diseases of the heart	36	55	56	46	38
Apoplexy	21	21	30	24	22
Cancer	15	18	9	19	12
Typhoid fever	7	3	4	.....	3
Diphtheria	2	2	1	1	3
Meningitis	8	4	9	7	6
Principal foreign nativities represented among deaths	Ireland. B.-A. Prov.	Ireland.	Ireland. B.-A. Prov.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	55–59 yrs.	65–69 yrs.	60–64 yrs.	65–69 yrs.	65–69 yrs.
Births	267	294	344	388	369
Birth rate per 1,000	12.5	13.1	15.1	16.7	15.6
Per cent of ward population	1.2	1.3	1.5	1.6	1.5
One in every	79	76	66	59	63
Excess of births over deaths	—19*	7	31	105	89
Excess of births over deaths under 1 year	240	260	300	362	339
†Nativity of greatest number of foreign-born fathers	U. S.‡	U. S.‡	U. S ‡	Russia.	Russia.
†Nativity of greatest number of foreign-born mothers	U. S.‡	U. S.‡	U. S.‡	U. S.§	Russia.
Per cent of whole number of births in the city	1.6	1.8	2+	2.2	2.1

* Less births than deaths. † See footnote, Ward I. ‡ Outside of Boston.
§ Russian mothers are very nearly equal in number to native mothers.

Digitized by Google

Ward XII.

AREA (land), 235 acres.
Dwelling houses, 2,329.
Persons to a dwelling, 9.8.
Density of population, 97.6.
Dwellings to the acre, 9.9.

POPULATION, 22,940.
Males, 10,143; females, 12,797.
Native born, 15,754.
Foreign born, 7,186.
Per cent of native born to ward population, 68.67.
Per cent of foreign born to ward population, 31.33.

Ward Statistics of Deaths and Births.

Deaths, 354. {Males, 182. Females, 172.
Per cent of total mortality of residents of the city, 3.5.
Per cent of ward population, 1.5.
Death rate, 15.4 per 1,000 of population.
Deaths under 1 year, 48.
Per cent of total mortality of the city under 1 year, 2+

Births, 401. {Males, 224. Females, 177.
Birth rate, 17.4 per 1,000.
Per cent of ward population, 1.7.
One in every 57.

Principal causes of death: Phthisis, pneumonia, diseases of the heart.
Principal foreign nationality represented among deaths: Ireland.

Topography.— This ward is generally low land; it includes 7 acres of park area, and is a residential section. The maximum grade is about 18, the minimum about 16.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XII.	1904.	1905.	1906.	1907.	1908.
Deaths	370	396	356	373	354
Per cent of total mortality of residents of the city	3.92	4.0	3.5	3.75	3.5
Per cent of ward population	1.42	1.8	1.6	1.6	1.5
One in every	70	54	62	60	64
Death rate per 1,000 of population	14.2	18.2	16.04	16.5	15.4
Deaths under 1 year	54	49	63	38	48
Per cent of total mortality of residents of the city under 1 year	2.90	2.6	2.9	1.9	2+
Principal causes of death:					
Phthisis	47	46	30	45	38
Pneumonia	45	50	43	63	36
Diseases of the heart	54	64	56	50	34
Apoplexy	17	28	26	19	16
Cancer	10	15	28	13	27
Typhoid fever	10	5	2	2	6
Diphtheria	4	.....	4	5	4
Meningitis	10	12	13	10	12
Principal foreign nativities represented among deaths	Ireland.	Ireland. B.-A. Prov.	Ireland.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	60–64 yrs.	65–69 yrs.	40–44 yrs. 60–64 yrs. 70–74 yrs.	50–54 yrs.	60–64 yrs.
Births	288	317	346	396	401
Birth rate per 1,000	11.07	14.5	15.2	17.7	17.4
Per cent of ward population	1.1	1.4	1.5	1.7	1.7
One in every	90	68	27	56	57
Excess of births over deaths	—82*	—79*	*	23	47
Excess of births over deaths under 1 year	234	268	283	335	353
†Nativity of greatest number of foreign-born fathers	U. S.‡	U. S.‡	U. S.‡	U. S.	Ireland. B.-A. Prov.
†Nativity of greatest number of foreign-born mothers	U. S.‡	U. S.‡	U. S.‡	U. S.	Ireland.
Per cent of whole number of births in the city	1.8	2+	2+	2.2	2.3

* More deaths than births. † See footnote, Ward I. ‡ Outside of Boston.

Digitized by Google

Ward XIII. (South Boston.)

AREA (land), 604 acres.
Dwelling houses, 2,148.
Persons to a dwelling, 10.6.
Density of population, 37.8.
Dwellings to the acre, 3.5.

POPULATION, 22,877.
Males, 11,829; females, 11,048.
Native born, 13,311.
Foreign born, 9,566.
Per cent of native born to ward population, 58.11.
Per cent of foreign born to ward population, 41.89.

Ward Statistics of Deaths and Births.

Deaths, 486. {Males, 267. Females, 219.
Per cent of total mortality of residents of the city, 4.8.
Per cent of ward population, 2.1.
Death rate, 21.2 per 1,000 of population.
Deaths under 1 year, 150.
Per cent of total mortality of the city under 1 year, 6.5.

Births, 750. {Males, 370. Females, 380.
Birth rate, 32.7 per 1,000.
Per cent of ward population, 3.2.
One in every 30.

Principal causes of death: Pneumonia, phthisis, diseases of the heart.
Principal foreign nationality represented among deaths: Ireland.

Topography.— Much of the area of this ward is made land, and lies quite low, very little of it, except the part in the vicinity of West Broadway, being but a few feet above high water; nearly, if not quite, one-half of the solid area of the ward has been reclaimed from tide water. A great part of this ward is given over to business purposes, notably the water front and the land contiguous to the New York, New Haven & Hartford Railroad.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XIII.	1904.	1905.	1906.	1907.	1908.
Deaths	464	516	516	515	486
Per cent of total mortality of residents of the city	4.91	5.3	5.1	5.1+	4.8
Per cent of ward population	1.84	2.3	2.3	2.2	2.1
One in every	54	42	42	43	47
Death rate per 1,000 of population	18.4	23.8	23.3	22.9	21.2
Deaths under 1 year	117	136	150	111	150
Per cent of total mortality of residents of city under 1 year	6.28	7.1	7+	5.6	6.5
Principal causes of death:					
Phthisis	74	95	73	62	50
Pneumonia	50	69	89	62	75
Diseases of the heart	51	40	51	70	46
Apoplexy	23	19	22	24	12
Cancer	9	15	15	19	16
Typhoid fever	9	6	2	2	3
Diphtheria	13	2	10	2	14
Meningitis	11	24	18	36	17
Principal foreign nativity represented among deaths	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year*	35–39 yrs.	45–49 yrs.	35–39 yrs. 45–49 yrs.	35–39 yrs. 40–44 yrs.	1–2 yrs.
Births	784	761	767	766	750
Birth rate per 1,000	31.1	35.1	36.1	34.1	32.7
Per cent of ward population	3.1	3.5	3.6	3.4	2.1
One in every	32	28	27	29	30
Excess of births over deaths	320	245	281	251	264
Excess of births over deaths under 1 year	667	625	647	655	336
* Nativity of greatest number of foreign-born fathers	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
* Nativity of greatest number of foreign-born mothers	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Per cent of whole number of births in the city	4.9	4.8	4.6	4.3	4.3

* See footnote, Ward I.

Digitized by Google

Ward XIV. (South Boston.)

AREA (land), 385 acres.
Dwelling houses, 2,533.
Persons to a dwelling, 9.2.
Density of population, 60.7.
Dwellings to the acre, 6.5.

POPULATION, 23,380.
Males, 11,614; females, 11,766.
Native born, 15,916.
Foreign born, 7,464.
Per cent of native born to ward population, 68.07.
Per cent of foreign born to ward population, 31.93.

Ward Statistics of Deaths and Births.

Deaths, 389. {Males, 206. Females, 183.
Per cent of total mortality of residents of the city, 3.8.
Per cent of ward population, 1.6.
Death rate, 16.6 per 1,000 of population.
Deaths under 1 year, 92.
Per cent of total mortality of the city under 1 year, 4.

Births, 637. {Males, 322. Females, 315.
Birth rate, 27.2 per 1,000.
Per cent of ward population, 2.7.
One in every 36.

Principal causes of death: Pneumonia, phthisis.
Principal foreign nationality represented among deaths: Ireland.

Topography.— This ward has a rolling surface, some very high land, and is almost surrounded by water; the difference in death rates between this ward and the neighboring Ward 13 is very marked, and is no doubt largely due to the character of the land within its limits.

Though there are no extreme elevations in this ward, the area is well disposed for drainage purposes, and from a maximum height of about 90 feet the land slopes gradually to the sea.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XIV.	1904.	1905.	1906.	1907.	1908.
Deaths	409	401	408	384	389
Per cent of total mortality of residents of the city	4.33	4.1	4+	3.76	3.8
Per cent of ward population	1.73	1.8	1.8	1.6	1.6
One in every	57	55	55	59	60
Death rate per 1,000 of population	17.3	18.5	18.09	16.7	16.6
Deaths under 1 year	70	62	81	80	92
Per cent of total mortality of residents of the city under 1 year	3.76	3.2	3.8	4.1	4
Principal causes of death:					
Phthisis	55	47	52	56	42
Pneumonia	55	47	55	54	53
Diseases of the heart	58	58	54	44	39
Apoplexy	19	29	18	28	29
Cancer	9	24	17	16	20
Typhoid fever	8	6	3	3	3
Diphtheria	5	5	6	4	4
Meningitis	15	15	16	17	12
Principal foreign nativity represented among deaths	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	50–55 yrs.	60–64 yrs.	60–64 yrs.	45–49 yrs.	40–44 yrs.
Births	566	587	619	701	637
Birth rate per 1,000	23.9	26.4	27.4	30.5	27.2
Per cent of ward population	2.3	2.6	2.7	3.1	2.7
One in every	41	37	36	32	36
Excess of births over deaths	157	186	211	317	248
Excess of births over deaths under 1 year	496	525	538	621	545
*Nativity of greatest number of foreign-born fathers	Ireland.	U. S.†	Boston.	U. S.†	Ireland.
*Nativity of greatest number of foreign-born mothers	U. S.†	U. S.†	Ireland.	U. S.†	Ireland.
Per cent of whole number of births in the city	3.5	3.7	3.6	4.1	3.6

* See footnote, Ward I. † Outside of Boston.

Digitized by Google

Ward XV. (South Boston.)

AREA (land), 243 acres.
Dwelling houses, 2,387.
Persons to a dwelling, 8.9.
Density of population, 88.1.
Dwellings to the acre, 9.8.

POPULATION, 21,431.
Males, 10,358; females, 11,073.
Native born, 14,899.
Foreign born, 6,352.
Per cent of native born to ward population, 69.52.
Per cent of foreign born to ward population, 30.48.

Ward Statistics of Deaths and Births.

Deaths, 357. {Males, 170. Females, 187.
Per cent of total mortality of residents of the city, 3.5.
Per cent of ward population, 1.6.
Death rate, 16.6 per 1,000 of population.
Deaths under 1 year, 93.
Per cent of total mortality of the city under 1 year, 4.

Births, 525. {Males, 268. Females, 257.
Birth rate, 24.9 per 1,000.
Per cent of ward population, 2.4.
One in every 40.

Principal causes of death: Phthisis, pneumonia, diseases of the heart.
Principal foreign nationality represented among deaths: Ireland.

Topography.— A portion of the ward, in the vicinity of Telegraph Hill, is relatively very high, above 150 feet; the territory from the foot of the slope of the hill is generally quite low, being but a few feet above tide water.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XV.	1904.	1905.	1906.	1907.	1908.
Deaths	329	340	356	357	357
Per cent of total mortality of residents of the city	3.48	3.4	3.5	3.53	3.5
Per cent of ward population	1.51	1.6	1.7	1.6	1.6
One in every	65	59	55	58	60
Death rate per 1,000 of population	15.1	16.7	17.2	16.9	16.6
Deaths under 1 year	63	75	81	62	93
Per cent of total mortality of residents of the city under 1 year	3.38	3.9	3.8	3.1	4.0
Principal causes of death:					
Phthisis	51	45	53	36	50
Pneumonia	30	66	49	38	44
Diseases of the heart	44	47	44	63	34
Apoplexy	12	11	15	15	23
Cancer	8	10	16	24	14
Typhoid fever	2	3	4	.....	3
Diphtheria	4	3	5	5	4
Meningitis	12	18	17	26	12
Principal foreign nativity represented among deaths	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	50–54 yrs.	25–29 yrs.	45–49 yrs.	60–64 yrs.	65–69 yrs.
Births	489	493	504	467	525
Birth rate per 1,000	22.5	24.2	24.3	22.1	24.9
Per cent of ward population	2.2	2.4	2.4	2.2	2.4
One in every	44	41	41	45	40
Excess of births over deaths	160	153	148	110	168
Excess of births over deaths under 1 year	426	418	275	405	432
*Nativity of greatest number of foreign-born fathers	Boston.	U. S.†	Boston.	U. S. Ireland.	Ireland.
*Nativity of greatest number of foreign-born mothers	Boston.	U. S.†	Boston.	U. S. Ireland.	Ireland.
Per cent of whole number of births in the city	3.1	3.1	2.9	2.7	3+

* See footnote, Ward I. † Outside of Boston.

Digitized by Google

Ward XVI. (Parts of Dorchester and South Boston.)

AREA (land), 564 acres.
Dwelling houses, 2,491.
Persons to a dwelling, 9.2.
Density of population, 41+.
Dwellings to the acre, 4.4.

POPULATION, 23,128.
Males, 10,910; females, 12,218.
Native born, 16,690.
Foreign born, 6,438.
Per cent of native born to ward population, 72.16.
Per cent of foreign born to ward population, 27.84.

Ward Statistics of Deaths and Births.

Deaths, 334. {Males, 170. Females, 164.
Per cent of total mortality of residents of the city, 3.3.
Per cent of ward population, 1.4.
Death rate, 14.4 per 1,000 of population.
Deaths under 1 year, 70.
Per cent of total mortality of the city under 1 year, 3.

Births, 556. {Males, 304. Females, 252.
Birth rate, 24 per 1,000.
Per cent of ward population, 2.4.
One in every 41.

Principal causes of death: Pneumonia, diseases of the heart, phthisis.
Principal foreign nationality represented among deaths: Ireland.

Topography.— The grade of one-half the territory in the ward is high, the maximum being about 116, it sloping easterly to Norfolk avenue, where the depression around the South Bay and Dorchester Bay begins, and where the grade falls off to 17, 18 and 20.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XVI.	1904.	1905.	1906.	1907.	1908.
Deaths	303	337	344	325	334
Per cent of total mortality of residents of the city	3.21	3.4	3.4	3.22	3.3
Per cent of ward population	1.37	1.5	1.5	1.4	1.4
One in every	72	65	64	69	69
Death rate per 1,000 of population	13.7	15.3	15.4	14.3	14.4
Deaths under 1 year	66	62	67	50	70
Per cent of total mortality of residents of the city under 1 year	3.54	3.2	3.1	2.5	3.0
Principal causes of death:					
Phthisis	32	43	29	32	29
Pneumonia	33	47	47	45	46
Diseases of the heart	53	41	58	37	40
Apoplexy	15	22	21	12	14
Cancer	8	23	11	15	17
Typhoid fever	6	1	5	.....	3
Diphtheria	9	4	9	3	4
Meningitis	16	22	14	13	6
Principal foreign nativities represented among deaths	Ireland.	Ireland.	Ireland. B.-A. Prov.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	35–39 yrs.	55–59 yrs.	70–74 yrs.	55–59 yrs.	70–74 yrs.
Births	538	506	545	572	556
Birth rate per 1,000	24.3	23.1	24.4	25.1	24+
Per cent of ward population	2.4	2.3	2.4	2.5	2.4
One in every	41	43	40	39	41
Excess of births over deaths	235	169	201	247	222
Excess of births over deaths under 1 year	472	444	478	522	486
*Nativity of greatest number of foreign-born fathers	Boston.	U. S.†	Boston.	U. S. B.-A. Prov.	B.-A. Prov.
*Nativity of greatest number of foreign-born mothers	Boston.	U. S.†	Boston.	U. S. Ireland.	Ireland.
Per cent of whole number of births in the city	3.4	3.2	3.1	3.3	3.2

* See footnote, Ward I. † Outside of Boston.

Digitized by Google

Ward XVII. (Part of Roxbury.*)

AREA (land), 423 acres.
Dwelling houses, 2,570.
Persons to a dwelling, 9.9.
Density of population, 60.6.
Dwellings to the acre, 6+.

POPULATION, 25,642.
Males, 12,381; females, 13,261
Native born, 17,300.
Foreign born, 8,342.
Per cent of native born to ward population, 67.46.
Per cent of foreign born to ward population, 32.54.

Ward Statistics of Deaths and Births.

Deaths, 499. {Males, 248. Females, 251.
Per cent of total mortality of residents of the city, 4.9.
Per cent of ward population, 1.9.
Death rate, 19.4 per 1,000 of population.
Deaths under 1 year, 117.
Per cent of total mortality of the city under 1 year, 5.1.

Births, 715. {Males, 351. Females, 364.
Birth rate, 27.8 per 1,000.
Per cent of ward population, 2.7.
One in every 35.

Principal causes of death: Pneumonia, diseases of the heart, phthisis.
Principal foreign nationality represented among deaths: Ireland.

Topography.— The southerly end of the ward, which includes Mt. Pleasant, is well elevated and well disposed for proper drainage; the maximum grade reaches nearly 110; the more easterly portion, lying north of Eustis street, Hampden street and Dudley street, may be considered low, the grade varying from 20 at Hampden street to high-water level.

* A very small portion of this ward was formerly part of Dorchester.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XVII.	1904.	1905.	1906.	1907.	1908.
Deaths	503	469	480	473	499
Per cent of total mortality of residents of the city	5.33	4.8	4.7	4.68	4.9
Per cent of ward population	1.82	1.9	1.9	1.8	1.9
One in every	54	41	51	53	51
Death rate per 1,000 of population	18.2	19.2	19.3	18.7	19.4
Deaths under 1 year	114	107	108	100	117
Per cent of total mortality of residents of the city under 1 year	6.12	5.6	5.1	5.1	5.1
Principal causes of death:					
Phthisis	64	69	65	72	29
Pneumonia	70	69	69	66	46
Disease of the heart	42	51	52	55	40
Apoplexy	28	25	25	24	26
Cancer	13	18	21	23	19
Typhoid fever	1	.....	3	4	2
Diphtheria	13	3	4	6	11
Meningitis	19	18	26	16	17
Principal foreign nativity represented among deaths	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	25–29 yrs.	30–34 yrs.	55–59 yrs.	35–39 yrs. 40–44 yrs.	30–34 yrs.
Births	675	653	716	697	715
Birth rate per 1,000	24.4	26.8	28.9	27.6	27.8
Per cent of ward population	2.4	2.6	2.8	2.7	2.7
One in every	41	37	34	36	35
Excess of births over deaths	172	184	236	224	216
Excess of births over deaths under 1 year	561	546	608	597	598
*Nativity of greatest number of foreign-born fathers	Ireland.	U. S.†	Ireland.	U. S.† Ireland.	Ireland.
*Nativity of greatest number of foreign-born mothers	Ireland.	U. S.†	Ireland.	U. S.† Ireland.	Ireland.
Per cent of whole number of births in the city	4.2	4.1	4.1	4+	4.1

* See footnote, Ward I. † Outside of Boston.

Digitized by Google

Ward XVIII. (Part of Roxbury.)

AREA (land), 220 acres.
Dwelling houses, 2,135.
Persons to a dwelling, 10.9.
Density of population, 106.2.
Dwellings to the acre, 10.9.

POPULATION, 23,380.
Males, 11,461; females, 11,919.
Native born, 15,794.
Foreign born, 7,586.
Per cent of native born to ward population, 67.55.
Per cent of foreign born to ward population, 32.45.

Ward Statistics of Deaths and Births.

Deaths, 444. {Males, 242. Females, 202.
Per cent of total mortality of residents of the city, 4.4.
Per cent of ward population, 1.9.
Death rate, 19.4 per 1,000 of population.
Deaths under 1 year, 125.
Per cent of total mortality of the city under 1 year, 5.4.

Births, 610. {Males, 301. Females, 309.
Birth rate, 26+ per 1,000.
Per cent of ward population, 2.6.
One in every 38.

Principal causes of death: Pneumonia, phthisis, diseases of the heart.
Principal foreign nationality represented among deaths: Ireland.

Topography.— This ward is nearly all low land, much of it made by filling, the grade for the major part of the ward being about 18; an exceedingly small part, lying south of Roxbury street, as far as Bartlett street, is well elevated; it is practically a residential district, and its death rate is nearly the same as the rate of the city.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XVIII.	1904.	1905.	1906.	1907.	1908.
Deaths	404	388	408	451	444
Per cent of total mortality of residents of the city	4.28	4.0	4+	4.68	4.4
Per cent of ward population	1.63	1.7	1.8	1.9	1.9
One in every	61	56	55	50	52
Death rate per 1,000 of population	16.3	17.5	18.09	19.6	19.4
Deaths under 1 year	94	94	84	107	125
Per cent of total mortality of residents of the city under 1 year	5.04	4.9	4+	5.3	5.4
Principal causes of death:					
Phthisis	60	55	55	50	60
Pneumonia	55	55	49	51	61
Diseases of the heart	45	55	47	64	52
Apoplexy	16	19	21	22	20
Cancer	9	10	22	19	12
Typhoid fever	.....	1	6	1	3
Diphtheria	10	5	3	10	6
Meningitis	11	20	16	27	16
Principal foreign nativity represented among deaths	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	30–34 yrs.	40–44 yrs.	60–64 yrs.	35–39 yrs.	50–54 yrs.
Births	583	585	627	620	610
Birth rate per 1,000	23.6	26.4	27.8	27	26+
Per cent of ward population	2.3	2.6	2.7	2.7	2.6
One in every	43	37	36	37	38
Excess of births over deaths	179	197	219	169	166
Excess of births over deaths under 1 year	489	491	543	513	485
*Nativit yof greatest number of foreign-born fathers	U. S.†	U. S.†	U. S.†	U. S. Ireland.	Ireland.
*Nativity of greatest number of foreign-born mothers	U. S.† Ireland.	U. S.†	U. S.†	U. S. Ireland.	Ireland.
Per cent of whole number of births in the city	3.7	3.7	3.6	3.5	3.5

* See footnote, Ward I. † Outside of Boston.

Digitized by Google

Ward XIX. (Part of Roxbury.)

AREA (land), 760 acres.
Dwelling houses, 2,916.
Persons to a dwelling, 10.5.
Density of population, 40.6.
Dwellings to the acre, 3.8.

POPULATION, 30,859.
Males, 14,566; females, 16,303.
Native born, 19,987.
Foreign born, 10,872.
Per cent of native born to ward population, 64.76.
Per cent of foreign born to ward population, 35.24.

Ward Statistics of Deaths and Births.

Deaths, 477. {Males, 221. Females, 256.
Per cent of total mortality of residents of the city, 4.7.
Per cent of ward population, 1.5.
Death rate, 15.4 per 1,000 of population.
Deaths under 1 year, 103.
Per cent of total mortality of the city under 1 year, 4.4.

Births, 747. {Males, 385. Females, 362.
Birth rate, 24.2 per 1,000.
Per cent of ward population, 2.4.
One in every 41.

Principal causes of death: Pneumonia, phthisis, diseases of the heart.
Principal foreign nationality represented among deaths: Ireland.

Topography.— The general characteristic of the land lying within the boundaries of this ward can be considered as high. Parker Hill, on whose summit at grade 219 the city has a reservoir, is here located. About one-third of the ward, that portion lying north of Longwood avenue, averages about 18 feet above mean low water.

The percentage of deaths in the ward to the total mortality of the city is high, as is also the percentage of infant mortality. There are upwards of 200 acres of park area within the limits of the ward; the death rate for the ward is below that for the city at large.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XIX.	1904.	1905.	1906.	1907.	1908.
Deaths	448	483	501	499	477
Per cent of total mortality of residents of the city	4.74	4.9	5+	4.94	4.7
Per cent of ward population	1.49	1.6	1.6	1.6	1.5
One in every	66	60	59	60	64
Death rate per 1,000 of population	14.9	16.5	16.8	16.4	15.4
Deaths under 1 year	94	109	112	100	103
Per cent of total mortality of residents of the city under 1 year	5.04	5.7	5.2	5.1	4.4
Principal causes of death:					
Phthisis	54	60	68	73	53
Pneumonia	71	69	62	54	68
Diseases of the heart	49	53	68	57	51
Apoplexy	17	25	17	27	26
Cancer	14	18	23	22	21
Typhoid fever	2	1	4	3	6
Diphtheria	10	4	5	4	13
Meningitis	14	10	24	23	24
Principal foreign nativities represented among deaths	Ireland. Germany.	Ireland.	Ireland.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	40–44 yrs.	60–64 yrs.	30–34 yrs.	40–44 yrs.	60–64 yrs.
Births	806	812	860	852	747
Birth rate per 1,000	26.9	27.7	28.8	28.1	24.2
Per cent of ward population	2.6	2.7	2.8	2.7	2.4
One in every	37	50	34	36	41
Excess of births over deaths	358	329	359	353	270
Excess of births over deaths under 1 year	712	703	742	752	644
*Nativity of greatest number of foreign-born fathers	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
*Nativity of greatest number of foreign-born mothers	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Per cent of whole number of births in the city	5.1	5.1	5+	4.9	4.3

* See footnote, Ward I.

Digitized by Google

Ward XX. (Part of Dorchester.)

AREA (land), 1,716 acres.
Dwelling houses, 6,178.
Persons to a dwelling, 7.1.
Density of population, 25.7.
Dwellings to the acre, 3.6.

POPULATION, 44,119.
Males, 20,103; females, 24,016.
Native born, 32,688.
Foreign born, 11,431.
Per cent of native born to ward population, 74.09.
Per cent of foreign born to ward population, 25.91.

Ward Statistics of Deaths and Births.

Deaths, 579. {Males, 284. Females, 295.
Per cent of total mortality of residents of the city, 5.7.
Per cent of ward population, 1.3.
Death rate, 13.1 per 1,000 of population.
Deaths under 1 year, 100.
Per cent of total mortality of the city under 1 year, 4.3.

Births, 1,054. {Males, 547. Females, 507.
Birth rate, 23.8 per 1,000.
Per cent of ward population, 2.3.
One in every 41.

Principal causes of death: Diseases of the heart, pneumonia, apoplexy.
Principal foreign nationality represented among deaths: Ireland.

Topography.— The land generally speaking can be called high, all the territory being high above tide water. Several elevations here exist at heights of 130 to 160 feet above low water; between these hills are the consequent depressions, one of them being on either side of Geneva avenue, from Bowdoin street to Dorchester avenue.

The lowest portion of the ward, known as "Calf Pasture," lies easterly of the New York, New Haven & Hartford Railroad, and is at marsh level. Its area is comparatively small.

This ward has the largest population of any in the city, its area is fourth in size, and it is a fine residential section. The death rate for the ward was much below that of the city.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XX.	1904.	1905.	1906.	1907.	1908.
Deaths	503	546	577	600	579
Per cent of total mortality of residents of the city	5.38	5.6	5.7	5.94	5.7
Per cent of ward population	1.40	1.3	1.3	1.3	1.3
One in every	74	76	73	72	76
Death rate per 1,000 of population	14	13.06	13.5	13.8	13.1
Deaths under 1 year	79	83	112	104	100
Per cent of total mortality of residents of the city under 1 year	4.24	4.3	5.2	5.2	4.3
Principal causes of death:					
Phthisis	58	61	45	67	43
Pneumonia	65	60	60	65	60
Diseases of the heart	59	79	75	77	78
Apoplexy	34	37	40	51	49
Cancer	16	38	35	45	35
Typhoid fever	4	2	8	3	5
Diphtheria	13	11	3	8	9
Meningitis	14	19	16	22	11
Principal foreign nativities represented among deaths	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	60–64 yrs.	70–74 yrs.	60–64 yrs.	60–64 yrs.	50–59 yrs.
Births	849	828	975	1,128	1,054
Birth rate per 1,000	23.6	19.7	22.9	26	23.8
Per cent of ward population	2.3	1.9	2.2	2.6	2.3
One in every	42	50	43	38	41
Excess of births over deaths	346	282	398	528	475
Excess of births over deaths under 1 year	770	745	863	1,024	954
*Nativity of greatest number of foreign-born fathers	Boston.	U. S.†	U. S.†	U. S.† B.-A. Prov.	B.-A. Prov.
*Nativity of greatest number of foreign-born mothers	Boston.	U. S.†	Boston.	U. S.† B.-A. Prov.	B.-A. Prov.
Per cent of whole number of births in city	5.3	5.2	5.7	6.5	6.1

* See footnote, Ward I. † Outside of Boston.

Digitized by Google

Ward XXI. (Part of Roxbury.)

AREA (land), 640 acres.
Dwelling houses, 3,587.
Persons to a dwelling, 7.8.
Density of population, 43.7.
Dwellings to the acre, 5.6.

POPULATION, 28,030.
Males, 12,166; females, 15,864.
Native born, 20,028.
Foreign born, 8,002.
Per cent of native born to ward population, 71.45.
Per cent of foreign born to ward population, 28.55.

Ward Statistics of Deaths and Births.

Deaths, 431. {Males, 230. Females, 201.
Per cent of total mortality of residents of the city, 4.2.
Per cent of ward population, 1.5.
Death rate, 15.3 per 1,000 of population.
Deaths under 1 year, 72.
Per cent of total mortality of the city under 1 year, 3.1.

Births, 549. {Males, 292. Females, 257.
Birth rate, 19.5 per 1,000.
Per cent of ward population, 1.9.
One in every 51.

Principal causes of death: Diseases of the heart, pneumonia, apoplexy.
Principal foreign nationality represented among deaths: Ireland.

Topography.— The land is nearly all well elevated above tide water, at points to elevations of 130, 140, 150 and 182 feet, with good drainage. A large proportion of the houses are single and detached; there is about 14 acres of park area and 4 acres of cemetery area within the ward limits. The infant mortality was low, and the death rate for the ward much below the rate for the city at large.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XXI.	1904.	1905.	1906.	1907.	1908.
Deaths	388	386	387	383	431
Per cent of total mortality of residents of the city	4.12	3.9	3.8	3.79	4.2
Per cent of ward population	1.47	1.4	1.4	1.3	1.5
One in every	67	68	69	71	65
Death rate per 1,000 of population	14.7	14.5	14.3	13.9	15.3
Deaths under 1 year	53	47	53	35	72
Per cent of total mortality of residents of the city under 1 year	2.84	2.6	2.5	1.7	3.1
Principal causes of death:					
Phthisis	45	30	36	29	29
Pneumonia	42	48	46	39	54
Diseases of the heart	50	66	56	89	70
Apoplexy	30	32	28	33	45
Cancer	11	22	24	21	26
Typhoid fever	5	5	1	1	2
Diphtheria	4	3	5	3	6
Meningitis	8	8	14	11	7
Principal foreign nativities represented among deaths	Ireland. B.-A. Prov.	Ireland.	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	60–64 yrs.	75–79 yrs.	65–69 yrs.	70–74 yrs.	65–69 yrs.
Births	455	448	514	548	549
Birth rate per 1,000	17.2	16.8	19.01	19.9	19.5
Per cent of ward population	1.7	1.6	1.9	1.9	1.9
One in every	58	59	52	50	51
Excess of births over deaths	67	62	127	165	118
Excess of births over deaths under 1 year	402	401	461	513	477
*Nativity of greatest number of foreign-born fathers	U. S.†	U S.†	U. S.†	U. S. B.-A. Prov.	B.-A. Prov.
*Nativity of greatest number of foreign-born mothers	Boston.	U. S.†	Boston.	U. S. B.-A. Prov.	B.-A. Prov.
Per cent of whole number of births in city	5.3	2.7	3+	3.1	3.1

* See footnote, Ward I. † Outside of Boston.

Digitized by Google

Ward XXII. (Part of Roxbury.)

AREA (land), 760 acres.
Dwelling houses, 3,309.
Persons to a dwelling, 8.8.
Density of population, 38.5.
Dwellings to the acre, 4.3.

POPULATION, 29,287.
Males, 13,790; females, 15,497.
Native born, 19,580.
Foreign born, 9,707.
Per cent of native born to ward population, 66.83.
Per cent of foreign born to ward population, 33.17.

Ward Statistics of Deaths and Births.

Deaths, 460. {Males, 237. Females, 223.
Per cent of total mortality of residents of the city, 4.5.
Per cent of ward population, 1.5.
Death rate, 15.7 per 1,000 of population.
Deaths under 1 year, 94.
Per cent of total mortality of the city under 1 year, 4.5.

Births, 718. {Males, 383. Females, 335.
Birth rate, 24.5 per 1,000.
Per cent of ward population, 2.4.
One in every 40.

Principal causes of death: Diseases of the heart, pneumonia, phthisis.
Principal foreign nationality represented among deaths: Ireland.

Topography.— A part of Roxbury and West Roxbury, including the districts known as Egleston square and Jamaica Plain. The territory is high and healthy, and, excepting the depression existing along the line of Stony brook, there are no low areas. The death rate is much lower than the rate for the city at large.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XXII.	1904.	1905.	1906.	1907.	1908.
Deaths	386	381	376	389	460
Per cent of total mortality of residents of the city	4.11	3.8	3.7	3.79	4.5
Per cent of ward population	1.36	1.3	1.3	1.3	1.5
One in every	73	85	75	73	63
Death rate per 1,000 of population	13.6	13.7	13.3	13.5	15.7
Deaths under 1 year	74	64	81	35	94
Per cent of total mortality of residents of the city under 1 year	4.02	3.2	3.8	1.7	4.5
Principal causes of death:					
Phthisis	38	43	40	40	47
Pneumonia	47	49	44	51	54
Diseases of the heart	52	60	57	69	63
Apoplexy	16	19	11	19	18
Cancer	4	22	13	16	34
Typhoid fever	2	6	5	5	24
Diphtheria	9	2	8	6	14
Meningitis	18	9	6	11	19
Principal foreign nativities represented among deaths	Ireland. Germany.	Ireland.	Ireland.	Ireland. Germany.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	35–39 yrs.	60–64 yrs.	50–54 yrs.	60–64 yrs.	55–59 yrs. 60–64 yrs.
Births	641	689	710	732	718
Birth rate per 1,000	22.6	24.8	25.1	25.4	24.5
Per cent of ward population	2.2	2.4	2.5	2.5	2.4
One in every	44	41	39	39	40
Excess of births over deaths	255	308	334	343	258
Excess of births over deaths under 1 year	567	628	629	697	624
*Nativity of greatest number of foreign-born fathers	Ireland.	U. S.†	U. S.†	U. S.† Ireland.	Ireland.
*Nativity of greatest number of foreign-born mothers	Ireland.	U. S.†	Ireland.	U. S. Ireland.	Ireland.
Per cent of whole number of births in the city	4.1	4.3	4.1	4.2	4.1

* See footnote, Ward I. † Outside of Boston.

Digitized by Google

Ward XXIII. (West Roxbury.)

AREA (land), 7,617 acres.
Dwelling houses, 4,340.
Persons to a dwelling, 6.4.
Density of population, 3.6.
Dwellings to the acre, 1.8.

POPULATION, 27,905.
Males, 13,361; females, 14,544.
Native born, 19,783.
Foreign born, 8,122.
Per cent of native born to ward population, 70.89.
Per cent of foreign born to ward population, 29.11.

Ward Statistics of Deaths and Births.

Deaths, 390. {Males, 195. Females, 195.
Per cent of total mortality of residents of the city, 3.8.
Per cent of ward population, 1.4.
Death rate, 14 per 1,000 of population.
Deaths under 1 year, 66.
Per cent of total mortality of the city under 1 year, 2.9.

Births, 617. {Males, 309. Females, 308.
Birth rate, 22.1 per 1,000.
Per cent of ward population, 2.2.
One in every 45.

Principal causes of death: Phthisis, diseases of the heart, pneumonia.
Principal foreign nationality represented among deaths: Ireland.

Topography.— The entire ward is comparatively high above mean low water, reaching at one point a height over 300 feet above same, the highest land within the city limits. The land is generally well disposed for drainage purposes, with the exception of the territory between Roslindale and Forest Hills, along the course of Stony brook, where there is a depression, with grades about 38 and 40.

This is the largest ward, territorially, in the city. It contains 687 acres of park area and 478 acres of cemeteries. The rate of infant mortality is low; the death rate for the ward is much below that for the city at large.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XXIII.	1904.	1905.	1906.	1907.	1908.
Deaths	322	325	378	409	390
Per cent of total mortality of residents of the city	3.41	3.3	3.7	4.05	3.8
Per cent of ward population	1.23	1.2	1.4	1.4	1.4
One in every	81	81	71	67	71
Death rate per 1,000 of population	12.3	12.3	14.04	14.9	14
Deaths under 1 year	52	59	60	71	66
Per cent of total mortality of the residents of city under 1 year	2.84	3.1	2.8	3.1	2.9
Principal causes of death:					
Phthisis	39	36	47	44	49
Pneumonia	24	49	51	48	44
Diseases of the heart	41	41	57	58	45
Apoplexy	26	19	30	15	22
Cancer	15	18	19	26	26
Typhoid fever	5	2	.....	2	19
Diphtheria	7	3	4	8	4
Meningitis	7	7	15	25	11
Principal foreign nativity represented among deaths	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	70–74 yrs.	60–64 yrs.	65–69 yrs.	75–79 yrs.	60–64 yrs.
Births	495	519	575	604	617
Birth rate per 1,000	19	19.2	21.3	22	22.1
Per cent of ward population	1.9	1.9	2.1	2.2	2.2
One in every	52	50	46	45	43
Excess of births over deaths	173	194	197	195	227
Excess of births over deaths under 1 year	443	460	515	533	551
*Nativity of greatest number of foreign-born fathers	U. S.†	U. S.†	U. S.†	U. S. Ireland.	Ireland.
*Nativity of greatest number of foreign-born mothers	Boston.	U S.†	Boston.	U. S. Ireland.	Ireland.
Per cent of whole number of births in the city	3.1	3.2	3.3	3.4	3.5

* See footnote, Ward I. † Outside of Boston.

Digitized by Google

Ward XXIV. (Part of Dorchester.)

AREA (land), 2,252 acres.
Dwelling houses, 5,093.
Persons to a dwelling, 6.5.
Density of population, 14.8.
Dwellings to the acre, 2.2.

POPULATION, 33,435.
Males, 15,813; females, 17,622.
Native born, 24,465.
Foreign born, 8,970.
Per cent of native born to ward population, 73.17.
Per cent of foreign born to ward population, 27.83.

Ward Statistics of Deaths and Births.

Deaths, 446. {Males, 223. Females, 223.
Per cent of total mortality of residents of the city, 4.4.
Per cent of ward population, 1.3.
Death rate, 13.3 per 1,000 of population.
Deaths under 1 year, 102.
Per cent of total mortality of the city under 1 year, 4.

Births, 757. {Males, 381. Females, 376.
Birth rate, 22.6 per 1,000.
Per cent of ward population, 2.2.
One in every 44.

Principal causes of death: Diseases of the heart, pneumonia, phthisis.
Principal foreign nationality represented among deaths: Ireland.

Topography.— Like Ward 23, this ward is generally well elevated above tide water, one of the hills rising to a height of 180 feet. Between the hills lie the valleys, the one lying just south of Franklin Field being comparatively low. The only actually low territory in the ward is at Neponset, where the grade falls to a minimum of 15 feet above low water.

There are above 100 acres of park area, and upwards of 60 acres of cemetery land within the ward limits. The rate of infant mortality was comparatively very low, as was also the total death rate of the ward, compared with that of the city at large.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XXIV.	1904.	1905.	1906.	1907.	1908.
Deaths	412	404	430	440	446
Per cent of total mortality of residents of the city	4.36	4.1	4.3	4.36	4.4
Per cent of ward population	1.37	1.2	1.3	1.3	1.3
One in every	72	78	75	74	68
Death rate per 1,000 of population	13.7	12.7	13.3	13.3	13.3
Deaths under 1 year	82	59	94	74	102
Per cent of total mortality of residents of the city under 1 year	4.30	3.1	4.4	3.2	4.0
Principal causes of death:					
Phthisis	38	58	25	43	34
Pneumonia	32	35	51	54	40
Diseases of the heart	50	46	61	78	63
Apoplexy	27	47	31	29	31
Cancer	17	14	25	28	24
Typhoid fever	7	4	2	2	3
Diphtheria	7	6	4	7	9
Meningitis	10	11	15	10	11
Principal foreign nativities represented among deaths	Ireland. B.-A.Prov.	Ireland. B.-A.Prov.	Ireland.	Ireland. B.-A. Prov.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	65–69 yrs.	65–69 yrs.	70–74 yrs.	75–79 yrs.	70–74 yrs.
Birth	671	671	750	803	757
Birth rate per 1,000	22.4	21.2	23.2	24.4	22.6
Per cent of ward population	2.2	2.1	2.3	1.9	2.2
One in every	44	47	43	40	44
Excess of births over deaths	259	267	320	363	311
Excess of births over deaths under 1 year	589	612	656	729	655
*Nativity of greatest number of foreign-born fathers	U. S.†	U. S.†	U. S.†	U. S.† B.-A. Prov.	B.-A. Prov.
*Nativity of greatest number of foreign-born mothers	Boston.	U. S.†	U. S.†	U. S.† B.-A. Prov.	B.-A. Prov.
Per cent of whole number of births in the city	4.2	4.2	4.3	4.6	4.3

* See footnote, Ward I. † Outside of Boston.

Digitized by Google

Ward XXV. (Brighton.)

AREA (land), 2,740 acres.
Dwelling houses, 4,116.
Persons to a dwelling, 5.5.
Density of population, 8.3.
Dwellings to the acre, 1.5.

POPULATION, 23,002.
Males, 11,001; females, 12,001.
Native born, 16,201.
Foreign born, 6,801.
Per cent of native born to ward population, 70.43.
Per cent of foreign born to ward population, 29.57.

Ward Statistics of Deaths and Births.

Deaths, 302. {Males, 152. Females, 150.
Per cent of total mortality of residents of the city, 2.9.
Per cent of ward population, 1.3.
Death rate, 13.1 per 1,000 of population.
Deaths under 1 year, 62.
Per cent of total mortality of the city under 1 year, 2.7.

Births, 650. {Males, 332. Females, 318.
Birth rate, 28.2 per 1,000.
Per cent of ward population, 2.8.
One in every 35.

Principal causes of death: Diseases of the heart, phthisis, pneumonia.
Principal foreign nationality represented among deaths: Ireland.

Topography.— The territory of this ward is largely well elevated, some points rising to over 200 feet above mean low water.

The depressions existing south of North Beacon street are but minor ones, scarcely worth considering in connection with the general natural features of the ward.

From the territory lying north of the Boston & Albany Railroad, at a grade of about 25 or 30 feet, the land falls gradually to the banks of the Charles river.

The rate of infant mortality and the general death rate of the ward are very low.

Digitized by Google

Comparative Vital Statistics, 1904–1908.

WARD XXV.	1904.	1905.	1906.	1907.	1908.
Deaths	278	291	313	317	302
Per cent of total mortality of residents of the city	2.95	2.9	3.1	3.12	2.9
Per cent of ward population	1.30	1.3	1.4	1.4	1.3
One in every	76	74	70	71	76
Death rate per 1,000 of population	13	13.3	14.1	14+	13.1
Deaths under 1 year	45	66	74	75	62
Per cent of total mortality of residents of the city under 1 year	2.47	3.4	3.4	3.2	2.7
Principal causes of death:					
Phthisis	34	27	33	23	38
Pneumonia	32	32	43	47	37
Diseases of the heart	33	46	47	56	40
Apoplexy	12	13	18	22	14
Cancer	4	17	11	20	10
Typhoid fever	6	5	2	.....	7
Diphtheria	4	5	10	3	5
Meningitis	18	13	11	17	9
Principal foreign nativity represented among deaths	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths of residents other than under 1 year	50–54 yrs.	55–59 yrs.	55–59 yrs.	65–69 yrs.	2–5 yrs.
Births	521	557	597	625	650
Birth rate per 1,000	24.5	25.5	26.9	27.6	28.2
Per cent of ward population	2.4	2.5	2.6	2.7	2.8
One in every	40	39	37	36	35
Excess of births over deaths	243	266	284	308	348
Excess of births over deaths under 1 year	476	491	523	550	588
*Nativity of greatest number of foreign-born fathers	U. S.†	U. S.†	U. S.†	U. S. Ireland.	Ireland.
*Nativity of greatest number of foreign-born mothers	Ireland.	U. S.†	U. S.†	U. S. Ireland.	Ireland.
Per cent of whole number of births in the city	3.3	3.5	3.4	3.5	3.7

* See footnote, Ward I. † Outside of Boston.

Digitized by Google

SUMMARY OF GREATEST AND LEAST IN THE POINTS ENUMERATED IN THE PRECEDING WARD STATISTICS.

Area and Population.

Ward having the greatest area, Ward 23, 7,617 acres.
" " least area, Ward 8, 166 acres.
" " greatest population, Ward 20, 44,119.
" " least population, Ward 4, 13,198.
" " greatest number of males, Ward 20, 20,103.
" " least number of males, Ward 4, 6,650.
" " greatest number of females, Ward 20, 24,016.
" " least number of females, Ward 5, 6,094.

Wards having an excess of males in population, Wards 2, 3, 4, 5, 6, 7, 8, 9, 13.

Wards having an excess of females in population, Wards 1, 10, 11, 12, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25.

Ward having greatest native-born population, Ward 20, 32,688.
" least native-born population, Ward 5, 8,752.
" greatest foreign-born population, Ward 6, 19,342.
" least foreign-born population, Ward 4, 3,998.

Wards having an excess of foreign-born population, Wards 6, 8.

Greatest per cent of native born to ward population, Ward 20, 74.09.

Least per cent of native born to ward population, Ward 6, 38.93.

Ward having greatest number of dwelling houses, Ward 20, 6,178.

Ward having least number of dwelling houses, Ward 7, 1,197.

Ward having greatest number of persons to a dwelling, Ward 6, 21.2.

Ward having least number of persons to a dwelling, Ward 25, 5.5.

Ward having greatest number of persons to the acre, Ward 8, 195.7.

Ward having least number of persons to the acre, Ward 23, 3.6.

Ward having greatest number of dwellings to the acre, Ward 8, 11.4.

Ward having least number of dwellings to the acre, Ward 25, 1.5.

Mortality.

Ward having greatest number of deaths, Ward 6, 655.
" least number of deaths, Ward 4, 225.
" greatest infant mortality, Ward 6, 234.
" least infant mortality, Ward 11, 30.
" highest mortality rate, Ward 7, 21.4.
" lowest mortality rate, Ward 11.

Ward having the greatest number of deaths from phthisis, Ward 17, 73.

Digitized by Google

Ward having the greatest number of deaths from pneumonia, Ward 6, 174.
Ward having the greatest number of deaths from diseases of the heart, Ward 20, 78.
Ward having the greatest number of deaths from meningitis, Ward 6, 34.
Ward having the greatest number of deaths from apoplexy, Ward 20, 49.
Ward having the greatest number of deaths from kidney diseases, Ward 20, 39.
Ward having the greatest number of deaths from cancer, Ward 22, 34.
Ward having the greatest number of deaths from diphtheria, Ward 13, 14.
Ward having the greatest number of deaths from cholera infantum, Ward 6, 29.
Ward having the greatest number of deaths from scarlet fever, Ward 8, 11.

Births.

Ward having greatest number of births, Ward 6, 1,888.
" least number of births, Ward 5, 305.
" greatest number of male births, Ward 6, 938.
" least number of male births, Ward 5, 157.
" greatest number of female births, Ward 6, 950.
" least number of female births, Ward 5, 148.
" greatest birth rate per thousand, Ward 6, 59.6.
" least birth rate per thousand, Ward 10, 13.3.

Digitized by Google

TABLE A.—WARD STATISTICS: MORTALITY, MORTALITY RATES, BIRTHS AND BIRTH RATES, 1908.

	Deaths.								Births.						
Ward.	Totals.	Males.	Females.	Per cent of Whole Number of Deaths of Residents.	Per cent of Ward Population.	Death Rate per Thousand.	Deaths Under One Year of Age.	Per cent of Whole Number of Deaths Under One Year.	Totals.	Males.	Females.	Birth Rate per Thousand.	Per cent of Ward Population.	One in Every.	Ward.
1	424	220	204	4.2	1.5	15.8	115	5.4	721	344	377	27.3	2.7	37	1
2	430	235	195	4.2	1.4	15.7	130	5.6	989	523	466	36.1	3.6	27	2
3	280	140	140	2.7	1.7	17.8	56	2.4	410	212	198	26.2	2.6	38	3
4	225	118	107	2.2	1.7	17+	42	1.8	372	196	176	28.1	2.8	35	4
5	254	138	116	2.5	1.8	18.9	54	2.3	305	157	148	22.7	2.2	43	5
6	655	359	296	6.5	2+	20.6	234	10.2	1,888	938	950	59.6	5.9	16	6
7	354	196	158	3.5	2.1	21.4	78	3.4	452	236	216	27.4	2.7	36	7
8	409	232	177	4+	1.2	12.5	94	4.1	1,235	608	627	38.0	3.8	26	8
9	455	263	192	4.5	1.9	19.5	104	4.5	803	419	384	34.4	3.4	29	9
10	307	139	168	3.0	1.2	12.2	46	2+	335	175	160	13.3	1.3	75	10
11	280	119	161	2.7	1.1	11.8	30	1.3	369	187	182	15.6	1.5	63	11
12	354	182	172	3.5	1.5	15.4	48	2+	401	224	177	17.4	1.7	57	12
13	486	267	219	4.8	2.1	21.2	150	6.5	750	370	380	32.7	3.2	30	13
14	389	206	183	3.8	1.6	16.6	92	4.0	637	322	315	27.2	2.7	36	14
15	357	170	187	3.5	1.6	16.6	93	4.0	525	268	257	24.9	2.4	40	15
16	334	170	164	3.3	1.4	14.4	70	3.0	556	304	252	24.0	2.4	41	16
17	499	248	251	4.9	1.9	19.4	117	5.1	715	351	364	27.8	2.7	35	17
18	444	242	202	4.4	1.9	19.4	125	5.4	610	301	309	26+	2.6	38	18
19	477	221	256	4.7	1.5	15.4	103	4.4	747	385	362	24:2	2.4	41	19
20	579	284	295	5.7	1.3	13.1	100	4.3	1,054	547	507	23.8	2.3	41	20
21	431	230	201	4.2	1.5	15.3	72	3.1	549	292	257	19.5	1.9	51	21
22	460	237	223	4.5	1.5	15.7	94	4.5	718	383	335	24.5	2.4	40	22
23	390	195	195	3.8	1.4	14+	66	2.9	617	309	308	22.1	2.2	45	23
24	446	223	223	4.4	1.3	13.3	102	4.0	757	381	376	22.6	2.2	44	24
25	302	152	150	2.9	1.3	13.1	62	2.7	650	332	318	28.2	2.8	35	25

Digitized by Google

TABLE B.—WARD STATISTICS: AREAS, DWELLINGS, DENSITY, POPULATION, SEXES, NATIVE AND FOREIGN BORN.

Ward.	Land (Area in Acres).	Dwellings.	Persons to a Dwelling.	Density of Population.	Dwellings to the Acre.	Population of Ward.	Males.	Females.	Native Born.	Foreign Born.	Per cent of Native Born to Ward Population.	Per cent of Foreign Born to Ward Population.	Ward.
1	1,188	3,262	8.2	23.6	2.7	26,836	13,239	13,597	17,830	9,006	66.44	33.56	1
2	357	2,250	12.1	76.5	6.3	27,339	14,863	12,476	15,184	12,155	55.53	44.47	2
3	332	1,643	8.1	47.1	4.9	15,649	7,845	7,804	11,235	4,414	71.79	28.21	3
4	301	1,808	7.3	43.8	6.0	13,198	6,650	6,548	9,200	3,998	69.71	30.29	4
5	205	1,227	10.9	65.3	5.9	13,387	7,293	6,094	8,752	4,635	65.36	34.64	5
6	293	1,494	21.2	108.1	5.1	31,676	17,498	14,178	12,334	19,342	38.93	61.07	6
7	394	1,197	13.8	41.7	3+	16,466	9,500	6,966	8,955	7,511	54.38	45.62	7
8	166	1,909	17.0	195.7	11.4	32,493	17,743	14,750	13,922	18,571	42.84	57.16	8
9	186	1,891	12.3	125.3	10.1	23,317	12,074	11,243	13,555	9,762	58.13	41.87	9
10	394	2,149	11.7	63.8	5.5	25,139	11,339	13,800	18,033	7,106	71.73	28.27	10
11	638	3,084	7.6	36.9	4.8	23,568	8,918	14,650	15,672	7,896	66.49	33.51	11
12	235	2,329	9.8	97.6	9.9	22,940	10,143	12,797	15,754	7,186	68.67	31.33	12
13	604	2,148	10.6	37.8	3.5	22,877	11,829	11,048	13,311	9,566	58.11	41.89	13
14	385	2,533	9.2	60.7	6.5	23,380	11,614	11,766	15,916	7,464	68.07	31.93	14
15	243	2,387	8.9	88.1	9.8	21,431	10,358	11,073	14,899	6,352	69.52	30.48	15
16	564	2,491	9.2	41+	4.4	23,128	10,910	12,218	16,690	6,438	72.16	27.84	16
17	423	2,570	9.9	60.6	6+	25,642	12,381	13,261	17,300	8,342	67.46	32.54	17
18	220	2,135	10.9	106.2	10.9	23,380	11,461	11,919	15,794	7,586	67.55	32.45	18
19	760	2,916	10.5	40.6	3.8	30,859	14,566	16,303	19,987	10,872	64.76	35.24	19
20	1,716	6,178	7.1	25.7	3.6	44,119	20,103	24,016	32,688	11,431	74.09	25.91	20
21	640	3,587	7.8	43.7	5.6	28,030	12,166	15,864	20,028	8,002	71.45	28.55	21
22	760	3,309	8.8	38.5	4.3	29,287	13,790	15,497	19,580	9,707	66.83	33.17	22
23	7,617	4,340	6.4	3.6	1.8	27,905	13,361	14,544	19,783	8,122	70.89	29.11	23
24	2,252	5,093	6.5	14.8	2.2	33,435	15,813	17,622	24,465	8,970	73.17	27.83	24
25	2,740	4,116	5.5	8.3	1.5	23,002	11,001	12,001	16,201	6,801	70.43	29.57	25

Digitized by Google

NUMBER OF BIRTHS, MARRIAGES, MARRIAGE INTENTIONS, DEATHS AND POPULATION RECORDED FROM 1849 TO 1908, WITH ALL ADDITIONS AND CORRECTIONS TO DATE.

YEAR.	Births.	Marriages.	Marriage Intentions.	Deaths.	Population.
1849	5,094	*768	2,287	5,332	132,048
1850	5,304	2,543	2,557	3,668	136,881
1851	5,369	2,896	2,953	3,856	141,308
1852	5,341	2,735	2,877	3,736	145,878
1853	5,637	2,875	3,092	4,284	150,595
1854	5,727	3,170	3,329	4,443	155,464
1855	5,849	2,902	3,061	4,085	160,494
1856	5,962	2,615	2,914	4,258	163,820
1857	5,927	2,496	2,683	3,959	167,218
1858	5,677	2,235	2,318	3,841	170,685
1859	5,973	2,531	2,629	3,738	174,227
1860	5,902	2,531	2,618	4,391	177,840
1861	5,830	2,173	2,300	3,965	180,646
1862	5,354	2,142	2,256	4,126	183,497
1863	5,288	2,364	2,505	4,701	186,390
1864	5,019	2,802	2,960	5,115	189,331
1865	5,365	2,773	2,866	4,551	192,318
1866	5,577	2,877	3,019	4,382	194,506
1867	5,929	2,938	3,200	4,422	227,523
1868	7,426	3,255	3,578	5,520	231,024
1869	7,452	3,391	3,874	5,524	246,541
1870	8,151	3,529	3,991	6,100	250,526
1871	8,583	3,770	4,288	5,892	258,032
1872	9,357	3,859	4,424	3,091	265,764
1873	9,777	3,945	4,459	7,869	321,200
1874	11,801	4,092	4,690	7,813	331,395
1875	14,147	3,490	3,988	8,958	341,919
1876	10,884	3,010	3,391	8,203	346,004
1877	10,636	2,917	3,348	7,284	350,138
1878	10,303	3,069	3,450	7,677	354,322
1879	10,387	3,240	3,656	7,435	358,554
1880	10,770	3,673	4,182	8,613	362,839

* Marriage record of 1849 began July 26. Intentions, January 1.

Digitized by Google

NUMBER OF BIRTHS, ETC.—*Concluded.*

YEAR.	Births.	Marriages.	Marriage Intentions.	Deaths.	Population.
1881	10,673	4,076	4,549	9,097	368,190
1882	11,155	4,240	4,756	9,017	373,620
1883	11,431	4,343	4,880	9,747	379,129
1884	11,627	4,197	4,699	9,623	384,720
1885	11,622	4,277	4,766	9,622	390,393
1886	12,106	4,503	5,130	9,265	401,374
1887	12,346	4,832	5,451	10,077	412,663
1888	12,841	4,959	5,745	10,200	424,274
1889	13,043	5,211	5,862	10,259	436,208
1890	13,395	5,299	6,029	10,180	448,477
1891	14,598	5,519	6,302	10,573	457,772
1892	15,234	5,731	6,516	11,244	467,260
1893	14,801	5,771	6,564	11,713	476,945
1894	15,585	5,472	6,251	11,531	486,830
1895	15,780	5,952	6,799	11,331	496,920
1896	16,547	6,318	7,043	11,650	516,305
1897	17,003	6,064	6,790	11,170	528,912
1898	16,702	5,908	6,535	10,903	541,827
1899	16,289	6,197	6,975	11,178	555,057
1900	16,468	6,054	6,912	11,671	560,892
1901	16,011	6,319	7,009	11,306	574,634
1902	16,017	6,175	6,973	11,002	588,713
1903	16,045	6,641	7,426	10,654	603,136
1904	16,286	6,737	7,503	10,757	617,913
1905	15,907	6,777	7,846	11,007	595,380
1906	17,226	7,376	8,316	11,415	606,216
1907	18,403	7,764	8,654	11,708	617,249
1908	18,347	6,993	7,798	11,756	628,483

Digitized by Google

Births.

Year.	Population.	Males.	Females.	Difference.*	Total.	Stillborn.	Total, Including Stillborn.	To Population. One in Every.
1849	132,048	2,607	2,487	+120	5,094	250	5,344	25.9
1850	136,881	2,696	2,608	+88	5,304	256	5,560	25.8
1851	141,308	2,808	2,561	+247	5,369	251	5,620	26.3
1852	145,878	2,669	2,672	—3	5,341	236	5,577	27.3
1853	150,595	2,837	2,800	+37	5,637	221	5,858	26.7
1854	155,464	2,959	2,768	+191	5,727	276	6,003	27.1
1855	160,494	3,022	2,827	+195	5,849	228	6,077	27.4
1856	163,820	3,068	2,894	+174	5,962	273	6,235	27.4
1857	167,218	3,001	2,926	+75	5,927	271	6,198	28.2
1858	170,685	2,889	2,788	+101	5,677	249	5,926	30.0
1859	174,227	3,045	2,928	+117	5,973	292	6,265	29.1
1860	177,840	2,988	2,914	+74	5,902	376	6,278	30.1
1861	180,646	3,018	2,812	+206	5,830	350	6,180	31.0
1862	183,497	2,741	2,613	+128	5,354	361	5,715	34.3
1863	186,390	2,722	2,566	+156	5,288	361	5,649	35.2
1864	189,331	2,655	2,364	+291	5,019	351	5,370	37.7
1865	192,318	2,759	2,603	+156	5,362	370	5,732	35.8
1866	194,506	2,829	2,748	+81	5,577	397	5,974	34.8
1867	227,523	2,996	2,933	+63	5,929	408	6,337	38.3
1868	231,024	3,753	3,673	+80	7,426	482	7,908	31.1
1869	246,541	3,811	3,641	+170	7,452	477	7,929	33.1
1870	250,526	4,188	3,963	+225	8,151	504	8,655	30.7
1871	258,032	4,377	4,206	+171	8,583	543	9,126	30.1
1872	265,764	4,755	4,602	+153	9,357	560	9,917	28.4
1873	321,200	4,950	4,827	+123	9,777	515	10,292	32.8
1874	331,395	6,077	5,724	+353	11,801	642	12,443	28.1
1875	341,919	5,718	5,429	+289	11,147	541	11,688	30.7
1876	346,004	5,613	5,271	+342	10,884	491	11,375	31.8
1877	350,138	5,380	5,256	+124	11,636	469	12,105	33.0
1878	354,322	5,286	5,017	+269	10,303	447	10,750	34.4
1879	358,554	5,352	5,035	+317	10,387	457	10,844	34.5
1880	362,839	5,499	5,271	+228	10,770	435	11,205	33.7
1881	368,190	5,427	5,246	+181	10,673	548	11,221	34.6
1882	373,620	5,762	5,393	+369	11,155	520	11,675	33.6
1883	379,129	5,406	5,485	—79	10,891	509	11,400	33.2

* Excess of males marked thus +; of females, thus —.

Digitized by Google

Births.— *Concluded.*

YEAR.	Population.	Males.	Females.	Difference.*	Total.	Stillborn.	Total Including Stillborn.	To Population. One in Every.
1884.....	384,720	5,966	5,661	+305	11,627	516	12,143	33.1
1885.....	390,393	6,022	5,600	+422	11,622	523	12,145	33.6
1886.....	401,374	6,253	5,853	+422	12,106	557	12,663	33.2
1887.....	412,663	6,325	6,011	+314	12,336	535	12,871	33.5
1888.....	424,274	6,622	6,219	+403	12,841	571	13,412	33.1
1889.....	436,208	6,811	6,232	+579	13,043	608	13,651	33.5
1890.....	448,477	6,883	6,512	+371	13,395	636	14,031	33.5
1891.....	457,772	7,378	7,113	+265	14,491	625	15,116	31.5
1892.....	467,260	7,631	7,603	+28	15,234	644	15,878	30.7
1893.....	476,945	7,576	7,225	+351	14,801	645	15,446	32.2
1894.....	486,830	8,003	7,582	+421	15,585	721	16,306	31.2
1895.....	496,920	8,021	7,759	+262	15,780	625	16,405	31.4
1896.....	516,305	8,469	8,078	+391	16,547	688	17,235	31.2
1897.....	528,912	8,624	8,379	+245	17,003	640	17,643	31.1
1898.....	541,827	8,405	8,297	+108	16,702	650	17,352	32.4
1899.....	555,057	8,337	7,952	+385	16,289	614	16,903	34.1
1900.....	560,892	8,443	8,025	+318	16,468	674	17,142	34.3
1901.....	574,634	8,163	7,847	+316	16,010	650	16,660	35.8
1902.....	588,713	8,192	7,861	+331	16,053	675	16,728	30.4
1903.....	603,136	8,226	7,816	+410	16,042	633	16,675	37.5
1904.....	617,913	8,284	8,000	+284	16,284	662	16,946	38.5
1905.....	595,380	8,298	7,608	+690	15,906	666	16,572	37.4
1906.....	606,216	8,809	8,416	+393	17,225	661	17,886	35.1
1907.....	617,249	9,303	9,100	+203	18,403	730	19,133	33.5
1908.....	628,483	9,368	8,979	+389	18,347	637	18,984	34.2

Deaths.

YEAR.	Population.	Males.	Females.	Difference.*	Total.	Stillborn.	Total.	Proportion to Population.	
								One in	Per cent.
1851.....	141,308	1,966	1,889	+77	3,855	251	4,106	37	2.70
1852.....	145,878	1,902	1,834	+68	3,736	236	3,972	39	2.56
1853.....	150,595	2,203	2,081	+122	4,284	221	4,505	35	2.84
1854.....	155,464	2,295	2,148	+148	4,443	243	4,686	35	2.85

* Excess of males marked thus +; of females, thus —.

Digitized by Google

Deaths.—*Continued.*

Year.	Population.	Males.	Females.	Difference.*	Total.	Stillborn.	Total.	Proportion to Population.	
								One in	Per cent.
1855	160,494	2,087	1,998	+89	4,085	228	4,313	39	2.43
1856	163,820	2,224	2,034	+188	4,258	273	4,531	38	2.60
1857	167,218	2,077	1,882	+195	3,959	271	4,230	42	2.37
1858	170,685	1,935	1,906	+29	3,841	249	4,090	44	2.25
1859	174,227	1,911	1,827	+84	3,738	292	4,030	47	2.20
1860	177,840	2,229	2,162	+67	4,391	†376	4,767	41	2.47
1861	180,646	1,957	2,008	—51	3,965	†350	4,315	46	2.19
1862	183,497	2,089	2,038	+51	4,127	361	4,488	45	2.25
1863	186,390	2,434	2,267	+167	4,701	361	5,062	40	2.52
1864	189,331	2,667	2,448	+219	5,115	351	5,466	37	2.70
1865	192,318	2,342	2,225	+117	‡4,567	373	4,940	42	2.36
1866	194,506	2,234	2,148	+86	4,382	397	4,779	44	2.25
1867	227,523	2,263	2,159	+104	4,422	408	4,830	51	1.94
1868	231,024	2,862	2,658	+204	5,520	482	6,002	42	2.38
1869	246,541	2,774	2,750	+24	5,524	477	6,001	45	2.24
1870	250,526	3,105	2,995	+110	6,100	504	6,604	41	2.43
1871	258,032	2,959	2,933	+24	5,892	543	6,435	44	2.28
1872	265,764	4,218	3,873	+345	8,091	560	8,651	33	3.04
1873	321,200	4,099	3,770	+329	7,869	515	8,384	41	2.45
1874	331,395	3,957	3,856	+101	7,813	642	8,455	42	2.35
1875	341,919	4,504	4,454	+50	8,958	541	9,499	38	2.62
1876	346,004	4,110	4,093	+17	8,203	491	8,694	42	2.37
1877	350,138	3,680	3,604	+76	7,284	469	7,753	48	2.08
1878	354,322	3,741	3,936	—195	7,677	447	8,124	46	2.17
1879	358,554	3,675	3,760	—85	7,435	457	7,892	48	2.07
1880	362,839	4,210	4,403	—193	8,613	435	9,048	42	2.37
1881	368,190	4,574	4,523	+51	9,097	548	9,145	41	2.47
1882	373,620	4,495	4,522	—27	9,017	520	9,537	41	2.41
1883	379,129	4,866	4,881	—15	9,747	509	10,256	39	2.57
1884	384,720	4,819	4,804	+15	9,623	516	10,139	40	2.50
1885	390,393	4,826	4,796	+30	9,622	523	10,145	41	2.46
1886	401,374	4,677	4,588	+89	9,265	557	9,822	43	2.30
1887	412,663	5,096	4,981	+115	10,077	535	10,612	41	2.44
1888	424,274	5,162	5,038	+124	10,200	571	10,771	42	2.40

* Excess of males marked thus +; of females, —.

† Approximate.

‡ Exclusive of ten soldiers who died at Gallop's Island and were not recorded until the year 1869.

Digitized by Google

Deaths.— *Concluded.*

YEAR.	Population.	Males.	Females.	Difference.*	Total.	Stillborn.	Total.	Proportion to Population.	
								One in	Per cent.
1889	436,208	5,246	5,013	+233	10,259	608	10,867	43	2.35
1890	448,477	5,119	5,061	+58	10,180	636	10,816	44	2.27
1891	457,772	5,381	5,192	+189	10,573	625	11,198	43	2.31
1892	467,260	5,664	5,579	+85	11,243	644	11,887	42	2.40
1893	476,945	6,016	5,697	+319	11,713	645	12,358	40	2.45
1894	486,830	5,988	5,543	+445	11,531	721	12,252	42	2.37
1895†	496,920	5,862	5,469	+393	11,331	625	11,956	43	2.28
1896	516,305	6,097	5,553	+544	11,650	688	12,338	44	2.25
1897	528,912	5,658	5,512	+146	11,170	640	11,810	47	2.11
1898	541,827	5,597	5,306	+291	10,903	650	11,553	50	2.00
1899	555,057	5,768	5,410	+358	11,178	614	11,792	50	2.00
1900	560,892	5,985	5,686	+299	11,671	671	12,342	47	2.08
1901	574,634	5,909	5,397	+512	11,306	650	11,956	51	1.96
1902	588,713	5,673	5,329	+344	11,002	675	11,677	53	1.86
1903	603,136	5,467	5,187	+280	10,654	633	11,287	57	1.76
1904	617,913	5,569	5,188	+381	10,757	661	11,418	57	1.74
1905	595,380	5,844	5,166	+678	11,010	665	11,675	54	1.84
1906	606,216	5,968	5,447	+521	11,415	661	12,076	53	1.88
1907	617,249	6,190	5,515	+675	11,705	730	12,435	49	2.01
1908	628,483	6,198	5,558	+640	11,756	637	12,393	53	1.87

* Excess of males marked thus +; of females, —.

Population in 1895 according to Board of Health table is 501,083.

Digitized by Google

Digitized by Google